

NEMA DC 3-2003

Residential Controls - Electrical Wall-Mounted Room Thermostats



NEMA DC 3

RESIDENTIAL

CONTROLS—

ELECTRICAL

WALL-MOUNTED

ROOM THERMOSTATS

NEMA Standards Publication DC 3-2003

Residential Controls—Electrical Wall-Mounted Room Thermostats

Published by

National Electrical Manufacturers Association

1300 North 17th Street, Suite 1847
Rosslyn, Virginia 22209

www.nema.org

© Copyright 2003 by the National Electrical Manufacturers Association. All rights including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The National Electrical Manufacturers Association (NEMA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

CONTENTS

	Page
Foreword	iii
History of Standards	iv
Section 1 GENERAL	
1.1 Scope.....	1
1.2 References	1
1.2.1 Normative References.....	1
1.3 Definitions	1
Section 2 RATINGS AND CLASSIFICATIONS	
2.1 Electrical Ratings	5
2.1.1 Low Voltage Thermostats.....	5
2.1.2 Line Voltage Thermostats (AC).....	5
2.2 Functional Groups	5
2.2.1 Group.....	5
2.2.2 Sub-group.....	6
2.3 Auxiliary Components.....	6
2.3.1 Functions	6
2.3.2 Thermometers	6
2.3.3 Indicator Lamps	6
Section 3 CONSTRUCTION	
3.1 Connections.....	7
3.1.1 Low-Voltage Thermostats	7
3.1.2 Line-Voltage Thermostats	7
3.2 Materials	7
3.2.1 Projections.....	7
3.2.2 Parts Intended for Setting.....	7
3.2.3 Capable of Withstanding Conditions	8
3.2.4 Iron and Steel Parts.....	8
3.2.5 Enclosures.....	8
3.2.6 Enclosures for Line Voltage Thermostats	8
3.3 Assembly	8
3.4 Adjustments and Settings.....	8
3.4.1 Temperature Settings	8
3.4.2 Accuracy of Temperature Setting Adjustment.....	8
3.4.3 Factory Adjustments.....	8
3.4.4 Sealing and Locking	8
3.5 Spacings (Line-Voltage Thermostats).....	9
3.6 Line-Voltage Thermostat Grounding (Earthling)	9
Section 4 TESTING AND PERFORMANCE	
4.1 Dielectric Tests	10
4.1.1 Low-Voltage Thermostats	10
4.1.2 Line-Voltage Thermostats	10
4.2 Endurance	10
4.2.1 Low-Voltage Thermostats	10

4.2.2	Line-Voltage Thermostats	10
4.3	Overload Test (Line-Voltage Thermostats)	10
4.4	Temperature (Line-Voltage Thermostats)	10
4.5	Environmental Tests	10
4.5.1	General Conditions	10
4.5.2	Differential Tests	11
4.5.3	Cycle Rate Test	11
4.5.4	Droop Test (Heating and Cooling)	11
4.5.5	Test Data Forms	12
Section 5	MARKING	
5.1	Markings Plainly Visible	15
5.2	Markings of a Permanent Nature	15
5.3	Labels, Stampings, or Decalcomanias	15
5.4	When there are More than Two Wiring Connections	15
5.5	Markings for the Scale and for Adjustments	15
Section 6	APPLICATION	
6.1	Room Thermostats	17
6.2	Switches	17
6.3	Low-Voltage Thermostats	17
6.4	Line-Voltage Thermostats	17
6.5	Proper Instructions	17
6.6	Connected Electrical Loads	17
6.7	Thermostats with Anticipating Heaters	17
6.8	Selection of Thermostats Based on Performance Tests	17
6.9	Selection of the Correct Thermostat for Satisfactory Performance	18
Section 7	NEMA THERMOSTAT TEST EQUIPMENT	
7.1	General	19
7.2	Thermostat Test Chamber	19
7.2.1	Thermostat Mounting Panel	19
7.2.2	Heating System	19
7.2.3	Cooling System	19
7.2.4	Air Duct System	19
7.2.5	Blower System	20
7.2.6	Electrical Terminal Board	20
7.3	Program Controller	20
7.4	Temperature and Event Recorder	20
7.5	Test Loads, Supplies, and Controls	21

Foreword

This Standards Publication defines the basic standards for rating, classification, construction, test, and performance of wall-mounted room thermostats and describes the thermostat test equipment necessary to test thermostat operation and performance. It has been developed in the public interest and is designed to promote a better understanding between the manufacturer and the user and to assist the user in selecting and obtaining the proper thermostat for his or her particular application.

If a value for measurement as given in this Standards Publication is followed by an equivalent value in other units, the first stated value is to be regarded as the requirement. The given equivalent value may be only approximate.

These standards are periodically reviewed by the Residential Controls Section of NEMA for any revisions necessary to keep them up-to-date with advancing technology.

Proposed or recommended revisions should be submitted to:

Vice President, Engineering Department
National Electrical Manufacturers Association
1300 North 17th Street
Rosslyn, Virginia 22209

Publication No. DC 3-2003 revises and supersedes the NEMA Standards Publication for *Wall-Mounted Room Thermostats*, Publication No. DC 3-1989 (R1996).

This Standards Publication was developed by the Residential Controls Section. Section approval of the standard does not necessarily imply that all section members voted for its approval or participated in its development. At the time it was approved, the group was composed of the following members:

Apcom Inc.—Franklin, TN
First Technology—Standish, ME
Emerson Electric Company, White-Rodgers Division—St. Louis, MO
GE Industrial Systems—Morrison, IL
Honeywell, Inc.—Golden Valley, MN
Johnson Controls, Inc.—Milwaukee, WI
Texas Instruments, Inc.—Attleboro, MA
Therm-O-Disc—Mansfield, OH

History of Standards

The Residential Controls Section of NEMA was formed in 1940 to promote the standardization of products within the scope of the Section. These product standards cover definitions, ratings, performance, testing, and dimensions. NEMA Standards are voluntary and are designed to eliminate misunderstandings between the purchaser and the manufacturer.

This publication is one of a series sponsored by the Residential Controls Section. Other publications in this series are identified as Pub. No. DC XX (followed by the year of issue).

The development of NEMA standards for room thermostats was prompted by the need for a basic set of standards for construction and performance that were not covered by other standards.

Action was first taken in 1941 to develop a standard for room thermostats. The standard was published in 1948 and covered low-voltage and line-voltage room thermostats. It was revised several times.

The need for separate standards to cover line-voltage electric-heat room thermostats became evident with the growth and acceptance of electric heat. NEMA Publication No. DC 15 was first published in 1968 and covered only line-voltage electric-heat room thermostats. It became apparent that a more logical division in the standards for room thermostats would be to incorporate all line-voltage room thermostats in one publication and low-voltage room thermostats in another. Therefore, NEMA Publication No. DC 3, covering only low-voltage room thermostats, and DC 15, covering only line-voltage room thermostats, were published in 1972.

In 1981, a review of DC 3 and DC 15 indicated that there was a substantial similarity in definitions, functions, and testing of both line-voltage and low-voltage thermostats. Consequently, it was deemed practical to again consolidate all wall-mounted room thermostats into a single standard, DC 3-1984.

The current publication, DC 3-2003, is published in accordance with NEMA's policy of periodic review and revision to keep NEMA standards contemporary with industry needs and technological advancement. It replaces the 1989 (R1996) edition.

Section 1 GENERAL

1.1 SCOPE

This Standards Publication covers self-contained, electrical and electronic, wall-mounted room thermostats for controlling the temperature of the space in which the thermostat is mounted by controlling the applied energy for heating, cooling, or heating-cooling.

1.2 REFERENCES

The following publications are adopted in whole or in part as indicated, by reference in this Standards Publication, and are available from the organizations below.

1.2.1 Normative References

The following normative documents contain provisions, which through reference in this text, constitute provisions of this Standards Publication. By reference herein these publications are adopted, in whole or in part as indicated, in this SP.

National Fire Protection Association (NFPA)

Batterymarch Park
Quincy, MA 02269

ANSI/NFPA 70-2002* *National Electrical Code*

Underwriters Laboratories, Inc. (UL)

333 Pfingsten Road
Northbrook, IL 60062

UL 310-1995	<i>Quick Connect Terminals</i>
ANSI/UL 486A-1997*	<i>Wire Connectors and Soldering Lugs for Use With Copper Conductors</i>
ANSI/UL 486B-1997*	<i>Wire Connectors for Use with Aluminum Conductors</i>
ANSI/UL 514A-1996*	<i>Metallic Outlet Boxes, Electrical</i>
ANSI/UL 514C-1996*	<i>Non-metallic Outlet Boxes, Flush Device Boxes, and Covers</i>
ANSI/UL 873-1994*	<i>Electrical Temperature-Indicating and Regulating Equipment</i>

*Also available from the American National Standards Institute (ANSI), 25 West 43rd Street, New York, NY 10036.

1.3 DEFINITIONS

actuation: Denotes a movement of the actuating member of the control by the user, by hand, by foot, or by any other human activity.

actuating member: Denotes that part which is manually or similarly moved, pushed, or turned to cause initiation of a control action for the purpose of varying or changing a controlled parameter.

anticipating heater: A means for adding heat within the thermostat to provide heating anticipation or cooling anticipation.