


2013 ASME Boiler and Pressure Vessel Code

AN INTERNATIONAL CODE

III

Rules for Construction of Nuclear Facility Components

Division 1 — Subsection ND Class 3 Components




INTENTIONALLY LEFT BLANK

AN INTERNATIONAL CODE

2013 ASME Boiler & Pressure Vessel Code

2013 Edition

July 1, 2013



RULES FOR CONSTRUCTION OF NUCLEAR FACILITY COMPONENTS

Division 1 - Subsection ND

Class 3 Components

ASME Boiler and Pressure Vessel Committee
on Nuclear Power



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2013

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes in this document (if any) are part of this American National Standard.



ASME collective membership mark



Certification Mark

The above ASME symbol is registered in the U.S. Patent Office.

“ASME” is the trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2013.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections	xii
Foreword	xiv
Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising	xvi
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xvi
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	xvii
Personnel	xix
Organization of Section III	xxxiv
Summary of Changes	xxxvii
List of Changes in Record Number Order	xxxix
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code	xl
Article ND-1000 Introduction	1
ND-1100 Scope	1
ND-1130 Boundaries of Jurisdiction Applicable to This Subsection	1
Article ND-2000 Material	6
ND-2100 General Requirements for Material	6
ND-2110 Scope of Principal Terms Employed	6
ND-2120 Pressure Retaining Material	6
ND-2130 Certification of Material	8
ND-2140 Welding Material	8
ND-2150 Material Identification	8
ND-2160 Deterioration of Material in Service	8
ND-2170 Heat Treatment to Enhance Impact Properties	8
ND-2180 Procedures for Heat Treatment of Material	8
ND-2190 Nonpressure-Retaining Material	8
ND-2200 Material Test Coupons and Specimens for Ferritic Steel Material	8
ND-2210 Heat Treatment Requirements	8
ND-2220 Procedure for Obtaining Test Coupons and Specimens for Quenched and Tempered Material	9
ND-2300 Fracture Toughness Requirements for Material	12
ND-2310 Material to be Impact Tested	12
ND-2320 Impact Test Procedures	12
ND-2330 Test Requirements and Acceptance Standards	12
ND-2340 Number of Impact Tests Required	13
ND-2350 Retests	14
ND-2360 Calibration of Instruments and Equipment	14
ND-2400 Welding Material	15
ND-2410 General Requirements	15
ND-2420 Required Tests	16
ND-2430 Weld Metal Tests	17
ND-2440 Storage and Handling of Welding Material	19
ND-2500 Examination and Repair of Pressure Retaining Material	19
ND-2510 Pressure Retaining Material	19
ND-2530 Examination and Repair of Plate	19
ND-2540 Examination and Repair of Forgings and Bars	20
ND-2550 Examination and Repair of Seamless and (Welded Without Filler Metal) Tubular Products and Fittings	22
ND-2560 Examination and Repair of Tubular Products and Fittings Welded with Filler Metal ...	23
ND-2570 Examination and Repair of Statically and Centrifugally Cast Products	23

ND-2580	Examination of Bolts, Studs, and Nuts	29
ND-2600	Material Organizations' Quality System Programs	29
ND-2610	Documentation and Maintenance of Quality System Programs	29
ND-2700	Dimensional Standards	30
Article ND-3000	Design	31
ND-3100	General Design	31
ND-3110	Loading Criteria	31
ND-3120	Special Considerations	32
ND-3130	General Design Rules	32
ND-3300	Vessel Design	38
ND-3310	General Requirements	38
ND-3320	Design Considerations	38
ND-3330	Openings and Reinforcement	57
ND-3350	Design of Welded Construction	65
ND-3360	Special Vessel Requirements	72
ND-3400	Pump Design	75
ND-3410	General Requirements for Centrifugal Pumps	75
ND-3420	Definitions	76
ND-3430	Design Requirements for Centrifugal Pumps	76
ND-3440	Design of Specific Pump Types	78
ND-3450	Design of Class 3 Reciprocating Pumps	95
ND-3500	Valve Design	97
ND-3510	General Requirements	97
ND-3520	Levels B, C, and D Service Limits	98
ND-3530	General Rules	100
ND-3590	Pressure Relief Valve Design	101
ND-3600	Piping Design	105
ND-3610	General Requirements	105
ND-3620	Design Considerations	108
ND-3640	Pressure Design of Piping Products	110
ND-3650	Analysis of Piping Systems	124
ND-3660	Design of Welds	129
ND-3670	Special Piping Requirements	129
ND-3690	Dimensional Requirements for Piping Products	140
ND-3700	Electrical and Mechanical Penetration Assemblies	140
ND-3720	Design Rules	140
ND-3800	Design of Atmospheric Storage Tanks	140
ND-3810	General Requirements	140
ND-3820	Design Considerations	140
ND-3830	Bottom Design	141
ND-3840	Shell Design	141
ND-3850	Roof Design	142
ND-3860	Tank Connections and Appurtenances	151
ND-3900	Design of 0 psi to 15 psi (0 kPa to 100 kPa) Storage Tanks	157
ND-3910	General Requirements	157
ND-3920	Design Considerations	157
ND-3930	Design Procedure	162
ND-3940	Alternate Rules for Axial Compressive Membrane Stresses in the Cylindrical Walls of 0 psi to 15 psi Storage Tanks	173
Article ND-4000	Fabrication and Installation	189
ND-4100	General Requirements	189
ND-4110	Introduction	189
ND-4120	Certification of Material and Fabrication by Component Certificate Holder	189
ND-4130	Repair of Material	190

ND-4200	Forming, Fitting, and Aligning	190
ND-4210	Cutting, Forming, and Bending	190
ND-4220	Forming Tolerances	191
ND-4230	Fitting and Aligning	194
ND-4240	Requirements for Weld Joints in Components	195
ND-4250	Welding End Transitions — Maximum Envelope	214
ND-4300	Welding Qualifications	214
ND-4310	General Requirements	214
ND-4320	Welding Qualifications, Records, and Identifying Stamps	216
ND-4330	General Requirements for Welding Procedure Qualification Tests	217
ND-4350	Special Qualification Requirements for Tube-to-Tubesheet Welds	219
ND-4400	Rules Governing Making, Examining, and Repairing Welds	219
ND-4410	Precautions to be Taken before Welding	219
ND-4420	Rules for Making Welded Joints	219
ND-4430	Welding of Attachments	222
ND-4450	Repair of Weld Metal Defects	222
ND-4460	Welded Test Plates	224
ND-4470	Welded Stayed Construction	224
ND-4500	Brazing	225
ND-4510	Rules for Brazing	225
ND-4520	Brazing Qualification Requirements	227
ND-4530	Fitting and Aligning of Parts to be Brazed	227
ND-4540	Examination of Brazed Joints	227
ND-4600	Heat Treatment	227
ND-4610	Welding Preheat Requirements	227
ND-4620	Postweld Heat Treatment	227
ND-4630	Heat Treatment of Welds Other Than the Final Postweld Heat Treatment	233
ND-4650	Heat Treatment After Bending or Forming for Pipe, Pumps, and Valves	233
ND-4660	Heat Treatment of Electroslag Welds	233
ND-4700	Mechanical Joints	233
ND-4710	Bolting and Threading	233
ND-4720	Bolting Flanged Joints	233
ND-4730	Electrical and Mechanical Penetration Assemblies	234
ND-4800	Expansion Joints	234
ND-4810	Fabrication and Installation Rules for Bellows Expansion Joints	234
Article ND-5000	Examination	236
ND-5100	General Requirements for Examination	236
ND-5110	Procedures, Qualifications, and Evaluation	236
ND-5120	Time of Examination of Welds and Weld Metal Cladding	236
ND-5200	Examination of Welds	237
ND-5210	Category A Vessel Welded Joints in Vessels and Similar Welded Joints in Piping, Pumps, and Valves	237
ND-5220	Category B Vessel Welded Joints and Circumferential Welded Joints in Piping, Pumps, and Valves	237
ND-5230	Category C Vessel Welded Joints and Similar Welded Joints in Piping, Pumps, and Valves	238
ND-5240	Category D Vessel Welded Joints and Similar Joints in Piping, Pumps, and Valves	238
ND-5260	Welded Stayed Construction	238
ND-5270	Special Welds	238
ND-5280	Welded Joints in Storage Tanks	239
ND-5300	Acceptance Standards	239
ND-5320	Radiographic Acceptance Standards	239
ND-5330	Ultrasonic Acceptance Standards	241
ND-5340	Magnetic Particle Acceptance Standards	241
ND-5350	Liquid Penetrant Acceptance Standards	241
ND-5360	Visual Acceptance Standards for Brazed Joints	241
ND-5380	Gas and Bubble Formation Testing	241

ND-5400	Spot Examination of Welded Joints	242
ND-5410	General Requirements	242
ND-5420	Minimum Extent of Spot Radiographic Examination	242
ND-5430	Standards for Spot Radiographic Examination	242
ND-5440	Evaluation and Retests	242
ND-5500	Qualifications and Certification of Nondestructive Examination Personnel	242
ND-5510	General Requirements	242
ND-5520	Personnel Qualification, Certification, and Verification	242
ND-5530	Records	243
ND-5700	Examination Requirements for Expansion Joints	243
ND-5720	Bellows Expansion Joints	243
Article ND-6000	Testing	245
ND-6100	General Requirements	245
ND-6110	Pressure Testing of Components, Appurtenances, and Systems	245
ND-6120	Preparation for Testing	246
ND-6200	Hydrostatic Tests	246
ND-6210	Hydrostatic Test Procedure	246
ND-6220	Hydrostatic Test Pressure Requirements	247
ND-6230	Bellows Expansion Joints	247
ND-6240	Provision for Embedded or Inaccessible Welded Joints in Piping	247
ND-6300	Pneumatic Tests	248
ND-6310	Pneumatic Testing Procedures	248
ND-6320	Pneumatic Test Pressure Requirements	248
ND-6330	Bellows Expansion Joints	248
ND-6400	Pressure Test Gages	248
ND-6410	Requirements for Pressure Test Gages	248
ND-6500	Atmospheric and 0 psig to 15 psig (0 kPa to 100 kPa) Storage Tanks	248
ND-6510	Testing of Atmospheric Storage Tanks	248
ND-6520	Testing of 0 psig to 15 psig (0 kPa to 100 kPa) Storage Tanks	249
ND-6530	Test Gages	250
ND-6600	Special Test Pressure Situations	250
ND-6610	Components Designed for External Pressure	250
ND-6620	Pressure Testing of Combination Units	250
ND-6900	Proof Tests to Establish Design Pressure	250
ND-6910	General Requirements	250
ND-6920	Procedures	252
ND-6930	Procedure for Components Having Chambers of Special Shape Subject to Collapse	254
Article ND-7000	Overpressure Protection	255
ND-7100	General Requirements	255
ND-7110	Scope	255
ND-7120	Integrated Overpressure Protection	255
ND-7130	Verification of the Operation of Reclosing Pressure Relief Devices	255
ND-7140	Installation	255
ND-7150	Acceptable Pressure Relief Devices	256
ND-7160	Unacceptable Pressure Relief Devices	256
ND-7170	Permitted Use of Pressure Relief Devices	256
ND-7200	Overpressure Protection Report	257
ND-7210	Responsibility for Report	257
ND-7220	Content of Report	257
ND-7230	Certification of Report	257
ND-7240	Review of Report After Installation	257
ND-7250	Filing of Report	257
ND-7300	Relieving Capacity Requirements	258
ND-7310	Expected System Pressure Transient Conditions	258
ND-7320	Unexpected System Excess Pressure Transient Conditions	258

ND-7330	System Faulted Conditions	258
ND-7400	Set Pressures of Pressure Relief Devices	259
ND-7410	Set Pressure Limitations for Expected System Pressure Transient Conditions	259
ND-7420	Set Pressure Limitations for Unexpected System Excess Pressure Transient Conditions	259
ND-7500	Operating and Design Requirements for Pressure and Vacuum Relief Valves	259
ND-7510	Safety, Safety Relief, and Relief Valves	259
ND-7520	Pilot Operated Pressure Relief Valves	260
ND-7530	Power Actuated Pressure Relief Valves	261
ND-7540	Safety and Safety Relief Valves With Auxiliary Actuating Devices	261
ND-7550	Vacuum Relief Valves	261
ND-7560	Alternative Test Media	262
ND-7600	Nonreclosing Pressure Relief Devices	262
ND-7610	Rupture Disk Devices	262
ND-7620	Installation Requirements	263
ND-7700	Certification	263
ND-7710	Responsibility for Certification of Pressure and Vacuum Relief Valves	263
ND-7720	Responsibility for Certification of Nonreclosing Pressure Relief Devices	263
ND-7730	Capacity Certification of Pressure Relief Valves — Compressible Fluids	264
ND-7740	Capacity Certification of Pressure Relief Valves — Incompressible Fluids	268
ND-7750	Capacity Certification of Vacuum Relief Valves	270
ND-7760	Capacity Determination of Rupture Disk Devices	272
ND-7800	Marking, Stamping With Certification Mark, and Data Reports	274
ND-7810	Pressure and Vacuum Relief Valves	274
ND-7820	Rupture Disk Devices	275
ND-7830	Pressure Relief Valve in Combination With Rupture Disk Devices	275
ND-7840	Certificate of Authorization to Use Certification Mark	275
Article ND-8000	Nameplates, Stamping With Certification Mark, and Reports	276
ND-8100	General Requirements	276
 FIGURES		
ND-1132.2-1	Attachments in the Component Support Load Path that Do Not Perform a Pressure Retaining Function	3
ND-1132.2-2	Attachments that Do Not Perform a Pressure Retaining Function and Are Not in the Component Support Load Path	4
ND-1132.2-3	Attachments That Perform a Pressure Retaining Function	5
ND-2433.1-1	Delta Ferrite Content	20
ND-2575.2-1	Typical Pressure Retaining Parts of Pumps and Valves	27
ND-3133.4-1	Length L of Some Typical Conical Sections	37
ND-3133.7-1	Chart for Determining Wall Thickness of Tubes Under External Pressure	39
ND-3324.2-1	Principal Dimensions of Typical Heads	43
ND-3324.11(a)(6)-1	Large Head Openings, Reverse Curve, and Conical Shell Reducer Sections	47
ND-3325-1	Some Acceptable Types of Unstayed Flat Heads and Covers	50
ND-3326.1-1	Spherically Dished Covers With Bolting Flanges	53
ND-3329.1(e)-1	Acceptable Proportions for Ends or Through Stays	55
ND-3329.6(b)-1	Example of Tube Spacing With Pitch of Holes Equal in Every Row	56
ND-3329.6(b)-2	Example of Tube Spacing With Pitch of Holes Unequal in Every Second Row	57
ND-3329.6(b)-3	Example of Tube Spacing With Pitch of Holes Varying in Every Second and Third Row	57
ND-3329.6(d)-1	Example of Tube Spacing With Tube Holes on Diagonal Lines	57
ND-3329.6(d)-2	Diagram for Determining the Efficiency of Longitudinal and Diagonal Ligaments Between Openings in Cylindrical Shells	58
ND-3329.6(g)-1	Diagram for Determining Equivalent Longitudinal Efficiency of Diagonal Ligaments	59
ND-3332.2-1	Chart for Determining Value of F	61
ND-3335.1(b)-1	Some Representative Configurations Describing the t_e Reinforcement Dimension	63
ND-3335.2-1	Arrangement of Multiple Openings	64
ND-3335.3(b)-1	Minimum Depth for Flange of Flued Openings	64
ND-3351-1	Welded Joint Locations Typical of Categories A, B, C, and D	66

ND-3352-1	Typical Butt Joints	66
ND-3358.1(a)-1	Heads Attached to Shells	70
ND-3361.1-1	Butt Welding of Plates of Unequal Thicknesses	73
ND-3423-1	Typical Single Volute Casing	76
ND-3423-2	Typical Double Volute Casing	77
ND-3433.4-1	Minimum Tangential Inlet and Outlet Wall Thicknesses	78
ND-3436(c)-1	External and Internal Attachments	78
ND-3441.1-1	Type A Pump	79
ND-3441.1-2	Type A Pump	79
ND-3441.1(a)-1	Type A Pump	80
ND-3441.2-1	Type B Pump	80
ND-3441.3-1	Type C Pump	80
ND-3441.3-2	Type C Pump	81
ND-3441.4(a)-1	Type D Pump	82
ND-3441.5-1	Type E Pump	82
ND-3441.6(a)-1	Type F Pump	82
ND-3441.7(a)-1	Axially Split Casing, Volute Pump, Type G	83
ND-3441.7(a)-2	Axially Split Casing, Volute Pump, Type G	83
ND-3441.7(c)-1	Axially Split Casing, Volute Pump, Type G	84
ND-3441.7(c)(2)-1	Typical Section of Type G Pump	84
ND-3441.7(c)(2)-2	Typical Section of Type G Pump	84
ND-3441.7(c)(2)-3	Typical Loads on Type G Pump	85
ND-3441.8-1	Longitudinal Section Through Type H Pump	86
ND-3441.8-2	Transverse Section Through Type H Pump	86
ND-3441.9-1	Type K Pump	87
ND-3441.9-2	Type K Pump	88
ND-3441.10-1	Type L Pump	92
ND-3441.10-2	Type L Pump Bowl	94
ND-3451(a)-1	Horizontal Single-Acting Power Pump Liquid Ends	96
ND-3521-1	Typical Sections of Valve Bodies	99
ND-3591.1-1	Typical Pressure Relief Devices	102
ND-3591.1-2	Typical Pressure Relief Devices	103
ND-3595.3-1	Valve Nozzle	105
ND-3622-1	Examples of Reversing and Nonreversing Dynamic Loads	109
ND-3643.2(b)-1	Typical Welded Branch Connections	113
ND-3643.2(b)-2	Typical Right Angle Branch Connections Made Using a Fillet Weld or a Partial Penetration Weld	114
ND-3643.3(c)(1)-1	Reinforcement of Branch Connections	115
ND-3643.3(c)(1)-2	Some Representative Configurations Describing the t_e Reinforcement Dimension ...	116
ND-3643.4(a)-1	Reinforced Extruded Outlets	118
ND-3647.2-1	Types of Permanent Blanks	121
ND-3653.3-1	Reducing or Full Outlet Branch Connections, or Tees	126
ND-3673.2(b)-2	Branch Connection Nomenclature	138
ND-3861-1	Roof Manholes	152
ND-3862(a)-1	Flanged Roof Nozzles	153
ND-3862(a)-2	Screwed or Socket Weld Roof Nozzles	154
ND-3863-1	Welded Bottom Outlet Elbow	155
ND-3922.1-1	Biaxial Stress Chart for Combined Tension and Compression, 30,000 psi to 38,000 psi (205 MPa to 260 MPa) Yield Strength Steels	160
ND-3922.1-2	Reduction of Design Stresses Required to Allow for Biaxial Stresses of Opposite Sign	161
ND-3932.1-1	Some Typical Free Body Diagrams for Certain Shapes of Tanks	166
ND-3933.4(a)-1	Compression Ring Region	170
ND-3933.5(d)-1	Permissible Details of Compression Ring Construction	172
ND-3944-1	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 25 ksi at Temperatures $\leq 300^\circ\text{F}$	177

ND-3944-1M	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 175 MPa at Temperatures $\leq 150^{\circ}\text{C}$	178
ND-3944-2	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 30 ksi at Temperatures $\leq 300^{\circ}\text{F}$	179
ND-3944-2M	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 210 MPa at Temperatures $\leq 150^{\circ}\text{C}$	180
ND-3944-3	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 35 ksi at Temperatures $\leq 300^{\circ}\text{F}$	181
ND-3944-3M	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 245 MPa at Temperatures $\leq 150^{\circ}\text{C}$	182
ND-3944-4	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 40 ksi at Temperatures $\leq 300^{\circ}\text{F}$	183
ND-3944-4M	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 280 MPa at Temperatures $\leq 150^{\circ}\text{C}$	184
ND-3944-5	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 45 ksi at Temperatures $\leq 300^{\circ}\text{F}$	185
ND-3944-5M	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 315 MPa at Temperatures $\leq 150^{\circ}\text{C}$	186
ND-3944-6	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 50 ksi at Temperatures $\leq 300^{\circ}\text{F}$	187
ND-3944-6M	Design Factor Times Allowable Axial Membrane Compressive Stress Versus Radius Over Thickness for Ferrous Materials With Yield Strengths of 350 MPa at Temperatures $\leq 150^{\circ}\text{C}$	188
ND-4221.1-1	Maximum Difference in Cross-Sectional Diameters	191
ND-4221.2(a)-1	Maximum Permissible Deviation e From a True Circular Form	192
ND-4221.2(a)-2	Maximum Arc Length for Determining Plus or Minus Deviation	193
ND-4233-1	Butt Weld Alignment and Mismatch Tolerances for Unequal I.D. and O.D. When Components Are Welded From One Side and Fairing Is Not Performed	195
ND-4243-1	Attachment of Pressure Parts to Plates to Form a Corner Joint	197
ND-4243.1-1	Typical Flat Heads, and Supported and Unsupported Tubesheets With Hubs	199
ND-4244(a)-1	Nozzles, and Branch and Piping Connections Joined by Full Penetration Butt Welds ..	200
ND-4244(b)-1	Nozzles, and Branch and Piping Connections Joined by Full Penetration Corner Welds	201
ND-4244(c)-1	Deposited Weld Metal Used as Reinforcement of Openings for Nozzles, and Branch and Piping Connections	202
ND-4244(d)-1	Some Acceptable Types of Welded Nozzles, and Branch and Piping Connections	203
ND-4244(e)-1	Some Acceptable Types of Welded Nozzles	204
ND-4244(e)-2	Some Acceptable Types of Small Fittings	205
ND-4244(f)-1	Tube Connections	206
ND-4244(g)-1	Some Acceptable Types of Welded Nozzles, and Branch and Piping Connections	207
ND-4245-1	Attachment Welds	208
ND-4246.1(a)-1	Typical Bottom and Bottom-to-Shell Joints	210
ND-4246.3-1	Typical Roof and Roof-to-Shell Joints	211
ND-4246.5-1	Roof Manholes	212
ND-4246.5-2	Flanged Roof Nozzles	213
ND-4246.5-3	Screwed or Socket Weld Roof Nozzles	213
ND-4246.5-4	Welded Bottom Outlet Elbow	214

ND-4250-1	Welding End Transitions Maximum Envelope	215
ND-4427-1	Fillet and Socket Weld Details and Dimensions	221
ND-4433-1	Types of Attachment Welds	223
ND-4437.2(b)-1	Some Acceptable Methods of Attaching Stiffening Rings to Shells of Cylindrical Vessels Subjected to External Pressure	224
ND-4470-1	Welded Stayed Construction	225
ND-4511-1	Brazed Connections for Appurtenances and Piping, NPS 4	226
ND-4730-1	Penetration Assembly	234
ND-4810(c)-1	Permissible Attachment Welds for Bellows	235
ND-7734.2(a)-1	Values of F for Nonchoking Flow	267
ND-7754.2(a)-1	Values of F for Nonchoking Flow	272

TABLES

ND-2311-1	Exemptions From Impact Testing Under ND-2311(a)(8)	13
ND-2331(a)-1	Required C_v Lateral Expansion Values for Pressure Retaining Material (Except Bolting)	14
ND-2331(a)-2	Required C_v Energy Values for Pressure Retaining Material (Except Bolting)	15
ND-2333-1	Required C_v Values for Bolting Material	15
ND-2432.1-1	Sampling of Welding Materials for Chemical Analysis	18
ND-2432.2-1	Welding Material Chemical Analysis	18
ND-2571-1	Required Examinations	24
ND-3321-1	Stress Limits for Design and Service Loadings	40
ND-3321-2	Classification of Stress in Vessels for Some Typical Cases	41
ND-3324.2-1	Values of Factor K	43
ND-3324.8(b)-1	Values of Factor M	46
ND-3324.11(b)(2)-1	Values of Δ for Junctions at the Large Cylinder for $\alpha \leq 30$ deg	47
ND-3324.11(b)(3)-1	Values of Δ for Junctions at the Small Cylinder for $\alpha \leq 30$ deg	48
ND-3332.2-1	Values of Spherical Radius Factor K_1	61
ND-3361.3(a)-1	Minimum Number of Pipe Threads for Connections	73
ND-3416-1	Stress and Pressure Limits for Design and Service Loadings	76
ND-3521-1	Level A, Level B, Level C, and Level D Service Limits	100
ND-3592.2(b)-1	Class 3 Pressure Relief Devices: Level B, C, and D Service Loadings	104
ND-3611.2(e)-1	Stress Range Reduction Factors	106
ND-3613.4-1	Weld Joint Efficiency Factor	108
ND-3641.1(a)-1	Values of A	110
ND-3642.1(c)-1	Minimum Thickness for Bending	111
ND-3673.2(b)-1	Stress Indices, Flexibility, and Stress Intensification Factors	133
ND-3821.5-1	Design and Service Limits	141
ND-3852.7-1	Allowable Tensile Stresses for Roof Supports	144
ND-3852.7-2	Allowable Axial Compression Stresses for Roof Supports	145
ND-3852.7-3	Allowable Bending Stresses for Roof Supports	147
ND-3852.7-4	Allowable Shear Stresses for Roof Supports	149
ND-3852.7-5	Allowable Shear and Tension Stresses for Bolts for Roof Supports	150
ND-3852.7-6	Allowable Bearing Stresses for Bolts for Roof Supports	150
ND-3861-1	Roof Manholes	153
ND-3862(a)-1	Flanged Roof Nozzles	154
ND-3862(a)-2	Screwed or Socket Weld Roof Nozzles	155
ND-3863-1	Welded Bottom Outlet Elbow	156
ND-3865-1	Platforms and Walkways	156
ND-3865-2	Stairways	156
ND-3865-3	Stairway Rise, Run, and Angle Relationships	157
ND-3921.8-1	Design and Service Limits for Steel Tanks	158
ND-3923.1-1	Maximum Allowable Stress Values for Structural Members	163
ND-3932.2(d)-1	Factors for Determining Values of R_1 and R_2 for 2:1 Ellipsoidal Roofs and Bottoms	167
ND-3933.5(h)-1	Some Values for k Based on n, θ	173
ND-4232(a)-1	Maximum Allowable Offset in Final Welded Joints	194
ND-4247.6(d)-1	Minimum Size for Fillet Welds	214

ND-4524-1	Maximum Design Temperatures for Brazing Filler Metal, °F (°C)	228
ND-4622.1-1	Mandatory Requirements for Postweld Heat Treatment of Welds	229
ND-4622.4(c)-1	Alternative Holding Temperatures and Times	230
ND-4622.7(b)-1	Exemptions to Mandatory PWHT	231
ND-5211.2-1	Thickness Above Which Full Radiographic Examination of Butt Welded Joint is Mandatory	237
ENDNOTES		277

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)
- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Subsection NH — Class 1 Components in Elevated Temperature Service
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
 - Division 5 — High Temperature Reactors
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels
- IX Welding and Brazing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components
- XII Rules for Construction and Continued Service of Transport Tanks

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code.

Interpretations of the Code are posted in January and July at <http://cstools.asme.org/interpretations.cfm>. Any Interpretations issued during the previous two calendar years are included with the publication of the applicable Section of the Code. Interpretations of Section III, Divisions 1 and 2 and Section III Appendices are included with Subsection NCA.

CODE CASES

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2013 Code Cases book: “Boilers and Pressure Vessels” or “Nuclear Components.” Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2015 Code.

FOREWORD

(This Foreword is provided as an aid to the user and is not part of the rules of this Code.)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding and Brazing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating only to pressure integrity, which govern the construction^{*} of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgement* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

^{*} *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.” An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

(13) SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES

1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the committees. See Guideline on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code in Section II, Parts C and D for additional requirements for requests involving adding new materials to the Code. Technical inquiries include requests for revisions or additions to the Code rules, requests for Code Cases, and requests for Code Interpretations, as described below.

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, address administrative requirements, incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code rules. Code Cases are written as a question and reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all jurisdictions or owners automatically accept Code Cases. The most common applications for Code Cases are:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit the use of a new material for Code construction

(-c) to gain experience with new materials or alternative rules prior to incorporation directly into the Code

(3) *Code Interpretations.* Code Interpretations provide clarification of the meaning of existing rules in the Code, and are also presented in question and reply format. Interpretations do not introduce new requirements. In cases where existing Code text does not fully convey the meaning that was intended, and revision of the rules is required to support an interpretation, an Intent Interpretation will be issued and the Code will be revised.

(b) The Code rules, Code Cases, and Code Interpretations established by the committees are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Code rules.

(c) Inquiries that do not comply with these provisions or that do not provide sufficient information for a committee's full understanding may result in the request being returned to the inquirer with no action.

2 INQUIRY FORMAT

Submittals to a committee shall include:

(a) *Purpose.* Specify one of the following:

(1) revision of present Code rules

(2) new or additional Code rules

(3) Code Case

(4) Code Interpretation

(b) *Background.* Provide the information needed for the committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, provide a copy of the specific referenced portions of the Code.

(c) *Presentations.* The inquirer may desire or be asked to attend a meeting of the committee to make a formal presentation or to answer questions from the committee members with regard to the inquiry. Attendance at a committee meeting shall be at the expense of the inquirer. The inquirer's attendance or lack of attendance at a meeting shall not be a basis for acceptance or rejection of the inquiry by the committee.