


2013 ASME Boiler and Pressure Vessel Code

AN INTERNATIONAL CODE

III

Rules for Construction of Nuclear Facility Components

Division 1 — Subsection NG Core Support Structures




INTENTIONALLY LEFT BLANK

AN INTERNATIONAL CODE

2013 ASME Boiler & Pressure Vessel Code

2013 Edition

July 1, 2013



RULES FOR CONSTRUCTION OF NUCLEAR FACILITY COMPONENTS

Division 1 - Subsection NG

Core Support Structures

ASME Boiler and Pressure Vessel Committee
on Nuclear Power



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2013

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes in this document are part of this American National Standard.



ASME collective membership mark



Certification Mark

The above ASME symbol is registered in the U.S. Patent Office.

“ASME” is the trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2013.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections	vi
Foreword	viii
Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising	x
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	x
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	xi
Personnel	xiii
Organization of Section III	xxviii
Summary of Changes	xxx
List of Changes in Record Number Order	xxxii
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code	xxxiii
Article NG-1000 Introduction	1
NG-1100 Scope	1
NG-1110 Aspects of Construction Covered by These Rules	1
NG-1120 Definition of Structures and Application of These Rules to Them	1
NG-1130 Boundaries of Jurisdiction Applicable to This Subsection	1
Article NG-2000 Material	4
NG-2100 General Requirements for Material	4
NG-2110 Scope of Principal Terms Employed	4
NG-2120 Material for Core Support Structures	4
NG-2130 Certification of Material	4
NG-2140 Welding Material	5
NG-2150 Material Identification	5
NG-2160 Deterioration of Material in Service	5
NG-2170 Heat Treatment to Enhance Impact Properties	5
NG-2180 Procedures for Heat Treatment of Material	5
NG-2190 Temporary Attachment Material	5
NG-2200 Material Test Coupons and Specimens for Ferritic Steel Material	5
NG-2210 Heat Treatment Requirements	5
NG-2220 Procedure for Obtaining Test Coupons and Specimens for Quenched and Tempered Material	6
NG-2300 Fracture Toughness Requirements for Material	7
NG-2310 Material to be Impact Tested	7
NG-2320 Impact Test Procedures	8
NG-2330 Test Requirements and Acceptance Standards	8
NG-2340 Number of Impact Tests Required	9
NG-2350 Retests	10
NG-2360 Calibration of Instruments and Equipment	10
NG-2400 Welding Material	10
NG-2410 General Requirements	10
NG-2420 Required Tests	11
NG-2430 Weld Metal Tests	12
NG-2440 Storage and Handling of Welding Material	14
NG-2500 Examination and Repair of Core Support Structure Material	14
NG-2510 Examination of Core Support Structure Material	14
NG-2520 Examination after Quenching and Tempering	14
NG-2530 Examination and Repair of Plate	14
NG-2540 Examination and Repair of Forgings and Bars	16
NG-2550 Examination and Repair of Seamless and Welded Tubular Products and Fittings	18

NG-2570	Examination and Repair of Statically and Centrifugally Cast Products	19
NG-2580	Examination of Threaded Structural Fasteners	22
NG-2600	Material Organizations' Quality System Programs	23
NG-2610	Documentation and Maintenance of Quality System Programs	23
Article NG-3000	Design	24
NG-3100	General Design	24
NG-3110	Loading Criteria	24
NG-3120	Special Considerations	25
NG-3130	General Design Rules	25
NG-3200	Design by Analysis	28
NG-3210	Design Criteria	28
NG-3220	Stress Limits for Other than Threaded Structural Fasteners	31
NG-3230	Stress Limits for Threaded Structural Fasteners	42
NG-3300	Core Support Structure Design	45
NG-3310	General Requirements	45
NG-3320	Design Considerations	45
NG-3350	Design for Welded Construction	45
Article NG-4000	Fabrication and Installation	50
NG-4100	General Requirements	50
NG-4110	Introduction	50
NG-4120	Certification of Material and Fabrication by Certificate Holder	50
NG-4130	Repair of Material	50
NG-4200	Forming, Fitting, and Aligning	51
NG-4210	Cutting, Forming, and Bending	51
NG-4230	Fitting and Aligning	52
NG-4300	Welding Qualifications	52
NG-4310	General Requirements	52
NG-4320	Welding Qualifications, Records, and Identifying Stamps	53
NG-4330	General Requirements for Welding Procedure Qualification Tests	53
NG-4400	Rules Governing Making, Examining, and Repairing Welds	56
NG-4410	Precautions to be Taken Before Welding	56
NG-4420	Rules for Making Welded Joints	56
NG-4430	Welding of Temporary Attachments and Their Removal	57
NG-4450	Repair of Weld Metal Defects	57
NG-4500	Brazing	59
NG-4600	Heat Treatment	59
NG-4610	Welding Preheat Requirements	59
NG-4620	Postweld Heat Treatment	59
NG-4630	Heat Treatment of Welds other than the Final Postweld Heat Treatment	63
NG-4650	Heat Treatment After Bending or Forming	63
NG-4660	Heat Treatment of Electroslag Welds	63
NG-4700	Mechanical Joints	63
NG-4710	Threaded Structural Fasteners	63
NG-4720	Temporary Fasteners and their Removal	63
Article NG-5000	Examination	64
NG-5100	General Requirements for Examination	64
NG-5110	Procedures, Qualifications, and Evaluation	64
NG-5120	Time of Examination of Welds	64
NG-5130	Examination of Weld Edge Preparation Surfaces	64
NG-5200	Required Examination of Welds	66
NG-5210	Permissible Examination Methods	66
NG-5220	Requirements for Radiography or Ultrasonic and Liquid Penetrant or Magnetic Particle Examination	66
NG-5230	Requirements for Liquid Penetrant or Magnetic Particle Examination	66
NG-5260	Requirements for Surface Visual Examination	66

NG-5270	Hard Surfacing	67
NG-5300	Acceptance Standards	67
NG-5320	Radiographic Acceptance Standards	67
NG-5330	Ultrasonic Acceptance Standards	67
NG-5340	Magnetic Particle Acceptance Standards	67
NG-5350	Liquid Penetrant Acceptance Standards	68
NG-5360	Visual Examination Acceptance Standards	68
NG-5500	Qualifications and Certification of Nondestructive Examination Personnel	68
NG-5510	General Requirements	68
NG-5520	Personnel Qualification, Certification, and Verification	68
NG-5530	Records	69
Article NG-8000	Nameplates, Stamping With Certification Mark, and Reports	70
NG-8100	Requirements	70

FIGURES

NG-1131-1	Jurisdictional Boundary Between Core Support Structure and Reactor Pressure Vessel ...	2
NG-2433.1-1	Weld Metal Delta Ferrite Content	15
NG-3221-1	Stress Categories and Limits of Stress Intensities for Service Levels A and B	33
NG-3224-1	Stress Categories and Limits of Stress Intensities for Service Level C	39
NG-3232-1	Stress Intensity Limits for Design of Threaded Structural Fasteners	43
NG-3351(a)-1	Typical Locations of Joints of Several Categories	46
NG-3351(a)-2	Typical Welded Joint Category Locations	47
NG-4427-1	Fillet and Socket Weld Details and Dimensions	58

TABLES

NG-2331(a)-1	Required C_v Values for Core Structure Material With 2 in. (50 mm) Maximum Thickness (Other than Threaded Structural Fasteners)	9
NG-2333-1	Required C_v Values for Threaded Structural Fastener Material	9
NG-2432.1-1	Sampling of Welding Materials for Chemical Analysis	13
NG-2432.2-1	Welding Material Chemical Analysis	14
NG-3217-1	Classification of Stress Intensities for Some Typical Cases	32
NG-3352-1	Permissible Welded Joints and Design Factors	48
NG-4622.1-1	Mandatory Requirements for Postweld Heat Treatment (PWHT) of Welds	60
NG-4622.4(c)-1	Alternative Holding Temperatures and Times	61
NG-4622.7(b)-1	Exemptions to Mandatory PWHT	62
NG-5111-1	Thickness, IQI Designations, Essential Holes, and Wire Diameters	65

ENDNOTES	71
-----------------------	-----------

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Subsection NH — Class 1 Components in Elevated Temperature Service
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding and Brazing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Power Plant Components

- XII Rules for Construction and Continued Service of Transport Tanks

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code.

Interpretations of the Code are posted in January and July at <http://cstools.asme.org/interpretations.cfm>. Any Interpretations issued during the previous two calendar years are included with the publication of the applicable Section of the Code. Interpretations of Section III, Divisions 1 and 2 and Section III Appendices are included with Subsection NCA.

CODE CASES

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2013 Code Cases book: “Boilers and Pressure Vessels” or “Nuclear Components.” Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2015 Code.

FOREWORD

(This Foreword is provided as an aid to the user and is not part of the rules of this Code.)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding and Brazing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee’s function is to establish rules of safety relating only to pressure integrity, which govern the construction* of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgement* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer’s freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing

* *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.” An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

(13) SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES

1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the committees. See Guideline on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code in Section II, Parts C and D for additional requirements for requests involving adding new materials to the Code. Technical inquiries include requests for revisions or additions to the Code rules, requests for Code Cases, and requests for Code Interpretations, as described below.

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, address administrative requirements, incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code rules. Code Cases are written as a question and reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all jurisdictions or owners automatically accept Code Cases. The most common applications for Code Cases are:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit the use of a new material for Code construction

(-c) to gain experience with new materials or alternative rules prior to incorporation directly into the Code

(3) *Code Interpretations.* Code Interpretations provide clarification of the meaning of existing rules in the Code, and are also presented in question and reply format. Interpretations do not introduce new requirements. In cases where existing Code text does not fully convey the meaning that was intended, and revision of the rules is required to support an interpretation, an Intent Interpretation will be issued and the Code will be revised.

(b) The Code rules, Code Cases, and Code Interpretations established by the committees are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Code rules.

(c) Inquiries that do not comply with these provisions or that do not provide sufficient information for a committee's full understanding may result in the request being returned to the inquirer with no action.

2 INQUIRY FORMAT

Submittals to a committee shall include:

(a) *Purpose.* Specify one of the following:

(1) revision of present Code rules

(2) new or additional Code rules

(3) Code Case

(4) Code Interpretation

(b) *Background.* Provide the information needed for the committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, provide a copy of the specific referenced portions of the Code.

(c) *Presentations.* The inquirer may desire or be asked to attend a meeting of the committee to make a formal presentation or to answer questions from the committee members with regard to the inquiry. Attendance at a committee meeting shall be at the expense of the inquirer. The inquirer's attendance or lack of attendance at a meeting shall not be a basis for acceptance or rejection of the inquiry by the committee.