



2013

ASME Boiler and Pressure Vessel Code

AN INTERNATIONAL CODE

V

Nondestructive Examination



INTENTIONALLY LEFT BLANK

AN INTERNATIONAL CODE

2013 ASME Boiler & Pressure Vessel Code

2013 Edition

July 1, 2013

V NONDESTRUCTIVE EXAMINATION

ASME Boiler and Pressure Vessel Committee
on Nondestructive Examination



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2013

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes in this document (if any) are part of this American National Standard.



ASME collective membership mark



Certification Mark

The above ASME symbol is registered in the U.S. Patent Office.

“ASME” is the trademark of The American Society of Mechanical Engineers.

The Specifications published and copyrighted by the American Society for Testing and Materials are reproduced with the Society's permission.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2013.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections	xv	
Foreword	xvii	
Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising	xix	
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xix	
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	xx	
Personnel	xxii	
ASTM Personnel	xxxvii	
Summary of Changes	xxxviii	
List of Changes in Record Number Order	xlii	
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code	xliv	
Subsection A		
Article 1	Nondestructive Methods of Examination	1
T-110	General Requirements	1
T-120	Scope	1
T-130	General	1
T-150	Equipment	2
T-160	Procedure	2
T-170	Calibration	3
T-180	Examinations and Inspections	3
T-190	Evaluation	3
T-190	Records/Documentation	3
Mandatory Appendix I	Glossary of Terms for Nondestructive Examination	4
Nonmandatory Appendix A	Imperfection vs Type of NDE Method	5
Article 2	Radiographic Examination	7
T-210	Scope	7
T-220	General Requirements	7
T-230	Equipment and Materials	7
T-260	Calibration	9
T-270	Examination	9
T-280	Evaluation	14
T-290	Documentation	15
Mandatory Appendix I	In-Motion Radiography	16
Mandatory Appendix II	Real-Time Radioscopic Examination	18
Mandatory Appendix III	Digital Image Acquisition, Display, and Storage for Radiography and Radioscopy	20
Mandatory Appendix IV	Interpretation, Evaluation, and Disposition of Radiographic and Radioscopic Examination Test Results Produced by the Digital Image Acquisition and Display Process	22
Mandatory Appendix V	Glossary of Terms for Radiographic Examination	24
Mandatory Appendix VI	Digital Image Acquisition, Display, Interpretation, and Storage of Radiographs for Nuclear Applications	26
Mandatory Appendix VI	Supplement A	29
Mandatory Appendix VII	Radiographic Examination of Metallic Castings	32

Mandatory Appendix VIII	Radiography Using Phosphor Imaging Plate	33
Mandatory Appendix IX	Application of Digital Radiography	36
Nonmandatory Appendix A	Recommended Radiographic Technique Sketches for Pipe or Tube Welds	39
Nonmandatory Appendix C	Hole-Type IQI Placement Sketches for Welds	43
Nonmandatory Appendix D	Number of IQIs (Special Cases)	48
Article 4	Ultrasonic Examination Methods for Welds	51
T-410	Scope	51
T-420	General	51
T-430	Equipment	51
T-440	Miscellaneous Requirements	62
T-450	Techniques	62
T-460	Calibration	62
T-470	Examination	65
T-480	Evaluation	66
T-490	Documentation	67
Mandatory Appendix I	Screen Height Linearity	68
Mandatory Appendix II	Amplitude Control Linearity	69
Mandatory Appendix III	Time of Flight Diffraction (TOFD) Technique	70
Mandatory Appendix IV	Phased Array Manual Raster Examination Techniques Using Linear Arrays	75
Mandatory Appendix V	Phased Array E-Scan and S-Scan Linear Scanning Examination Techniques	76
Mandatory Appendix VII	Ultrasonic Examination Requirements for Workmanship Based Acceptance Criteria	78
Mandatory Appendix VIII	Ultrasonic Examination Requirements for a Fracture Mechanics Based Acceptance Criteria	80
Mandatory Appendix IX	Procedure Qualification Requirements for Flaw Sizing and Categorization	82
Nonmandatory Appendix A	Layout of Vessel Reference Points	84
Nonmandatory Appendix B	General Techniques for Angle Beam Calibrations	85
Nonmandatory Appendix C	General Techniques for Straight Beam Calibrations	91
Nonmandatory Appendix D	Examples of Recording Angle Beam Examination Data	93
Nonmandatory Appendix E	Computerized Imaging Techniques	97
Nonmandatory Appendix G	Alternate Calibration Block Configuration	103
Nonmandatory Appendix I	Examination of Welds Using Angle Beam Search Units	106
Nonmandatory Appendix J	Alternative Basic Calibration Block	107
Nonmandatory Appendix K	Recording Straight Beam Examination Data for Planar Reflectors	110
Nonmandatory Appendix L	TOFD Sizing Demonstration/Dual Probe — Computer Imaging Technique	111
Nonmandatory Appendix M	General Techniques for Angle Beam Longitudinal Wave Calibrations	114
Nonmandatory Appendix N	Time of Flight Diffraction (TOFD) Interpretation	118

Nonmandatory Appendix O	Time of Flight Diffraction (TOFD) Technique — General Examination Configurations	138
Nonmandatory Appendix P	Phased Array (PAUT) Interpretation	142
Article 5	Ultrasonic Examination Methods for Materials	151
T-510	Scope	151
T-520	General	151
T-530	Equipment	151
T-560	Calibration	152
T-570	Examination	154
T-580	Evaluation	155
T-590	Documentation	155
Mandatory Appendix I	Ultrasonic Examination of Pumps and Valves	157
Mandatory Appendix II	Inservice Examination of Nozzle Inside Corner Radius and Inner Corner Regions	158
Mandatory Appendix III	Glossary of Terms for Ultrasonic Examination	159
Mandatory Appendix IV	Inservice Examination of Bolts	162
Article 6	Liquid Penetrant Examination	163
T-610	Scope	163
T-620	General	163
T-630	Equipment	163
T-640	Miscellaneous Requirements	163
T-650	Technique	164
T-660	Calibration	164
T-670	Examination	164
T-680	Evaluation	166
T-690	Documentation	166
Mandatory Appendix I	Glossary of Terms for Liquid Penetrant Examination	168
Mandatory Appendix II	Control of Contaminants for Liquid Penetrant Examination	169
Mandatory Appendix III	Qualification Techniques for Examinations at Nonstandard Temperatures	170
Article 7	Magnetic Particle Examination	172
T-710	Scope	172
T-720	General	172
T-730	Equipment	172
T-740	Miscellaneous Requirements	172
T-750	Technique	173
T-760	Calibration	176
T-770	Examination	179
T-780	Evaluation	181
T-790	Documentation	181
Mandatory Appendix I	Magnetic Particle Examination Using the AC Yoke Technique on Ferritic Materials Coated with Nonmagnetic Coatings	183
Mandatory Appendix II	Glossary of Terms for Magnetic Particle Examination	186
Mandatory Appendix III	Magnetic Particle Examination Using the Yoke Technique with Fluorescent Particles in an Undarkened Area	187
Mandatory Appendix IV	Qualification of Alternate Wavelength Light Sources for Excitation of Fluorescent Particles	189
Mandatory Appendix V	Requirements for the Use of Magnetic Rubber Techniques	191

Nonmandatory Appendix A	Measurement of Tangential Field Strength with Gaussmeters	194
Article 8	Eddy Current Examination	195
T-810	Scope	195
Mandatory Appendix I	Glossary of Terms for Eddy Current Examination	196
Mandatory Appendix II	Eddy Current Examination of Nonferromagnetic Heat Exchanger Tubing	197
Mandatory Appendix III	Eddy Current Examination on Coated Ferritic Materials	204
Mandatory Appendix IV	External Coil Eddy Current Examination of Tubular Products	206
Mandatory Appendix V	Eddy Current Measurement of Nonconductive-Nonmagnetic Coating Thickness on a Nonmagnetic Metallic Material	208
Mandatory Appendix VI	Eddy Current Detection and Measurement of Depth of Surface Discontinuities in Nonmagnetic Metals with Surface Probes	211
Mandatory Appendix VII	Eddy Current Examination of Magnetic and Nonmagnetic Conductive Metals to Determine if Flaws are Surface-Connected	214
Mandatory Appendix VIII	Eddy Current Examination of Nonmagnetic Heat Exchanger Tubing	218
Article 9	Visual Examination	223
T-910	Scope	223
T-920	General	223
T-930	Equipment	224
T-950	Technique	224
T-980	Evaluation	224
T-990	Documentation	224
Mandatory Appendix I	Glossary of Terms for Visual Examination	225
Article 10	Leak Testing	226
T-1000	Introduction	226
Mandatory Appendix I	Bubble Test — Direct Pressure Technique	229
Mandatory Appendix II	Bubble Test — Vacuum Box Technique	231
Mandatory Appendix III	Halogen Diode Detector Probe Test	233
Mandatory Appendix IV	Helium Mass Spectrometer Test — Detector Probe Technique	236
Mandatory Appendix V	Helium Mass Spectrometer Test — Tracer Probe Technique	239
Mandatory Appendix VI	Pressure Change Test	242
Mandatory Appendix VII	Glossary of Terms for Leak Testing	244
Mandatory Appendix VIII	Thermal Conductivity Detector Probe Test	246
Mandatory Appendix IX	Helium Mass Spectrometer Test — Hood Technique	249
Mandatory Appendix X	Ultrasonic Leak Detector Test	252
Nonmandatory Appendix A	Supplementary Leak Testing Equation Symbols	254
Article 11	Acoustic Emission Examination of Fiber-Reinforced Plastic Vessels	255
T-1110	Scope	255
T-1120	General	255
T-1121	Vessel Conditioning	255
T-1130	Equipment	256
T-1160	Calibration	256
T-1180	Evaluation	263
T-1190	Documentation	264

Mandatory Appendix I	Instrumentation Performance Requirements	265
Mandatory Appendix II	Instrument Calibration	268
Mandatory Appendix III	Glossary of Terms for Acoustic Emission Examination of Fiber-Reinforced Plastic Vessels	269
Nonmandatory Appendix A	Sensor Placement Guidelines	270
Article 12	Acoustic Emission Examination of Metallic Vessels During Pressure Testing	276
T-1210	Scope	276
T-1220	General	276
T-1230	Equipment	277
T-1260	Calibration	277
T-1270	Examination	278
T-1280	Evaluation	279
T-1290	Documentation	279
Mandatory Appendix I	Instrumentation Performance Requirements	282
Mandatory Appendix II	Instrument Calibration and Cross-Referencing	284
Mandatory Appendix III	Glossary of Terms for Acoustic Emission Examination of Metal Pressure Vessels	285
Nonmandatory Appendix A	Sensor Placement Guidelines	286
Nonmandatory Appendix B	Supplemental Information for Conducting Acoustic Emission Examinations	291
Article 13	Continuous Acoustic Emission Monitoring	292
T-1310	Scope	292
T-1320	General	292
T-1330	Equipment	293
T-1340	Requirements	295
T-1350	Procedure Requirements	297
T-1360	Calibration	297
T-1370	Examination	298
T-1380	Evaluation/Results	299
T-1390	Reports/Records	299
Mandatory Appendix I	Nuclear Components	300
Mandatory Appendix II	Non-Nuclear Metal Components	302
Mandatory Appendix III	Nonmetallic Components	305
Mandatory Appendix IV	Limited Zone Monitoring	307
Mandatory Appendix V	Hostile Environment Applications	309
Mandatory Appendix VI	Leak Detection Applications	312
Mandatory Appendix VII	Glossary of Terms for Acoustic Emission Examination	314
Article 14	Examination System Qualification	315
T-1410	Scope	315
T-1420	General Requirements	315
T-1430	Equipment	316
T-1440	Application Requirements	316
T-1450	Conduct of Qualification Demonstration	318
T-1460	Calibration	318
T-1470	Examination	319
T-1480	Evaluation	321

T-1490	Documentation and Records	321
Mandatory Appendix I	Glossary of Terms for Examination System Qualification	322
Mandatory Appendix II	UT Performance Demonstration Criteria	323
Article 15	Alternating Current Field Measurement Technique (ACFMT)	326
T-1510	Scope	326
T-1520	General	326
T-1530	Equipment	326
T-1540	Miscellaneous Requirements	327
T-1560	Calibration	327
T-1570	Examination	328
T-1580	Evaluation	329
T-1590	Documentation	329
Article 16	Magnetic Flux Leakage (MFL) Examination	330
T-1610	Scope	330
T-1620	General	330
T-1630	Equipment	331
T-1640	Requirements	331
T-1650	Calibration	331
T-1660	Examination	331
T-1670	Evaluation	332
T-1680	Documentation	332
Article 17	Remote Field Testing (RFT) Examination Method	334
T-1710	Scope	334
T-1720	General	334
T-1730	Equipment	334
T-1750	Technique	334
T-1760	Calibration	335
T-1770	Examination	337
T-1780	Evaluation	337
T-1790	Documentation	337
Subsection B	Documents Adopted by Section V	339
Article 22	Radiographic Standards	340
SE-94	Standard Guide for Radiographic Examination	341
SE-747	Standard Practice for Design, Manufacture and Material Grouping Classification of Wire image Quality Indicators (IQI) used for Radiology	355
SE-999	Standard Guide for Controlling the Quality of Industrial Radio- graphic Film Processing	371
SE-1025	Standard Practice for Design, Manufacture, and Material Grouping Classification of Hole-Type Image Quality Indicators (IQI) used for Radiology	377
SE-1030	Standard Test Method for Radiographic Examination of Metallic Castings	385
SE-1114	Standard Test Method for Determining the Size of Iridium-192 Industrial Radiographic Sources	397
SE-1165	Standard Test Method for Measurement of Focal Spots of Industrial X-Ray Tubes by Pinhole Imaging	403
SE-1255	Standard Practice for Radioscopy	411

SE-1416	Standard Test Method for Radioscopic Examination of Weldments	423
SE-1647	Standard Practice for Determining Contrast Sensitivity in Radiology	429
Article 23	Ultrasonic Standards	434
SA-388/SA-388M	Standard Practice for Ultrasonic Examination of Steel Forgings ..	435
SA-435/SA-435M	Standard Specification for Straight-Beam Ultrasonic Examination of Steel Plates	445
SA-577/SA-577M	Standard Specification for Ultrasonic Angle-Beam Examination of Steel Plates	449
SA-578/SA-578M	Standard Specification for Straight-Beam Ultrasonic Examination of Rolled Steel Plates for Special Applications	453
SA-609/SA-609M	Standard Practice for Castings, Carbon, Low-Alloy and Martensitic Stainless Steel, Ultrasonic Examination Thereof	461
SA-745/SA-745M	Standard Practice for Ultrasonic Examination of Austenitic Steel Forgings	473
SB-548	Standard Method for Ultrasonic Inspection of Aluminum-Alloy Plate for Pressure Vessels	479
SE-213	Standard Practice for Ultrasonic Testing of Metal Pipe and Tubing	485
SE-273	Standard Practice for Ultrasonic Testing of the Weld Zone of Welded Pipe and Tubing	499
SE-797/SE-797M	Standard Practice for Measuring Thickness by Manual Ultrasonic Pulse-Echo Contact Method	505
SE-2491	Standard Guide for Evaluating Performance Characteristics of Phased-Array Ultrasonic Testing Instruments and Systems	513
SE-2700	Standard Practice for Contact Ultrasonic Testing of Welds Using Phased Arrays	533
Article 24	Liquid Penetrant Standards	543
SD-129	Standard Test Method for Sulfur in Petroleum Products (General Bomb Method)	545
SD-516	Standard Test Method for Sulfate Ion in Water	551
SD-808	Standard Test Method for Chlorine in New and Used Petroleum Products (Bomb Method)	557
SE-165	Standard Practice for Liquid Penetrant Examination for General Industry	533
Article 25	Magnetic Particle Standards	584
SD-1186	Standard Test Methods for Nondestructive Measurement of Dry Film Thickness of Nonmagnetic Coatings Applied to a Ferrous Base	585
SE-709	Standard Guide for Magnetic Particle Testing	591
Article 26	Eddy Current Standards	640
SE-243	Standard Practice for Electromagnetic (Eddy Current) Examination of Copper and Copper-Alloy Tubes	641

SE-2096	Standard Practice for In Situ Examination of Ferromagnetic Heat-Exchanger Tubes Using Remote Field Testing	649
Article 29	Acoustic Emission Standards	660
SE-650	Standard Guide for Mounting Piezoelectric Acoustic Emission Sensors	649
SE-976	Standard Guide for Determining the Reproducibility of Acoustic Emission Sensor Response	665
SE-1211	Standard Practice for Leak Detection and Location Using Surface-Mounted Acoustic Emission Sensors	675
SE-1419	Standard Practice for Examination of Seamless, Gas-Filled, Pressure Vessels Using Acoustic Emission	683
Article 30	Terminology for Nondestructive Examinations Standard	692
SE-1316	Standard Terminology for Nondestructive Examinations	693
Article 31	Alternating Current Field Measurement Standard	731
SE-2261	Standard Practice for Examination of Welds Using the Alternating Current Field Measurement Technique	733
Mandatory Appendix I	746
Mandatory Appendix II	Standard Units for Use in Equations	747
Nonmandatory Appendix A	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	748

FIGURES

T-275	Location Marker Sketches	11
I-263	Beam Width Determination	17
VI-A-1	Reference Film	30
A-210-1	Single-Wall Radiographic Techniques	40
C-210-1	Side and Top Views of Hole-Type IQI Placements	44
C-210-2	Side and Top Views of Hole-Type IQI Placements	45
C-210-3	Side and Top Views of Hole-Type IQI Placements	46
C-210-4	Side and Top Views of Hole-Type IQI Placements	47
D-210-1	Complete Circumference Cylindrical Component	48
D-210-2	Section of Circumference 240 deg or More Cylindrical Component (Example is Alternate Intervals)	48
D-210-3	Section(s) of Circumference Less than 240 deg Cylindrical Component	49
D-210-4	Section(s) of Circumference Equal to or More than 120 deg and Less than 240 deg Cylindrical Component Option	49
D-210-5	Complete Circumferential Welds Spherical Component	49
D-210-6	Welds in Segments of Spherical Component	49
D-210-7	Plan View A-A	50
D-210-8	Array of Objects in a Circle	50
T-434.1.7.2	Ratio Limits for Curved Surfaces	54
T-434.2.1	Non-Piping Calibration Blocks	55
T-434.3-1	Calibration Block for Piping	56
T-434.3-2	Alternate Calibration Block for Piping	57
T-434.4.1	Calibration Block for Technique One	58
T-434.4.2.1	Alternate Calibration Block for Technique One	59
T-434.4.2.2	Alternate Calibration Block for Technique One	60
T-434.4.3	Calibration Block for Technique Two	60
T-434.5.1	Calibration Block for Straight Beam Examination of Nozzle Side Weld Fusion Zone and/or Adjacent Nozzle Parent Metal	61

I-440	Linearity	68
III-434.2.1(a)	TOFD Reference Block	72
III-434.2.1(b)	Two-Zone Reference Block Example	72
III-463.5	Offset Scans	73
B-461.1	Sweep Range (Side-Drilled Holes)	85
B-461.2	Sweep Range (IIW Block)	86
B-461.3	Sweep Range (Notches)	86
B-462.1	Sensitivity and Distance–Amplitude Correction (Side-Drilled Holes)	87
B-462.3	Sensitivity and Distance–Amplitude Correction (Notches)	88
B-464	Position Depth and Beam Path	89
B-465	Planar Reflections	89
B-466	Beam Spread	90
C-461	Sweep Range	91
C-462	Sensitivity and Distance–Amplitude Correction	92
D-490	Search Unit Location, Position, and Beam Direction	94
E-460.1	Lateral Resolution and Depth Discrimination Block for 45 deg and 60 deg Applications ...	99
E-460.2	Lateral and Depth Resolution Block for 0 deg Applications	101
G-461(a)	Critical Radius R_C for Transducer/Couplant Combinations	104
G-461(b)	Correction Factor (Gain) for Various Ultrasonic Examination Parameters	105
J-431	Basic Calibration Block	108
L-432	Example of a Flat Demonstration Block Containing Three Notches	112
M-461.1	Sweep Range (Side-Drilled Holes)	114
M-461.2	Sweep Range (Cylindrical Surfaces)	115
M-461.3	Sweep Range (Straight Beam Search Unit)	116
M-462	Sensitivity and Distance–Amplitude Correction	117
N-421(a)	Schematic Showing Waveform Transformation into Grayscale	118
N-421(b)	Schematic Showing Generation of Grayscale B-Scan From Multiple A-Scans	119
N-421(c)	Schematic Showing Standard TOFD Setup and Display With Waveform and Signal Phases .	119
N-421(d)	TOFD Display With Flaws and Displayed A-Scan	120
N-451	Measurement Tools for Flaw Heights	121
N-452(a)	Schematic Showing the Detection of Off-Axis Flaws	121
N-452(b)	Measurement Errors From Flaw Position Uncertainty	122
N-453	TOFD Image Showing Hyperbolic “Tails” From the Ends of a Flaw Image Used to Measure Flaw Length	122
N-454(a)	TOFD Image Showing Top and Bottom Diffracted Signals From Midwall Flaw and A-Scan I nterpretation	123
N-454(b)	TOFD Image Showing Top and Bottom Diffracted Signals From Centerline Crack and A-Scan Interpretation	123
N-481(a)	Schematics of Image Generation, Scan Pattern, Waveform, and TOFD Display Showing the Image of the Point Flaw	124
N-481(b)	Schematics of Image Generation, Flaw Location, and TOFD Display Showing the Image of the Inside (ID) Surface-Breaking Flaw	125
N-481(c)	Schematics of Image Generation, Flaw Location, and TOFD Display Showing the Image of the Outside (OD) Surface-Breaking Flaw	125
N-481(d)	Schematics of Flaw Location, Signals, and TOFD Display Showing the Image of the Midwall Flaw	126
N-481(e)	Flaw Location and TOFD Display Showing the Image of the Lack of Root Penetration	126
N-481(f)	Flaw Location and TOFD Display Showing the Image of the Concave Root Flaw	127
N-481(g)	Flaw Location, TOFD Display Showing the Image of the Midwall Lack of Fusion Flaw, and the A-Scan	127
N-481(h)	Flaw Location and TOFD Display Showing the Image of the Porosity	128
N-481(i)	Flaw Location and TOFD Display Showing the Image of the Transverse Crack	128
N-481(j)	Schematics of Image Generation, Flaw Location, and TOFD Display Showing the Image of the Interpass Lack of Fusion	129
N-482(a)	Schematic of Flaw Locations and TOFD Image Showing the Lateral Wave, Backwall, and Three of the Four Flaws	130

N-482(b)	Schematic of Flaw Locations and TOFD Display Showing the Lateral Wave, Backwall, and Four Flaws	131
N-483(a)	Acceptable Noise Levels, Flaws, Lateral Wave, and Longitudinal Wave Backwall	132
N-483(b)	TOFD Image with Gain Too Low	133
N-483(c)	TOFD Image With Gain Set Too High	134
N-483(d)(1)	TOFD Image With the Gate Set Too Early	134
N-483(d)(2)	TOFD Image With the Gate Set Too Late	135
N-483(d)(3)	TOFD Image With the Gate Set Too Long	135
N-483(e)	TOFD Image With Transducers Set Too Far Apart	136
N-483(f)	TOFD Image With Transducers Set Too Close Together	136
N-483(g)	TOFD Image With Transducers not Centered on the Weld Axis	137
N-483(h)	TOFD Image Showing Electrical Noise Interference	137
O-470(a)	Example of a Single Zone TOFD Setup	139
O-470(b)	Example of a Two Zone TOFD Setup (Equal Zone Heights)	140
O-470(c)	Example of a Three Zone TOFD Setup (Unequal Zone Heights With Zone 3 Addressed by Two Offset Scans)	140
O-470(d)	Example of a Four Zone TOFD Setup (Equal Zone Heights)	141
P-421-1	Black and White (B&W) Version of Color Palette	143
P-421-2	Scan Pattern Format	143
P-421-3	Example of an E-Scan Image Display	144
P-421-4	Example of an S-Scan Image Display	145
P-452.1	Flaw Length Sizing Using Amplitude Drop Technique and the Vertical Cursors on the C-Scan Display	145
P-452.2-1	Scan Showing Flaw Height Sizing Using Amplitude Drop Technique and the Horizontal Cursors on the B-Scan Display	146
P-452.2-2	Flaw Height Sizing Using Top Diffraction Technique and the Horizontal Cursors on the S-Scan Display (The two arrows in the A-scan at left show the relevant signals for measurement.)	146
P-481	S-Scan of I.D. Connected Crack	147
P-481.1	E-Scan of LOF in Midwall	148
P-481.2	S-Scan of Porosity, Showing Multiple Reflectors	148
P-481.3	O.D. Toe Crack Detected Using S-Scan	149
P-481.4	IP Signal on S-Scan, Positioned on Root	149
P-481.5	Slag Displayed as a Midwall Defect on S-Scan	150
T-534.3	Straight Beam Calibration Blocks for Bolting	153
III-630	Liquid Penetrant Comparator	170
T-754.2.1	Single-Pass and Two-Pass Central Conductor Technique	175
T-754.2.2	The Effective Region of Examination When Using an Offset Central Conductor	175
T-764.2(a)	Pie-Shaped Magnetic Particle Field Indicator	177
T-764.2(b)(1)	Artificial Flaw Shims	177
T-764.2(b)(2)	Artificial Flaw Shims	178
T-766.1	Ketos (Betz) Test Ring	180
II-860.3.1	Differential Technique Response From Calibration Reference Standard	200
II-860.3.2	Absolute Technique Response From Calibration Reference Standard	201
II-880	Flaw Depth as a Function of Phase Angle at 400 kHz [Ni-Cr-Fe 0.050 in. (1.24 mm) Wall Tube]	202
V-860	Typical Lift-off Calibration Curve for Coating Thickness Showing Thickness Calibration Points Along the Curve	209
VI-832	Reference Specimen	213
VI-850	Impedance Plane Representations of Indications From Figure VI-832	213
VII-830.5	Eddy Current Reference Specimen	215
VII-862	Impedance Plane Responses for Stainless Steel (a) and Carbon Steel (b) Reference Specimens	217
VIII-864.1	Differential Technique Response From Calibration Reference	221
VIII-864.2	Absolute Technique From Calibration Reference Standard	221
T-1173(a)(1)	Atmospheric Vessels Stressing Sequence	258
T-1173(a)(2)	Vacuum Vessels Stressing Sequence	259
T-1173(a)(3)	Test Algorithm - Flowchart for Atmospheric Vessels	260

T-1173(b)(1)	Pressure Vessel Stressing Sequence	261
T-1173(b)(2)	Algorithm — Flowchart for Pressure Vessels	262
I-1183	Sample of Schematic of AE Instrumentation for Vessel Examination	267
A-1110	Case 1 — Atmospheric Vertical Vessel	270
A-1120	Case 2 — Atmospheric Vertical Vessel	271
A-1130	Case 3 — Atmospheric/Pressure Vessel	272
A-1140	Case 4 — Atmospheric/Pressure Vertical Vessel	273
A-1150	Case 5 — Atmospheric/Vacuum Vertical Vessel	274
A-1160	Case 6 — Atmospheric/Pressure Horizontal Tank	275
T-1273.2.1	An Example of Pressure Vessel Test Stressing Sequence	279
T-1273.2.2	An Example of In-Service, Pressure Vessel, Test Loading Sequence	280
A-1210	Case 1 — Vertical Pressure Vessel Dished Heads, Lug or Leg Supported	286
A-1220	Case 2 — Vertical Pressure Vessel Dished Heads, Agitated, Baffled Lug, or Leg Support ...	287
A-1230	Case 3 — Horizontal Pressure Vessel Dished Heads, Saddle Supported	288
A-1240	Case 4 — Vertical Pressure Vessel Packed or Trayed Column Dished Heads, Lug or Skirt Supported	289
A-1250	Case 5 — Spherical Pressure Vessel, Leg Supported	290
T-1331	Functional Flow Diagram — Continuous AE Monitoring System	294
T-1332.2	Response of a Waveguide AE Sensor Inductively Tuned to 500 kHz	294
V-1322	Metal Waveguide AE Sensor Construction	310
V-1323	Mounting Fixture for Steel Waveguide AE Sensor	311
II-1434	Flaw Characterization for Tables II-1434-1 and II-1434-2	324
T-1533	ACFMT Calibration Block	328
T-1622.1.1	Reference Plate Dimensions	331
T-1622.1.2	Reference Pipe or Tube Dimensions	332
T-1762	Pit Reference Tube (Typical)	335
T-1763.1(a)	Voltage Plane Display of Differential Channel Response for Through Wall Hole (Through Hole Signal) and 20% Groove Showing Preferred Angular Relationship	336
T-1763.1(b)	Voltage Plane Display of Differential Channel Response for the Tube Support Plate (TSP), 20% Groove, and Through Wall Hole (Through Hole Signal)	336
T-1763.2	Reference Curve and the Absolute Channel Signal Response From Two Circumferential Grooves and a Tube Support Plate	337

TABLES

A-110	Imperfection vs Type of NDE Method	5
T-233.1	Hole-Type IQI Designation, Thickness, and Hole Diameters	8
T-233.2	Wire IQI Designation, Wire Diameter, and Wire Identity	8
T-276	IQI Selection	12
T-283	Equivalent Hole-Type IQI Sensitivity	14
A-210-2	Double-Wall Radiographic Techniques	41
T-421	Requirements of an Ultrasonic Examination Procedure	52
III-422	Requirements of a TOFD Examination Procedure	70
IV-422	Requirements of a Phased Manual Raster Scanning Examination Procedure Using Linear Arrays	75
V-421	Requirements of a Phased Array Linear Scanning Examination Procedure Using Linear Arrays .	76
VII-421	Requirements of an Ultrasonic Examination Procedure for Workmanship Based Acceptance Criteria	78
VIII-421	Requirements of an Ultrasonic Examination Procedure for Fracture Mechanics Based Acceptance Criteria	80
D-490	Example Data Record	94
G-461	Transducer Factor F_1 for Various Ultrasonic Transducer Diameters and Frequencies	103
O-432(a)	Search Unit Parameters for Single Zone Examinations Up to 3 in. (75 mm)	138
O-432(b)	Search Unit Parameters for Multiple Zone Examinations Up to 12 in. (300 mm) Thick	138
O-470	Recommended TOFD Zones for Butt Welds Up to 12 in. (300 mm) Thick	139
T-522	Variables of an Ultrasonic Examination Procedure	152
T-621	Requirements of a Liquid Penetrant Examination Procedure	164
T-672	Minimum Dwell Times	165

T-721	Requirements of a Magnetic Particle Examination Procedure	173
I-721	Requirements of AC Yoke Technique on Coated Ferritic Component	183
III-721	Requirements for an AC or HWDC Yoke Technique With Fluorescent Particles in an Undarkened Area	187
IV-721	Requirements for Qualifying Alternate Wavelength Light Sources for Excitation of Specific Fluorescent Particles	189
V-721	Requirements for the Magnetic Rubber Examination Procedure	192
II-821	Requirements for an Eddy Current Examination Procedure	198
IV-823	Requirements of an External Coil Eddy Current Examination Procedure	206
V-821	Requirements of an Eddy Current Examination Procedure for the Measurement of Nonconductive-Nonmagnetic Coating Thickness on a Metallic Material	208
VI-821	Requirements of an Eddy Current Examination Procedure for the Detection and Measurement of Depth for Surface Discontinuities in Nonmagnetic Metallic Materials	211
VII-823	Requirements of an Eddy Current Surface Examination Procedure	214
VIII-821	Requirements for an Eddy Current Examination Procedure	219
T-921	Requirements of a Visual Examination Procedure	223
I-1021	Requirements of a Direct Pressure Bubble Leak Testing Procedure	229
II-1021	Requirements of a Vacuum Box Leak Testing Procedure	231
III-1021	Requirements of a Halogen Diode Detector Probe Testing Procedure	234
III-1031	Tracer Gases	234
IV-1021	Requirements of a Helium Mass Spectrometer Detector Probe Testing Procedure	237
V-1021	Requirements of a Helium Mass Spectrometer Tracer Probe Testing Procedure	240
VI-1021	Requirements of a Pressure Change Testing Procedure	242
VIII-1021	Requirements of a Thermal Conductivity Detector Probe Testing Procedure	247
VIII-1031	Tracer Gases	247
IX-1021	Requirements of a Helium Mass Spectrometer Hood Testing Procedure	249
X-1021	Requirements of an Ultrasonic Leak Testing Procedure	252
T-1121	Requirements for Reduced Operating Level Immediately Prior to Examination	255
T-1181	Evaluation Criteria	263
T-1281	An Example of Evaluation Criteria for Zone Location	281
II-1351	An Example of Evaluation Criteria for Zone Location	303
II-1352	An Example of Evaluation Criteria for Multisource Location	304
T-1472.1	Total Number of Samples for a Given Number of Misses at a Specified Confidence Level and POD	320
T-1472.2	Required Number of First Stage Examiners vs. Target Pass Rate	320
II-1434-1	Flaw Acceptance Criteria for 4 in. to 12 in. Thick Weld	324
II-1434-2	Flaw Acceptance Criteria for Larger Than 12 in. Thick Weld	324
T-1522	Requirements of an ACFMT Examination Procedure	327
T-1623	Requirements of an MFL Examination Procedure	332
T-1721	Requirements of an RFT Examination Procedure	334
II-1	Standard Units for Use in Equations	747
ENDNOTES	751
INDEX	753

(13)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Subsection NH — Class 1 Components in Elevated Temperature Service
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Power Plant Components

- XII Rules for Construction and Continued Service of Transport Tanks

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code.

Interpretations of the Code are posted in January and July at <http://cstools.asme.org/interpretations.cfm>. Any Interpretations issued during the previous two calendar years are included with the publication of the applicable Section of the Code. Interpretations of Section III, Divisions 1 and 2 and Section III Appendices are included with Subsection NCA.

CODE CASES

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2013 Code Cases book: "Boilers and Pressure Vessels" or "Nuclear Components." Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2015 Code.

FOREWORD

(This Foreword is provided as an aid to the user and is not part of the rules of this Code.)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating only to pressure integrity, which govern the construction* of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgement* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

* *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.” An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

(13) SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES

1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the committees. See Guideline on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code in Section II, Parts C and D for additional requirements for requests involving adding new materials to the Code. Technical inquiries include requests for revisions or additions to the Code rules, requests for Code Cases, and requests for Code Interpretations, as described below.

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, address administrative requirements, incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code rules. Code Cases are written as a question and reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all jurisdictions or owners automatically accept Code Cases. The most common applications for Code Cases are:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit the use of a new material for Code construction

(-c) to gain experience with new materials or alternative rules prior to incorporation directly into the Code

(3) *Code Interpretations.* Code Interpretations provide clarification of the meaning of existing rules in the Code, and are also presented in question and reply format. Interpretations do not introduce new requirements. In cases where existing Code text does not fully convey the meaning that was intended, and revision of the rules is required to support an interpretation, an Intent Interpretation will be issued and the Code will be revised.

(b) The Code rules, Code Cases, and Code Interpretations established by the committees are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Code rules.

(c) Inquiries that do not comply with these provisions or that do not provide sufficient information for a committee's full understanding may result in the request being returned to the inquirer with no action.

2 INQUIRY FORMAT

Submittals to a committee shall include:

(a) *Purpose.* Specify one of the following:

(1) revision of present Code rules

(2) new or additional Code rules

(3) Code Case

(4) Code Interpretation

(b) *Background.* Provide the information needed for the committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, provide a copy of the specific referenced portions of the Code.

(c) *Presentations.* The inquirer may desire or be asked to attend a meeting of the committee to make a formal presentation or to answer questions from the committee members with regard to the inquiry. Attendance at a committee meeting shall be at the expense of the inquirer. The inquirer's attendance or lack of attendance at a meeting shall not be a basis for acceptance or rejection of the inquiry by the committee.