

# 2013 ASME Boiler and Pressure Vessel Code


AN INTERNATIONAL CODE

## VIII

### Rules for Construction of Pressure Vessels

#### Division 3

#### Alternative Rules for Construction of High Pressure Vessels



INTENTIONALLY LEFT BLANK

AN INTERNATIONAL CODE

# 2013 ASME Boiler & Pressure Vessel Code

July 1, 2013

## VIII

### RULES FOR CONSTRUCTION OF PRESSURE VESSELS

#### Division 3

---

#### Alternative Rules for Construction of High Pressure Vessels

ASME Boiler and Pressure Vessel Committee  
on Pressure Vessels



The American Society of  
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2013

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes in this document (if any) are part of this American National Standard.



ASME collective membership mark



Certification Mark

The above ASME symbol is registered in the U.S. Patent Office.

“ASME” is the trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934  
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2013.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved

# TABLE OF CONTENTS

|                                                                                                      |           |
|------------------------------------------------------------------------------------------------------|-----------|
| List of Sections .....                                                                               | xiv       |
| Foreword .....                                                                                       | xvi       |
| Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising ..... | xviii     |
| Statement of Policy on the Use of ASME Marking to Identify Manufactured Items .....                  | xviii     |
| Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees .....        | xix       |
| Personnel .....                                                                                      | xxi       |
| Summary of Changes .....                                                                             | xxxvi     |
| List of Changes in Record Number Order .....                                                         | xli       |
| Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code .....                 | xliv      |
| <b>Part KG</b>                                                                                       |           |
| <b>General Requirements .....</b>                                                                    | <b>1</b>  |
| <b>Article KG-1</b>                                                                                  |           |
| <b>Scope and Jurisdiction .....</b>                                                                  | <b>1</b>  |
| KG-100 Scope .....                                                                                   | 1         |
| KG-110 Geometric Scope of This Division .....                                                        | 1         |
| KG-120 Classifications Outside the Scope of This Division .....                                      | 2         |
| KG-130 Field Assembly of Vessels .....                                                               | 2         |
| KG-140 Standards Referenced by This Division .....                                                   | 3         |
| KG-150 Units of Measurement .....                                                                    | 3         |
| KG-160 Tolerances .....                                                                              | 5         |
| <b>Article KG-2</b>                                                                                  |           |
| <b>Organization of This Division .....</b>                                                           | <b>6</b>  |
| KG-200 Organization .....                                                                            | 6         |
| <b>Article KG-3</b>                                                                                  |           |
| <b>Responsibilities and Duties .....</b>                                                             | <b>7</b>  |
| KG-300 General .....                                                                                 | 7         |
| KG-310 User's Responsibility .....                                                                   | 7         |
| KG-320 Manufacturer's Responsibility .....                                                           | 9         |
| KG-330 Designer .....                                                                                | 11        |
| <b>Article KG-4</b>                                                                                  |           |
| <b>General Rules for Inspection .....</b>                                                            | <b>13</b> |
| KG-400 General Requirements for Inspection and Examination .....                                     | 13        |
| KG-410 Manufacturer's Responsibilities .....                                                         | 13        |
| KG-420 Certification of Subcontracted Services .....                                                 | 14        |
| KG-430 The Inspector .....                                                                           | 14        |
| KG-440 Inspector's Duties .....                                                                      | 14        |
| <b>Article KG-5</b>                                                                                  |           |
| <b>Additional General Requirements for Composite Reinforced Pressure Vessels (CRPV) .....</b>        | <b>16</b> |
| KG-500 General Requirements .....                                                                    | 16        |
| KG-510 Scope .....                                                                                   | 16        |
| KG-520 Supplemental General Requirements for CRPV .....                                              | 17        |
| <b>Part KM</b>                                                                                       |           |
| <b>Material Requirements .....</b>                                                                   | <b>19</b> |
| <b>Article KM-1</b>                                                                                  |           |
| <b>General Requirements .....</b>                                                                    | <b>19</b> |
| KM-100 Materials Permitted .....                                                                     | 19        |
| <b>Article KM-2</b>                                                                                  |           |
| <b>Mechanical Property Test Requirements for Metals .....</b>                                        | <b>23</b> |
| KM-200 General Requirements .....                                                                    | 23        |
| KM-210 Procedure for Obtaining Test Specimens and Coupons .....                                      | 23        |
| KM-220 Procedure for Heat Treating Separate Test Specimens .....                                     | 26        |
| KM-230 Mechanical Testing Requirements .....                                                         | 26        |

|                     |                                                                                        |     |
|---------------------|----------------------------------------------------------------------------------------|-----|
| KM-240              | Heat Treatment Certification/Verification Tests for Fabricated Components              | 28  |
| KM-250              | Supplementary Toughness Requirements for Pressure-Retaining Component Materials        | 29  |
| KM-260              | Retests                                                                                | 30  |
| KM-270              | Notch Tensile Testing Procedure and Acceptance Criterion                               | 30  |
| <b>Article KM-3</b> | <b>Supplementary Requirements for Bolting</b>                                          | 31  |
| KM-300              | Requirements for All Bolting Materials                                                 | 31  |
| <b>Article KM-4</b> | <b>Material Design Data</b>                                                            | 32  |
| KM-400              | Contents of Tables of Material Design Data                                             | 32  |
| <b>Article KM-5</b> | <b>Requirements for Laminate Materials</b>                                             | 50  |
| KM-500              | Scope                                                                                  | 50  |
| KM-510              | Interlaminar Shear Strength                                                            | 51  |
| <b>Part KD</b>      | <b>Design Requirements</b>                                                             | 53  |
| <b>Article KD-1</b> | <b>General</b>                                                                         | 53  |
| KD-100              | Scope                                                                                  | 53  |
| KD-110              | Loadings                                                                               | 53  |
| KD-120              | Design Basis                                                                           | 54  |
| KD-130              | Design Criteria                                                                        | 55  |
| KD-140              | Fatigue Evaluation                                                                     | 55  |
| <b>Article KD-2</b> | <b>Basic Design Requirements</b>                                                       | 56  |
| KD-200              | Scope                                                                                  | 56  |
| KD-210              | Terms Relating to Stress Analysis                                                      | 56  |
| KD-220              | Equations for Cylindrical and Spherical Shells                                         | 58  |
| KD-230              | Elastic-Plastic Analysis                                                               | 59  |
| KD-240              | Linear Elastic Analysis                                                                | 66  |
| KD-250              | Principal Stresses in Monobloc Vessels                                                 | 69  |
| <b>Article KD-3</b> | <b>Fatigue Evaluation</b>                                                              | 70  |
| KD-300              | Scope                                                                                  | 70  |
| KD-310              | Stress Analysis for Fatigue Evaluation                                                 | 70  |
| KD-320              | Calculated Number of Design Cycles                                                     | 73  |
| KD-330              | Calculated Cumulative Effect Number of Design Cycles                                   | 75  |
| KD-340              | Fatigue Assessment of Welds — Elastic Analysis and Structural Stress                   | 75  |
| KD-350              | Histogram Development and Cycle Counting for Fatigue Analysis                          | 79  |
| KD-360              | Cyclic Stress-Strain Curve                                                             | 81  |
| KD-370              | Welded Joint Design Fatigue Curves                                                     | 81  |
| <b>Article KD-4</b> | <b>Fracture Mechanics Evaluation</b>                                                   | 109 |
| KD-400              | Scope                                                                                  | 109 |
| KD-410              | Crack Size Criteria                                                                    | 109 |
| KD-420              | Stress Intensity Factor $K_I$ Calculation                                              | 110 |
| KD-430              | Calculation of Crack Growth Rates                                                      | 110 |
| KD-440              | Calculated Number of Design Cycles                                                     | 111 |
| <b>Article KD-5</b> | <b>Design Using Autofrettage</b>                                                       | 112 |
| KD-500              | Scope                                                                                  | 112 |
| KD-510              | Limits on Autofrettage Pressure                                                        | 113 |
| KD-520              | Calculation of Residual Stresses                                                       | 113 |
| KD-530              | Design Calculations                                                                    | 115 |
| <b>Article KD-6</b> | <b>Design Requirements for Closures, Integral Heads, Threaded Fasteners, and Seals</b> | 116 |
| KD-600              | Scope                                                                                  | 116 |
| KD-620              | Threaded Fasteners and Components                                                      | 116 |
| KD-630              | Load-Carrying Shell With Single Threaded End Closures                                  | 117 |

|                      |                                                                                                      |            |
|----------------------|------------------------------------------------------------------------------------------------------|------------|
| KD-640               | Flat Integral Heads .....                                                                            | 118        |
| KD-650               | Quick-Actuating Closures .....                                                                       | 118        |
| KD-660               | Requirements for Closures and Seals .....                                                            | 119        |
| <b>Article KD-7</b>  | <b>Design Requirements for Attachments, Supports, and External Heating and Cooling Jackets .....</b> | <b>120</b> |
| KD-700               | General Requirements .....                                                                           | 120        |
| KD-710               | Materials for Attachments .....                                                                      | 120        |
| KD-720               | Welds Attaching Nonpressure Parts to Pressure Parts .....                                            | 120        |
| KD-730               | Design of Attachments .....                                                                          | 122        |
| KD-740               | Design of Supports .....                                                                             | 122        |
| KD-750               | Jacketed Vessels .....                                                                               | 122        |
| <b>Article KD-8</b>  | <b>Special Design Requirements for Layered Vessels .....</b>                                         | <b>123</b> |
| KD-800               | General .....                                                                                        | 123        |
| KD-810               | Rules for Shrink-Fit Layered Vessels .....                                                           | 124        |
| KD-820               | Rules for Concentrically Wrapped and Welded Layered Vessels .....                                    | 125        |
| KD-830               | Design of Welded Joints .....                                                                        | 127        |
| KD-840               | Openings and Their Reinforcement .....                                                               | 127        |
| KD-850               | Supports .....                                                                                       | 127        |
| <b>Article KD-9</b>  | <b>Special Design Requirements for Wire-Wound Vessels and Wire-Wound Frames .....</b>                | <b>134</b> |
| KD-900               | Scope .....                                                                                          | 134        |
| KD-910               | Stress Analysis .....                                                                                | 134        |
| KD-920               | Stress Limits .....                                                                                  | 136        |
| KD-930               | Fatigue Evaluation .....                                                                             | 136        |
| <b>Article KD-10</b> | <b>Special Requirements for Vessels in Hydrogen Service .....</b>                                    | <b>139</b> |
| KD-1000              | Scope .....                                                                                          | 139        |
| KD-1010              | Fracture Mechanics Evaluation .....                                                                  | 140        |
| KD-1020              | Fracture Mechanics Properties .....                                                                  | 140        |
| KD-1030              | Fatigue Life Calculation .....                                                                       | 141        |
| KD-1040              | Test Method for $K_{IH}$ Determination .....                                                         | 141        |
| KD-1050              | Fatigue Crack Growth Rate Tests .....                                                                | 142        |
| <b>Article KD-11</b> | <b>Design Requirements for Welded Vessels .....</b>                                                  | <b>144</b> |
| KD-1100              | Scope .....                                                                                          | 144        |
| KD-1110              | Types of Joints Permitted .....                                                                      | 144        |
| KD-1120              | Transition Joints Between Sections of Unequal Thickness .....                                        | 144        |
| KD-1130              | Nozzle Attachments .....                                                                             | 145        |
| <b>Article KD-12</b> | <b>Experimental Design Verification .....</b>                                                        | <b>150</b> |
| KD-1200              | General Requirements .....                                                                           | 150        |
| KD-1210              | Types of Tests .....                                                                                 | 150        |
| KD-1220              | Strain Measurement Test Procedure .....                                                              | 150        |
| KD-1230              | Photoelastic Test Procedure .....                                                                    | 151        |
| KD-1240              | Test Procedures .....                                                                                | 151        |
| KD-1250              | Interpretation of Results .....                                                                      | 151        |
| KD-1260              | Experimental Determination of Allowable Number of Operating Cycles ....                              | 152        |
| KD-1270              | Determination of Fatigue Strength Reduction Factors .....                                            | 156        |
| <b>Article KD-13</b> | <b>Additional Design Requirements for Composite Reinforced Pressure Vessels (CRPV) .....</b>         | <b>157</b> |
| KD-1300              | Scope .....                                                                                          | 157        |
| KD-1310              | General .....                                                                                        | 157        |
| <b>Part KF</b>       | <b>Fabrication Requirements .....</b>                                                                | <b>159</b> |
| <b>Article KF-1</b>  | <b>General Fabrication Requirements .....</b>                                                        | <b>159</b> |
| KF-100               | General .....                                                                                        | 159        |

|                     |                                                                                   |            |
|---------------------|-----------------------------------------------------------------------------------|------------|
| KF-110              | Material .....                                                                    | 159        |
| KF-120              | Material Forming .....                                                            | 160        |
| KF-130              | Tolerances for Cylindrical and Spherical Shells and Heads .....                   | 161        |
| <b>Article KF-2</b> | <b>Supplemental Welding Fabrication Requirements .....</b>                        | <b>162</b> |
| KF-200              | General Requirements for All Welds .....                                          | 162        |
| KF-210              | Welding Qualifications and Records .....                                          | 162        |
| KF-220              | Weld Joints Permitted and Their Examination .....                                 | 163        |
| KF-230              | Requirements During Welding .....                                                 | 164        |
| KF-240              | Repair of Weld Defects .....                                                      | 166        |
| <b>Article KF-3</b> | <b>Fabrication Requirements for Materials With Protective Linings .....</b>       | <b>167</b> |
| KF-300              | Scope .....                                                                       | 167        |
| KF-310              | Qualification of Welding Procedures .....                                         | 167        |
| KF-320              | Integrally Clad Materials .....                                                   | 168        |
| KF-330              | Postweld Heat Treatment of Linings .....                                          | 168        |
| KF-340              | Examination Requirements .....                                                    | 168        |
| KF-350              | Inspection and Tests .....                                                        | 168        |
| KF-360              | Stamping and Reports .....                                                        | 169        |
| <b>Article KF-4</b> | <b>Heat Treatment of Weldments .....</b>                                          | <b>170</b> |
| KF-400              | Heat Treatment of Weldments .....                                                 | 170        |
| KF-410              | Heating Procedures for Postweld Heat Treatment .....                              | 171        |
| KF-420              | Postweld Heat Treatment After Repairs .....                                       | 174        |
| <b>Article KF-5</b> | <b>Additional Fabrication Requirements for Autofrettaged Vessels .....</b>        | <b>175</b> |
| KF-500              | General .....                                                                     | 175        |
| KF-510              | Examination and Repair .....                                                      | 175        |
| KF-520              | Autofrettage Procedures .....                                                     | 175        |
| KF-530              | Examination After Autofrettage .....                                              | 175        |
| KF-540              | Repair of Defects After Autofrettage .....                                        | 175        |
| KF-550              | Stamping and Reports .....                                                        | 175        |
| <b>Article KF-6</b> | <b>Additional Fabrication Requirements for Quenched and Tempered Steels .....</b> | <b>176</b> |
| KF-600              | General .....                                                                     | 176        |
| KF-610              | Welding Requirements .....                                                        | 176        |
| KF-620              | Temporary Welds Where Not Prohibited .....                                        | 177        |
| KF-630              | Postweld Heat Treatment .....                                                     | 177        |
| KF-640              | Examination and Testing .....                                                     | 178        |
| KF-650              | Stamping and Reports .....                                                        | 178        |
| <b>Article KF-7</b> | <b>Supplementary Requirements for Materials With Welding Restrictions .....</b>   | <b>179</b> |
| KF-700              | Scope .....                                                                       | 179        |
| KF-710              | Repair of Defects .....                                                           | 179        |
| KF-720              | Methods of Forming Forged Heads .....                                             | 179        |
| <b>Article KF-8</b> | <b>Specific Fabrication Requirements for Layered Vessels .....</b>                | <b>180</b> |
| KF-800              | Scope .....                                                                       | 180        |
| KF-810              | Rules for Shrink-Fit Vessels .....                                                | 180        |
| KF-820              | Rules for Concentrically Wrapped Welded Layered Vessels .....                     | 180        |
| KF-830              | Heat Treatment of Weldments .....                                                 | 187        |
| <b>Article KF-9</b> | <b>Special Fabrication Requirements for Wire-Wound Vessels and Frames .....</b>   | <b>188</b> |
| KF-900              | Scope .....                                                                       | 188        |
| KF-910              | Fabrication Requirements .....                                                    | 188        |

|                      |                                                                                                   |     |
|----------------------|---------------------------------------------------------------------------------------------------|-----|
| <b>Article KF-10</b> | <b>Additional Fabrication Requirements for Aluminum Alloys</b>                                    | 189 |
| <b>Article KF-11</b> | <b>Additional Fabrication Requirements for Welding Age-Hardening Stainless Steels</b>             | 190 |
| KF-1100              | Scope                                                                                             | 190 |
| KF-1110              | Welding Requirements                                                                              | 190 |
| KF-1120              | Base Metal Heat Treatment Condition                                                               | 190 |
| KF-1130              | Temporary Welds Where Not Prohibited                                                              | 190 |
| KF-1140              | Postweld Heat Treatment                                                                           | 190 |
| KF-1150              | Production Weld Testing                                                                           | 190 |
| KF-1160              | Examination and Testing                                                                           | 191 |
| KF-1170              | Repair Welding                                                                                    | 191 |
| KF-1180              | Postweld Heat Treatment After Weld Repairs                                                        | 191 |
| <b>Article KF-12</b> | <b>Additional Fabrication Requirements for Composite Reinforced Pressure Vessels (CRPV)</b>       | 192 |
| KF-1200              | Scope                                                                                             | 192 |
| KF-1210              | Material Identification Records for CRPV Laminates                                                | 192 |
| <b>Part KR</b>       | <b>Pressure Relief Devices</b>                                                                    | 197 |
| <b>Article KR-1</b>  | <b>General Requirements</b>                                                                       | 197 |
| KR-100               | Protection Against Overpressure                                                                   | 197 |
| KR-110               | Definitions                                                                                       | 197 |
| KR-120               | Types of Overpressure Protection                                                                  | 198 |
| KR-130               | Size of Openings and Nozzles                                                                      | 199 |
| KR-140               | Intervening Stop Valves                                                                           | 199 |
| KR-150               | Permissible Overpressures                                                                         | 199 |
| KR-160               | Set Pressures                                                                                     | 199 |
| <b>Article KR-2</b>  | <b>Requirements for Rupture Disk Devices</b>                                                      | 201 |
| KR-200               | Materials for Rupture Disk Devices                                                                | 201 |
| KR-210               | Flow Capacity Rating                                                                              | 201 |
| KR-220               | Rupture Disk Devices Used in Combination With Flow Capacity Certified Pressure Relief Valves      | 201 |
| <b>Article KR-3</b>  | <b>Requirements for Pressure Relief Valves</b>                                                    | 203 |
| KR-300               | General Requirements                                                                              | 203 |
| KR-310               | Design Requirements                                                                               | 203 |
| KR-320               | Material Selection                                                                                | 204 |
| KR-330               | Inspection of Manufacturing and/or Assembly of Pressure Relief Valves                             | 204 |
| KR-340               | Production Testing by Manufacturers and Assemblers                                                | 204 |
| <b>Article KR-4</b>  | <b>Certification Mark</b>                                                                         | 206 |
| KR-400               | Marking                                                                                           | 206 |
| KR-410               | Use of Certification Mark                                                                         | 207 |
| <b>Article KR-5</b>  | <b>Certification of Flow Capacity of Pressure Relief Valves</b>                                   | 208 |
| KR-500               | Flow Capacity Certification Tests                                                                 | 208 |
| KR-510               | Recertification Testing                                                                           | 208 |
| KR-520               | Procedures for Flow Capacity Certification Tests                                                  | 208 |
| KR-530               | Flow Capacity Conversions                                                                         | 210 |
| KR-540               | Flow Capacity Certification Testing Requirements for Test Facilities                              | 212 |
| KR-550               | Test Data Reports                                                                                 | 212 |
| KR-560               | Certification of Flow Capacity of Pressure Relief Valves in Combination With Rupture Disk Devices | 212 |
| KR-570               | Optional Testing of Rupture Disk Devices and Pressure Relief Valves                               | 212 |
| <b>Article KR-6</b>  | <b>Requirements for Power-Actuated Pressure Relief Systems</b>                                    | 214 |
| KR-600               | General Requirements                                                                              | 214 |

|                     |                                                                                                             |            |
|---------------------|-------------------------------------------------------------------------------------------------------------|------------|
| KR-610              | System Requirements .....                                                                                   | 214        |
| KR-620              | Flow Capacity Testing .....                                                                                 | 214        |
| <b>Part KE</b>      | <b>Examination Requirements .....</b>                                                                       | <b>216</b> |
| <b>Article KE-1</b> | <b>Requirements for Examination Procedures and Personnel Qualification</b>                                  | <b>216</b> |
| KE-100              | General .....                                                                                               | 216        |
| KE-110              | Qualification and Certification of Nondestructive Examination Personnel ..                                  | 216        |
| <b>Article KE-2</b> | <b>Requirements for Examination and Repair of Material .....</b>                                            | <b>219</b> |
| KE-200              | General Requirements .....                                                                                  | 219        |
| KE-210              | General Requirements for Repair of Defects .....                                                            | 219        |
| KE-220              | Examination and Repair of Plate .....                                                                       | 220        |
| KE-230              | Examination and Repair of Forgings and Bars .....                                                           | 220        |
| KE-240              | Examination and Repair of Seamless and Welded (Without Filler Metal)<br>Tubular Products and Fittings ..... | 222        |
| KE-250              | Examination and Repair of Tubular Products and Fittings Welded With Filler<br>Metal .....                   | 223        |
| KE-260              | Examination of Bolts, Studs, and Nuts .....                                                                 | 224        |
| <b>Article KE-3</b> | <b>Examination of Welds and Acceptance Criteria .....</b>                                                   | <b>225</b> |
| KE-300              | Examination of Welds and Weld Overlay .....                                                                 | 225        |
| KE-310              | Examination of Weld Edge Preparation Surfaces .....                                                         | 227        |
| KE-320              | Types of Welds and Their Examination .....                                                                  | 227        |
| KE-330              | Acceptance Standards .....                                                                                  | 229        |
| <b>Article KE-4</b> | <b>Final Examination of Vessels .....</b>                                                                   | <b>235</b> |
| KE-400              | Surface Examination After Hydrotest .....                                                                   | 235        |
| KE-410              | Inspection of Lined Vessel Interior After Hydrotest .....                                                   | 235        |
| <b>Article KE-5</b> | <b>Additional Examination Requirements for Composite Reinforced<br/>Pressure Vessels (CRPV) .....</b>       | <b>236</b> |
| KE-500              | Scope .....                                                                                                 | 236        |
| <b>Part KT</b>      | <b>Testing Requirements .....</b>                                                                           | <b>240</b> |
| <b>Article KT-1</b> | <b>Testing Requirements .....</b>                                                                           | <b>240</b> |
| KT-100              | Scope .....                                                                                                 | 240        |
| KT-110              | Requirements for Sample Test Coupons .....                                                                  | 240        |
| <b>Article KT-2</b> | <b>Impact Testing for Welded Vessels .....</b>                                                              | <b>241</b> |
| KT-200              | Impact Tests .....                                                                                          | 241        |
| KT-210              | Location and Orientation of Specimens .....                                                                 | 241        |
| KT-220              | Impact Tests for Welding Procedure Qualifications .....                                                     | 241        |
| KT-230              | Impact Test of Production Test Plates .....                                                                 | 241        |
| KT-240              | Basis for Rejection .....                                                                                   | 242        |
| <b>Article KT-3</b> | <b>Hydrostatic Tests .....</b>                                                                              | <b>243</b> |
| KT-300              | Scope .....                                                                                                 | 243        |
| KT-310              | Limits of Hydrostatic Test Pressure .....                                                                   | 243        |
| KT-320              | Fluid Media for Hydrostatic Tests .....                                                                     | 244        |
| KT-330              | Test Procedure .....                                                                                        | 244        |
| KT-340              | Exemption for Autofrettaged Vessels .....                                                                   | 244        |
| <b>Article KT-4</b> | <b>Pressure Test Gages and Transducers .....</b>                                                            | <b>245</b> |
| KT-400              | Type and Number of Gages or Transducers .....                                                               | 245        |
| KT-410              | Pressure Range of Test Gages and Transducers .....                                                          | 245        |
| KT-420              | Calibration of Test Gages and Transducers .....                                                             | 245        |
| <b>Article KT-5</b> | <b>Additional Testing Requirements for Composite Reinforced Pressure<br/>Vessels (CRPV) .....</b>           | <b>246</b> |
| KT-500              | Responsibility .....                                                                                        | 246        |

|                                |                                                                                                                                  |            |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------|
| KT-510                         | Testing Requirements .....                                                                                                       | 246        |
| <b>Part KS</b>                 | <b>Marking, Stamping, Reports, and Records .....</b>                                                                             | <b>247</b> |
| <b>Article KS-1</b>            | <b>Contents and Method of Stamping .....</b>                                                                                     | <b>247</b> |
| KS-100                         | Required Marking for Vessels .....                                                                                               | 247        |
| KS-110                         | Application of Certification Mark .....                                                                                          | 248        |
| KS-120                         | Part Marking .....                                                                                                               | 248        |
| KS-130                         | Application of Markings .....                                                                                                    | 248        |
| KS-140                         | Attachment of Nameplate or Tag .....                                                                                             | 249        |
| KS-150                         | Special Stamping Requirements for Composite Reinforced Pressure Vessels (CRPV) .....                                             | 249        |
| <b>Article KS-2</b>            | <b>Obtaining and Using Certification Marks .....</b>                                                                             | <b>250</b> |
| KS-200                         | Certification Mark Bearing Official Symbol .....                                                                                 | 250        |
| KS-210                         | Application for Authorization .....                                                                                              | 250        |
| KS-220                         | Issuance of Authorization .....                                                                                                  | 250        |
| KS-230                         | Inspection Agreement .....                                                                                                       | 250        |
| KS-240                         | Quality Control System .....                                                                                                     | 250        |
| KS-250                         | Evaluation for Authorization and Reauthorization .....                                                                           | 251        |
| KS-260                         | Code Construction Before Receipt of Certificate of Authorization .....                                                           | 251        |
| KS-270                         | Special Requirements Regarding Manufacturer's Certificates for Manufacture of Composite Reinforced Pressure Vessels (CRPV) ..... | 251        |
| <b>Article KS-3</b>            | <b>Report Forms and Maintenance of Records .....</b>                                                                             | <b>252</b> |
| KS-300                         | Manufacturer's Data Reports .....                                                                                                | 252        |
| KS-310                         | Maintenance of Radiographs .....                                                                                                 | 253        |
| KS-320                         | Maintenance of Records .....                                                                                                     | 253        |
| <b>Mandatory Appendix 1</b>    | <b>Nomenclature .....</b>                                                                                                        | <b>254</b> |
| <b>Mandatory Appendix 2</b>    | <b>Quality Control System .....</b>                                                                                              | <b>261</b> |
| <b>Mandatory Appendix 3</b>    | .....                                                                                                                            | 264        |
| <b>Mandatory Appendix 4</b>    | <b>Acceptance of Testing Laboratories and Authorized Observers for Capacity Certification of Pressure Relief Devices .....</b>   | <b>265</b> |
| <b>Mandatory Appendix 5</b>    | <b>Adhesive Attachment of Nameplates .....</b>                                                                                   | <b>267</b> |
| <b>Mandatory Appendix 6</b>    | <b>Rounded Indications Charts Acceptance Standard for Radiographically Determined Rounded Indications in Welds .....</b>         | <b>268</b> |
| <b>Mandatory Appendix 7</b>    | <b>Standard Units for Use in Equations .....</b>                                                                                 | <b>277</b> |
| <b>Mandatory Appendix 8</b>    | <b>Establishing Governing Code Editions and Cases for Pressure Vessels and Parts .....</b>                                       | <b>278</b> |
| <b>Nonmandatory Appendix A</b> | <b>Guide for Preparing Manufacturer's Data Reports .....</b>                                                                     | <b>279</b> |
| <b>Nonmandatory Appendix B</b> | <b>Suggested Practice Regarding Post-Construction Requalification for High Pressure Vessels .....</b>                            | <b>295</b> |
| <b>Nonmandatory Appendix C</b> | <b>Guide to Information Appearing on Certificate of Authorization .....</b>                                                      | <b>299</b> |
| <b>Nonmandatory Appendix D</b> | <b>Fracture Mechanics Calculations .....</b>                                                                                     | <b>301</b> |
| <b>Nonmandatory Appendix E</b> | <b>Construction Details .....</b>                                                                                                | <b>311</b> |
| <b>Nonmandatory Appendix F</b> | <b>Approval of New Materials Under the ASME Boiler and Pressure Vessel Code .....</b>                                            | <b>318</b> |
| <b>Nonmandatory Appendix G</b> | <b>Design Rules for Clamp Connections .....</b>                                                                                  | <b>319</b> |
| <b>Nonmandatory Appendix H</b> | <b>Openings and Their Reinforcement .....</b>                                                                                    | <b>329</b> |

|                                |                                                                                                              |     |
|--------------------------------|--------------------------------------------------------------------------------------------------------------|-----|
| <b>Nonmandatory Appendix I</b> | <b>Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code</b> ..... | 334 |
| <b>Nonmandatory Appendix J</b> | <b>Stress Concentration Factors for Cross-Bores in Closed-End Cylinders and Square Blocks</b> .....          | 337 |
| <b>Nonmandatory Appendix L</b> | <b>Linearization of Stress Results for Stress Classification</b> .....                                       | 340 |

## FIGURES

|              |                                                                                                                                                                    |     |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| KG-510.1     | CRPV General Arrangement .....                                                                                                                                     | 16  |
| KG-510.2     | Laminate Termination .....                                                                                                                                         | 17  |
| KG-510.3     | Laminate Step .....                                                                                                                                                | 17  |
| KM-212       | Examples of Acceptable Impact Test Specimens .....                                                                                                                 | 25  |
| KD-240       | Stress Categories and Limits of Stress Intensity .....                                                                                                             | 67  |
| KD-320.1     | Design Fatigue Curves $S_a = f(N_f)$ for Nonwelded Machined Parts Made of Forged Carbon or Low Alloy Steels for Temperatures Not Exceeding 700°F .....             | 83  |
| KD-320.1M    | Design Fatigue Curves $S_a = f(N_f)$ for Nonwelded Machined Parts Made of Forged Carbon or Low Alloy Steels for Temperatures Not Exceeding 371°C .....             | 86  |
| KD-320.2     | Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Parts Made of Carbon or Low Alloy Steels for Temperatures Not Exceeding 700°F and UTS Less Than 90 ksi .....     | 89  |
| KD-320.2M    | Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Parts Made of Carbon or Low Alloy Steels for Temperatures Not Exceeding 371°C and UTS Less Than 620 MPa .....    | 90  |
| KD-320.3     | Design Fatigue Curve for Nonwelded Austenitic Stainless Steels for Temperatures Not Exceeding 800°F .....                                                          | 91  |
| KD-320.3M    | Design Fatigue Curve for Nonwelded Austenitic Stainless Steels for Temperatures Not Exceeding 427°C .....                                                          | 92  |
| KD-320.4     | Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Machined Parts Made of 17-4PH/15-5PH Stainless Steel Bar or Forgings, for Temperatures Not Exceeding 550°F ..... | 93  |
| KD-320.4M    | Design Fatigue Curve $S_a = f(N_f)$ for Nonwelded Machined Parts Made of 17-4PH/15-5PH Stainless Steel Bar or Forgings, for Temperatures Not Exceeding 290°C ..... | 94  |
| KD-320.5     | Design Fatigue Curve for High-Strength Steel Bolting for Temperatures Not Exceeding 700°F .....                                                                    | 95  |
| KD-320.5M    | Design Fatigue Curve for High-Strength Steel Bolting for Temperatures Not Exceeding 371°C .....                                                                    | 96  |
| KD-320.6(a)  | Roughness Factor $K_r$ Versus Average Surface Roughness $R_a$ Microinch AA .....                                                                                   | 97  |
| KD-320.6M(a) | Roughness Factor $K_r$ Versus Average Surface Roughness $R_a$ Micrometer AA .....                                                                                  | 98  |
| KD-320.6(b)  | Roughness Factor $K_r$ Versus Maximum Surface Roughness $R_{max}$ Microinch .....                                                                                  | 99  |
| KD-320.6M(b) | Roughness Factor $K_r$ Versus Maximum Surface Roughness $R_{max}$ Micrometer .....                                                                                 | 100 |
| KD-320.7     | Design Fatigue Curve for Nonwelded 6061-T6 and 6061-T651 Aluminum for Temperatures Not Exceeding 225°F .....                                                       | 102 |
| KD-320.7M    | Design Fatigue Curve for Nonwelded 6061-T6 and 6061-T651 Aluminum for Temperatures Not Exceeding 107°C .....                                                       | 103 |
| KD-372.1     | Burr Grinding of Weld Toe .....                                                                                                                                    | 108 |
| KD-700       | Some Illustrative Weld Attachment Details .....                                                                                                                    | 121 |
| KD-812       | Diameters and Layer Numbers for Concentric Shrink-Fit Layered Cylinder .....                                                                                       | 125 |
| KD-830.1     | Acceptable Layered Shell Types .....                                                                                                                               | 127 |
| KD-830.2     | Some Acceptable Solid-to-Layered Attachments .....                                                                                                                 | 128 |
| KD-830.3     | Some Acceptable Flat Heads With Hubs Joining Layered Shell Sections .....                                                                                          | 129 |
| KD-830.4     | Some Acceptable Flanges for Layered Shells .....                                                                                                                   | 130 |
| KD-830.5     | Some Acceptable Welded Joints of Layered-to-Layered and Layered-to-Solid Sections .....                                                                            | 131 |
| KD-830.6     | Some Acceptable Nozzle Attachments in Layered Shell Sections .....                                                                                                 | 132 |
| KD-850       | Some Acceptable Supports for Layered Vessels .....                                                                                                                 | 133 |
| KD-900       | Wire-Wound Vessel and Frame Construction .....                                                                                                                     | 135 |
| KD-911       | Nomenclature for Wire-Wound Cylinders .....                                                                                                                        | 136 |
| KD-932       | Derivation of Design Fatigue Curve From Wire Fatigue Curve .....                                                                                                   | 137 |
| KD-1112      | Typical Pressure Parts With Butt-Welded Hubs .....                                                                                                                 | 145 |
| KD-1121      | Joints Between Formed Heads and Shells .....                                                                                                                       | 146 |
| KD-1122      | Nozzle Necks Attached to Piping of Lesser Wall Thickness .....                                                                                                     | 147 |
| KD-1130      | Some Acceptable Welded Nozzle Attachments .....                                                                                                                    | 148 |

|             |                                                                                                                                |     |
|-------------|--------------------------------------------------------------------------------------------------------------------------------|-----|
| KD-1131     | An Acceptable Full-Penetration Welded Nozzle Attachment Not Readily Radiographable . .                                         | 149 |
| KD-1260.1   | Construction of Testing Parameter Ratio Diagram . . . . .                                                                      | 154 |
| KD-1260.2   | Construction of Testing Parameter Ratio Diagram for Accelerated Tests . . . . .                                                | 155 |
| KF-131      | Examples of Differences Between Maximum and Minimum Diameters in Cylindrical Shells                                            | 161 |
| KF-822(a)   | Solid-to-Layered and Layered-to-Layered Test Plates . . . . .                                                                  | 182 |
| KF-822(b)   | Test Specimens for Weld Procedure Qualification . . . . .                                                                      | 183 |
| KF-825.4(a) | Indications of Layer Wash . . . . .                                                                                            | 184 |
| KF-825.4(b) | Angled Radiographic Technique for Detecting Layer Wash . . . . .                                                               | 185 |
| KF-826      | Gap Area Between Layers . . . . .                                                                                              | 186 |
| KR-401      | Official New Certification Mark to Denote the American Society of Mechanical Engineers' Standard . . . . .                     | 206 |
| KR-523.3    | Constant <i>C</i> for Gas Versus Specific Heat Ratio (U.S. Customary Units) . . . . .                                          | 210 |
| KR-523.3M   | Constant <i>C</i> for Gas Versus Specific Heat Ratio (SI Units) . . . . .                                                      | 211 |
| KE-242.1    | Axial Propagation of Sound in Tube Wall . . . . .                                                                              | 222 |
| KE-301-1    | Single Indications . . . . .                                                                                                   | 229 |
| KE-301-2    | Multiple Planar Flaws Oriented in Plane Normal to Pressure Retaining Surface . . . . .                                         | 230 |
| KE-301-3    | Parallel Planar Flaws . . . . .                                                                                                | 231 |
| KE-301-4    | Nonaligned Coplanar Flaws in Plane Normal to Pressure Retaining Surface (Illustrative Flaw Configurations) . . . . .           | 232 |
| KE-301-5    | Multiple Aligned Planar Flaws . . . . .                                                                                        | 233 |
| KE-321      | Illustration of Welded Joint Locations Typical of Categories A, B, C, and D . . . . .                                          | 234 |
| KS-100      | Official New Certification Mark to Denote the American Society of Mechanical Engineers' Standard . . . . .                     | 247 |
| KS-132      | Form of Stamping . . . . .                                                                                                     | 249 |
| 6-1         | Aligned Rounded Indications . . . . .                                                                                          | 269 |
| 6-2         | Groups of Aligned Rounded Indications . . . . .                                                                                | 270 |
| 6-3.1       | Charts for $t \frac{1}{8}$ in. (3 mm) to $\frac{1}{4}$ in. (6 mm), Inclusive . . . . .                                         | 271 |
| 6-3.2       | Charts for $t$ Over $\frac{1}{4}$ in. (6 mm) to $\frac{3}{8}$ in. (10 mm), Inclusive . . . . .                                 | 272 |
| 6-3.3       | Charts for $t$ Over $\frac{3}{8}$ in. (10 mm) to $\frac{3}{4}$ in. (19 mm), Inclusive . . . . .                                | 273 |
| 6-3.4       | Charts for $t$ Over $\frac{3}{4}$ in. (19 mm) to 2 in. (50 mm), Inclusive . . . . .                                            | 274 |
| 6-3.5       | Charts for $t$ Over 2 in. (50 mm) to 4 in. (100 mm), Inclusive . . . . .                                                       | 275 |
| 6-3.6       | Charts for $t$ Over 4 in. (100 mm) . . . . .                                                                                   | 276 |
| B-800-1     | Analysis of Pressure Vessels to Establish Examination Frequency . . . . .                                                      | 297 |
| C-1         | Sample Certificate of Authorization . . . . .                                                                                  | 300 |
| D-200       | Typical Crack Types . . . . .                                                                                                  | 302 |
| D-300       | Idealizations of a Crack Propagating From a Cross-Bore Corner . . . . .                                                        | 303 |
| D-403.1     | Magnification Factors for Circumferential Crack . . . . .                                                                      | 308 |
| D-403.2     | Polynomial Representation of Stress Distribution . . . . .                                                                     | 309 |
| D-403.3     | Method of Correcting $K_I$ at Discontinuities Between Regions . . . . .                                                        | 310 |
| E-110       | Thick Wall Blind End Proportions Not Requiring Detailed Analysis . . . . .                                                     | 311 |
| E-120       | Thin Wall Blind End Proportions Not Requiring Detailed Analysis . . . . .                                                      | 312 |
| E-210.1     | Typical Threaded End Closure . . . . .                                                                                         | 314 |
| E-210.2     | Thread Loading Distribution . . . . .                                                                                          | 315 |
| E-210.3     | Detail of First Thread . . . . .                                                                                               | 315 |
| G-100.1     | Clamp Nomenclature . . . . .                                                                                                   | 320 |
| G-100.2     | Typical Clamp Lug Configurations . . . . .                                                                                     | 321 |
| G-100.3     | Typical Hub Design With the Bolts Contained Within the Body of the Clamp . . . . .                                             | 322 |
| G-300       | Typical Self-Energizing Gaskets Used in This Division, Showing Diameter at Location of Gasket Load Reaction <i>G</i> . . . . . | 326 |
| G-300.1     | Values of <i>f</i> . . . . .                                                                                                   | 327 |
| H-101       | Straight Drill Connections for Thick Walled Cylinders . . . . .                                                                | 330 |
| H-120.1     | Chart for Determining Value of <i>F</i> . . . . .                                                                              | 331 |
| H-142       | Nozzle Nomenclature and Dimensions . . . . .                                                                                   | 332 |
| J-110-1     | Geometries of Square Blocks and Cylinders With Cross-Bores . . . . .                                                           | 338 |
| J-110-2     | Tangential Stress Concentration Factors for Openings in Cylinders . . . . .                                                    | 338 |
| J-110-3     | Tangential Stress Concentration Factors for Openings in Square Cross-Section Blocks . . . .                                    | 339 |

|         |                                                                                                                                                                               |     |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| L-110.1 | Stress Classification Line (SCL) and Stress Classification Plane (SCP) .....                                                                                                  | 341 |
| L-110.2 | Stress Classification Lines (SCLs) .....                                                                                                                                      | 342 |
| L-200.1 | Stress Classification Line Orientation and Validity Guidelines .....                                                                                                          | 343 |
| L-311.1 | Computation of Membrane and Bending Equivalent Stress Integration Method Using the<br>Results From a Finite Element Model With Continuum Elements .....                       | 345 |
| L-400.1 | Continuum Finite Element Model Stress Classification Line for the Structural Stress Method                                                                                    | 347 |
| L-410.1 | Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method<br>Using Nodal Force Results From a Finite Element Model With Continuum Elements .... | 349 |
| L-410.2 | Processing Nodal Force Results With the Structural Stress Method Using the Results From a<br>Finite Element Model With Three-Dimensional Second Order Continuum Elements .... | 350 |
| L-410.3 | Processing Structural Stress Method Results for a Symmetric Structural Stress Range ....                                                                                      | 351 |
| L-411.1 | Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method<br>Using the Results From a Finite Element Model With Shell Elements .....            | 353 |
| L-411.2 | Processing Nodal Force Results With the Structural Stress Method Using the Results From a<br>Finite Element Model With Three-Dimensional Second Order Shell Elements .....    | 354 |
| L-500.1 | Element Sets for Processing Finite Element Nodal Stress Results With the Structural Stress<br>Method Based on Stress Integration .....                                        | 355 |

## TABLES

|             |                                                                                                                                            |     |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----|
| KG-141      | Referenced Standards in This Division and Year of Acceptable Edition .....                                                                 | 4   |
| KM-212      | Charpy Impact Test Temperature Reduction Below Minimum Design Metal Temperature ..                                                         | 24  |
| KM-234.2(a) | Minimum Required Charpy V-Notch Impact Values for Pressure-Retaining Component<br>Materials .....                                          | 28  |
| KM-234.2(b) | Minimum Required Charpy V-Notch Impact Values for Bolting Materials .....                                                                  | 28  |
| KM-400-1    | Carbon and Low Alloy Steels .....                                                                                                          | 33  |
| KM-400-1M   | Carbon and Low Alloy Steels (Metric) .....                                                                                                 | 37  |
| KM-400-2    | High Alloy Steels .....                                                                                                                    | 41  |
| KM-400-2M   | High Alloy Steels (Metric) .....                                                                                                           | 44  |
| KM-400-3    | Nickel and Nickel Alloys .....                                                                                                             | 47  |
| KM-400-3M   | Nickel and Nickel Alloys (Metric) .....                                                                                                    | 48  |
| KM-400-4    | Aluminum Alloys .....                                                                                                                      | 49  |
| KM-400-4M   | Aluminum Alloys .....                                                                                                                      | 49  |
| KM-506.1    | Resin Systems Required Certifications by Resin Supplier .....                                                                              | 51  |
| KM-506.2    | Resin Systems Required Tests by CRPV Manufacturer .....                                                                                    | 51  |
| KD-230.1    | Loads and Load Cases to Be Considered in Design .....                                                                                      | 60  |
| KD-230.2    | Load Descriptions .....                                                                                                                    | 61  |
| KD-230.3    | Combination for Analysis Exemption of Hydrostatic Test Criterion .....                                                                     | 62  |
| KD-230.4    | Load Combinations and Load Factors for an Elastic-Plastic Analysis .....                                                                   | 63  |
| KD-230.5    | Tabular Values for Coefficients .....                                                                                                      | 64  |
| KD-320.1    | Tabulated Values of $S_a$ , ksi, From Figures Indicated .....                                                                              | 84  |
| KD-320.1M   | Tabulated Values of $S_a$ , MPa, From Figures Indicated .....                                                                              | 87  |
| KD-320.7    | Tabulated Values of $S_a$ Alternating Stress Intensity from <a href="#">Figures KD-320.7</a> and <a href="#">KD-320.7M</a>                 | 101 |
| KD-322.1    | Fatigue Penalty Parameters .....                                                                                                           | 103 |
| KD-360.1    | Cyclic Stress-Strain Curve Data .....                                                                                                      | 104 |
| KD-360.1M   | Cyclic Stress-Strain Curve Data .....                                                                                                      | 105 |
| KD-370.1    | Coefficients for the Welded Joint Fatigue Curves .....                                                                                     | 107 |
| KD-370.1M   | Coefficients for the Welded Joint Fatigue Curves .....                                                                                     | 107 |
| KD-430      | Crack Growth Rate Factors (U.S. Customary Units) .....                                                                                     | 111 |
| KD-430M     | Crack Growth Rate Factors (SI Units) .....                                                                                                 | 111 |
| KF-234      | Maximum Allowable Offset in Welded Joints .....                                                                                            | 166 |
| KF-402.1    | Requirements for Postweld Heat Treatment of Pressure Parts and Attachments (U.S.<br>Customary Units) .....                                 | 171 |
| KF-402.1M   | Requirements for Postweld Heat Treatment of Pressure Parts and Attachments (SI Units) .                                                    | 172 |
| KF-630      | Postweld Heat Treatment Requirements for Quenched and Tempered Materials in<br><a href="#">Table KM-400-1</a> (U.S. Customary Units) ..... | 177 |

|              |                                                                                                                                                                   |     |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| KF-630M      | Postweld Heat Treatment Requirements for Quenched and Tempered Materials in<br>Table KM-400-1M (SI Units) .....                                                   | 178 |
| KF-1212      | Permitted Weld Reinforcement .....                                                                                                                                | 192 |
| KF-1216      | Acoustic Emission Evaluation Criteria .....                                                                                                                       | 195 |
| KE-101       | Thickness, Image Quality Indicator Designations, Essential Holes, and Wire Diameters (U.S.<br>Customary Units) .....                                              | 217 |
| KE-101M      | Thickness, Image Quality Indicator Designations, Essential Holes, and Wire Diameters (SI<br>Units) .....                                                          | 218 |
| KE-301-1     | Flaw Acceptance Criteria for 1 in. (25 mm) to 12 in. (300 mm) Thick Weld .....                                                                                    | 227 |
| KE-301-2     | Flaw Acceptance Criteria for Larger Than 12 in. (300 mm) Thick Weld .....                                                                                         | 228 |
| KE-332       | Radiographic Acceptance Standards for Rounded Indications (Examples Only) .....                                                                                   | 234 |
| KE-503       | Visual Acceptance Criteria for FRP Laminate (U.S. Customary Units) .....                                                                                          | 237 |
| KE-503M      | Visual Acceptance Criteria for FRP Laminate (SI Units) .....                                                                                                      | 238 |
| 7-1          | Standard Units for Use in Equations .....                                                                                                                         | 277 |
| A-100.1      | Instructions for the Preparation of Manufacturer's Data Reports .....                                                                                             | 285 |
| A-100.2      | Supplementary Instructions for the Preparation of Manufacturer's or Assembler's Certificate of<br>Conformance Form K-4 .....                                      | 288 |
| A-100.3      | Instructions for the Preparation of Manufacturer's Data Reports Form CRPV-1A .....                                                                                | 291 |
| D-401.1      | Coefficients $G_0$ Through $G_3$ for Surface Crack at Deepest Point .....                                                                                         | 305 |
| D-401.2      | Coefficients $G_0$ Through $G_3$ for Surface Crack at Free Surface .....                                                                                          | 306 |
| D-500        | Crack Growth Rate Factors .....                                                                                                                                   | 310 |
| E-222.1      | Continuous Thread Example .....                                                                                                                                   | 316 |
| E-222.2      | Interrupted Thread Example .....                                                                                                                                  | 317 |
| G-900        | Allowable Design Stress for Clamp Connections .....                                                                                                               | 328 |
| J-110-2      | Tangential Stress Concentration Factors for Openings in Cylinders (Tabulated Values From<br>Figure J-110-2) .....                                                 | 339 |
| J-110-3      | Tangential Stress Concentration Factors for Openings in Square Cross-Section Blocks<br>(Tabulated Values From Figure J-110-3) .....                               | 339 |
| L-410.1      | Structural Stress Definitions for Continuum Finite Elements .....                                                                                                 | 348 |
| L-411.1      | Structural Stress Definitions for Shell or Plate Finite Elements .....                                                                                            | 352 |
| <b>FORMS</b> |                                                                                                                                                                   |     |
| KG-311.15    | Typical Certification of Compliance of the User's Design Specification .....                                                                                      | 10  |
| KG-324.1     | Typical Certification of Compliance of the Manufacturer's Design Report .....                                                                                     | 12  |
| K-1          | Manufacturer's Data Report for High Pressure Vessels .....                                                                                                        | 280 |
| K-2          | Manufacturer's Partial Data Report for High Pressure Vessels .....                                                                                                | 282 |
| K-3          | Manufacturer's Data Report Supplementary Sheet .....                                                                                                              | 284 |
| K-4          | Manufacturer's or Assembler's Certificate of Conformance for Pressure Relief Valves .....                                                                         | 287 |
| CRPV-1A      | Manufacturer's Data Report for Composite Reinforced Pressure Vessels .....                                                                                        | 289 |
| CRPV-2A      | Recommended Form for Qualifying the Laminate Design and the Laminate Procedure<br>Specification Used in Manufacturing Composite Reinforced Pressure Vessels ..... | 293 |

## LIST OF SECTIONS

### SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
  - Part A — Ferrous Material Specifications
  - Part B — Nonferrous Material Specifications
  - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
  - Part D — Properties (Customary)
  - Part D — Properties (Metric)
- III Rules for Construction of Nuclear Facility Components
  - Subsection NCA — General Requirements for Division 1 and Division 2
  - Appendices
  - Division 1
    - Subsection NB — Class 1 Components
    - Subsection NC — Class 2 Components
    - Subsection ND — Class 3 Components
    - Subsection NE — Class MC Components
    - Subsection NF — Supports
    - Subsection NG — Core Support Structures
    - Subsection NH — Class 1 Components in Elevated Temperature Service
  - Division 2 — Code for Concrete Containments
  - Division 3 — Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
  - Division 5 — High Temperature Reactors
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
  - Division 1
  - Division 2 — Alternative Rules
  - Division 3 — Alternative Rules for Construction of High Pressure Vessels
- IX Welding, Brazing, and Fusing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components
- XII Rules for Construction and Continued Service of Transport Tanks

## **INTERPRETATIONS**

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code.

Interpretations of the Code are posted in January and July at <http://cstools.asme.org/interpretations.cfm>. Any Interpretations issued during the previous two calendar years are included with the publication of the applicable Section of the Code. Interpretations of Section III, Divisions 1 and 2 and Section III Appendices are included with Subsection NCA.

## **CODE CASES**

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2013 Code Cases book: “Boilers and Pressure Vessels” or “Nuclear Components.” Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2015 Code.

## FOREWORD

(This Foreword is provided as an aid to the user and is not part of the rules of this Code.)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating only to pressure integrity, which govern the construction<sup>\*</sup> of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgement* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

---

<sup>\*</sup> *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

## **STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING**

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.” An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

## **STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS**

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

# (13) SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES

## 1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the committees. See Guideline on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code in Section II, Parts C and D for additional requirements for requests involving adding new materials to the Code. Technical inquiries include requests for revisions or additions to the Code rules, requests for Code Cases, and requests for Code Interpretations, as described below.

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, address administrative requirements, incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code rules. Code Cases are written as a question and reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all jurisdictions or owners automatically accept Code Cases. The most common applications for Code Cases are:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit the use of a new material for Code construction

(-c) to gain experience with new materials or alternative rules prior to incorporation directly into the Code

(3) *Code Interpretations.* Code Interpretations provide clarification of the meaning of existing rules in the Code, and are also presented in question and reply format. Interpretations do not introduce new requirements. In cases where existing Code text does not fully convey the meaning that was intended, and revision of the rules is required to support an interpretation, an Intent Interpretation will be issued and the Code will be revised.

(b) The Code rules, Code Cases, and Code Interpretations established by the committees are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Code rules.

(c) Inquiries that do not comply with these provisions or that do not provide sufficient information for a committee's full understanding may result in the request being returned to the inquirer with no action.

## 2 INQUIRY FORMAT

Submittals to a committee shall include:

(a) *Purpose.* Specify one of the following:

(1) revision of present Code rules

(2) new or additional Code rules

(3) Code Case

(4) Code Interpretation

(b) *Background.* Provide the information needed for the committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, provide a copy of the specific referenced portions of the Code.

(c) *Presentations.* The inquirer may desire or be asked to attend a meeting of the committee to make a formal presentation or to answer questions from the committee members with regard to the inquiry. Attendance at a committee meeting shall be at the expense of the inquirer. The inquirer's attendance or lack of attendance at a meeting shall not be a basis for acceptance or rejection of the inquiry by the committee.