

ASME BOILER AND PRESSURE VESSEL CODE
AN AMERICAN NATIONAL STANDARD

SECTION II

Material Specifications

Part A — Ferrous

Bound in 2
p. 1-554
p. 555-1114

1986 EDITION

JULY 1, 1986



ASME BOILER AND PRESSURE VESSEL COMMITTEE
SUBCOMMITTEE ON MATERIALS

THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
United Engineering Center 345 East 47th Street New York, N.Y. 10017

52 89 101GL2 4 730 XL

3503

Date of Issue — July 1, 1986
(Includes all Addenda dated December 1985 and earlier)

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Consensus Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment which provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable Letters Patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.


Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations issued in accordance with governing ASME procedures and policies which preclude the issuance of interpretations by individual volunteers.

The footnotes in this document are part of this American National Standard.



ASME collective membership mark



The above ASME symbols are registered in the U.S. Patent Office.
"ASME" is the trademark of the American Society of Mechanical Engineers.

Copyright © 1986 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved

The Specifications published and copyrighted by The American Society for
Testing and Materials are reproduced with the Society's permission.

No part of this document may be reproduced in any form, in an electronic retrieval system or
otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of the American Society of Mechanical Engineers, 1914.
Revised 1940, 1941, 1943, 1946, 1949, 1952, 1953, 1956, 1959, 1962, 1965, 1968, 1971, 1974, 1977, 1980, 1983, 1986

1986 ASME

BOILER AND PRESSURE VESSEL CODE

SECTIONS

- I Power Boilers
- II Material Specifications
 - Part A — Ferrous Materials
 - Part B — Nonferrous Materials
 - Part C — Welding Rods, Electrodes and Filler Metals
- III Subsection NCA — General Requirements for Division 1 and Division 2
- III Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Component Supports
 - Subsection NG — Core Support Structures
 - Appendices
- III Division 2 — Code for Concrete Reactor Vessels and Containments
- IV Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
- IX Welding and Brazing Qualifications
- X Fiberglass-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Power Plant Components

ADDENDA

Colored-sheet Addenda, which include additions and revisions to individual Sections of the Code, are published annually and will be sent automatically to purchasers of the applicable Sections up to the publication of the 1989 Code. The 1986 Code is available only in the loose-leaf format; accordingly, the Addenda will be issued in the loose-leaf, replacement-page format.

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code. The Interpretations for each individual Section will be published separately and will be included as part of the update service to that Section. They will be issued semiannually (July and December) up to the publication of the 1989 Code. Interpretations of Section III, Divisions 1 and 2, will be included with the update service to Subsection NCA. Interpretations are not part of the Code or the Addenda.

CODE CASES

The Boiler and Pressure Vessel Committee meets regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases which have been adopted will appear in the appropriate 1986 Code Cases book: (1) Boilers and Pressure Vessels and (2) Nuclear Components. Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 1989 Code.

FOREWORD

The American Society of Mechanical Engineers set up a committee in 1911 for the purpose of formulating standard rules for the construction of steam boilers and other pressure vessels. This committee is now called the Boiler and Pressure Vessel Committee.

The Committee's function is to establish rules of safety governing the design, fabrication, and inspection during construction of boilers and pressure vessels, and to interpret these rules when questions arise regarding their intent. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property and to provide a margin for deterioration in service so as to give a reasonably long, safe period of usefulness. Advancements in design and material and the evidence of experience have been recognized.

The Boiler and Pressure Vessel Committee deals with the care and inspection of boilers and pressure vessels in service only to the extent of providing suggested rules of good practice as an aid to owners and their inspectors.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Boiler and Pressure Vessel Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Requests for interpretation must be addressed to the Secretary in writing and must give full particulars in order to receive consideration and a written interpretation (see Mandatory Appendix covering preparation of technical inquiries). Proposed revisions to the Code resulting from inquiries will be presented to the Main Committee for appropriate action. The action of the Main Committee becomes effective only after confirmation by letter ballot of the Committee and approval by ASME.

Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute and published in *Mechanical Engineering* to invite comments from all interested persons. After the allotted time for public review and final approval by ASME, revisions are published annually in Addenda to the Code.

Code Cases may be used in the construction of components to be stamped with the ASME Code symbol beginning with the date of their approval by ASME.

After Code revisions are approved by ASME, they may be used beginning with the date of issuance shown on the Addenda. Revisions become mandatory as minimum requirements six months after such date of issuance, except for boilers or pressure vessels contracted for prior to the end of the six-month period.

Manufacturers and users of components are cautioned against making use of revisions and Cases that are less restrictive than former requirements without having assurance that they have been accepted by the proper authorities in the jurisdiction where the component is to be installed.

Each state and municipality in the United States and each province in the Dominion of Canada that adopts or accepts one or more Sections of the Boiler and Pressure Vessel Code is invited to appoint a representative to act on the Conference Committee to the Boiler and Pressure Vessel Committee. Since the members of the Conference Committee are in active contact with the administration and enforcement of the rules, the requirements for inspection in this Code correspond with those in effect in their respective jurisdictions. The required qualifications for an Authorized Inspector or an Authorized Nuclear Inspector under these rules may be obtained from the administrative authority of any state, municipality, or province which has adopted these rules.

The Boiler and Pressure Vessel Committee in the formulation of its rules and in the establishment of maximum design and operating pressures considers materials, construction, methods of fabrication, in-

spection, and safety devices. Permission may be granted to regulatory bodies and organizations publishing safety standards to use a complete Section of the Code by reference. If usage of a Section, such as Section IX, involves exceptions, omissions, or changes in provisions, the intent of the Code might not be attained.

Where a state or other regulatory body, in the printing of any Section of the Boiler and Pressure Vessel Code, makes additions or omissions, it is recommended that such changes be clearly indicated.

The National Board of Boiler and Pressure Vessel Inspectors is composed of chief inspectors of states and municipalities in the United States and of provinces in the Dominion of Canada that have adopted the Boiler and Pressure Vessel Code. This Board, since its organization in 1919, has functioned to uniformly administer and enforce the rules of the Boiler and Pressure Vessel Code. The cooperation of that organization with the Boiler and Pressure Vessel Committee has been extremely helpful.

It should be pointed out that the state or municipality where the Boiler and Pressure Vessel Code has been made effective has definite jurisdiction over any particular installation. Inquiries dealing with problems of local character should be directed to the proper authority of such state or municipality. Such authority may, if there is any question or doubt as to the proper interpretation, refer the question to the Boiler and Pressure Vessel Committee.

The Specifications for base materials given in Section II, Parts A and B, are identical with or similar to those of The American Society for Testing and Materials. When reference is made in an ASME Material Specification to an ASTM Specification for which a companion ASME Specification exists, the reference shall be interpreted as applying to the ASME Material Specification. Specifications for welding materials given in Section II, Part C, are identical

with or similar to those of the American Welding Society. Not all materials included in the ASME Material Specifications in Section II have been adopted for Code use. Usage is limited to those materials and grades adopted by at least one of the other Sections of the Code for application under rules of that Section. All materials allowed by these various Sections and used for construction within the scope of their rules shall be furnished in accordance with ASME Material Specifications contained in Section II except where otherwise provided in Code Cases or in the applicable Section of the Code. Materials covered by these Specifications are acceptable for use in items covered by the Code Sections only to the degree indicated in the applicable Section. Materials for Code use should preferably be ordered, produced, and documented on this basis; however, material produced under an ASTM Specification may be used in lieu of the corresponding ASME Specification, provided the requirements of the ASTM Specification are identical (excluding editorial differences) or more stringent than the ASME Specification for the Grade, Class, or Type produced and provided that the material is confirmed as complying with the ASTM Specification. Material produced to an ASTM specification with requirements different from the requirements of the corresponding ASME Specification may also be used in accordance with the above, provided the material manufacturer or vessel manufacturer certifies with evidence acceptable to the Authorized Inspector or Authorized Nuclear Inspector that the corresponding ASME Specification requirements have been met. Material produced to an ASME or ASTM Material Specification is not limited as to country of origin.

When required by context in this Section, the singular shall be interpreted as the plural, and vice-versa; and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF CODE SYMBOLS AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use Code Symbols for marking items or constructions which have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Code Symbols for the benefit of the users, the enforcement jurisdictions, and the holders of the symbols who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the symbols, Certificates of Authorization, and reference to Code construction. The Ameri-

can Society of Mechanical Engineers does not "approve," "certify," "rate," or "endorse" any item, construction, or activity and there shall be no statements or implications which might so indicate. An organization holding a Code Symbol and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities "are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code," or "meet the requirements of the ASME Boiler and Pressure Vessel Code."

The ASME Symbol shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of a Code Symbol who may also use the facsimile in advertising to show that clearly specified items will carry the symbol. General usage is permitted only when all of a manufacturer's items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Code Symbol Stamp described in the governing Section of the Code.

Markings such as "ASME," "ASME Standard," or any other marking including "ASME" or the various Code Symbols shall not be used on any item which is

not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME which tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

GUIDELINE ON THE ADOPTION OF NEW BASE MATERIALS FOR THE ASME BOILER AND PRESSURE VESSEL CODE

The ASME Boiler and Pressure Vessel Committee considers requests for adoption of new materials desired by the owner/user or fabricator, manufacturer, installer, assembler of boilers, pressure vessels, or components constructed to the Code. In order for the material to receive proper consideration by the appropriate subcommittees, information and data are required to properly categorize the material. In general, this information and data include, but are not necessarily limited to, the following information.

The proposed chemical composition should include those elements that establish the characteristics and behavior of the material.

The mechanical properties for the material should include tensile test data, ductility data, and other special mechanical test data which will assist the Committee in its review of the material and its application.

Tensile test data (per ASTM E 21), including both ultimate tensile strength and yield strength, should be at room temperature and at 100°F or 50°C intervals to a temperature at least 100°F higher than the intended use of the material. When creep properties may be expected to limit the allowable stress, creep and creep rupture data at temperature intervals of 100°F or 50°C are also required. Such data should be four or more time intervals, one of which should be longer than 2000 hr but less than 6000 hr, and one of which should be longer than 6000 hr.

Toughness data on base and weld metal (including heat affected zone) may also be required. It is preferred that these data include temperature-toughness curves of material subjected to heat treatment(s) representative of the finished fabricated product. The toughness testing data should be obtained using methods and procedures outlined in the applicable sections of the Code under which the material is to be used.

If the material is to be used in welded construction, data from actual welding tests made in accordance with Section IX of the Code are recommended. This should also include the welding processes and weld filler metal(s) intended for the fabrication of the material, all-weld-metal tensile test data for temperatures representative of intended service, any special restrictions on the welding of the material, and with the appropriate postweld heat treatment, if any, which will be given the material. If postweld heat treatment results in embrittlement of the material, the significance of such treatments with substantiating data should be forwarded. Toughness data on weld metal and heat affected zone in the as-welded and postweld heat treated conditions, when appropriate, should be submitted.

Where the material is intended for special applications, requires special handling or special welding procedures, or has known limitations or susceptibility to failure in certain services, precautionary requirements and information should be included in the submittal of the necessary data for Committee review.

The forms¹ of materials which are needed for construction in accordance with the Code and the Sections of the Code² for which application is to be considered will be required.

The general data recommended should be submitted on a minimum of three heats of material, preferably commercial heats of material. Where the chemical range will have an effect on the mechanical properties, the heats selected must cover both the high and low range of the effective chemical elements to show the effect on the mechanical properties. Any special heat treatment, whether applied by the material suppliers

¹Product forms, such as sheet, strip, plates, bars, shapes, seamless or welded pipe or tube, forging, casting, etc.

²Section I, III, IV, or VIII, Division 1 or 2.

or the fabricator, should be applied to these test pieces in preparation of the data. If the material is presently covered by an ASTM specification, please enclose the specification number(s) and grade(s) involved in your application. If the material is not in ASTM specifications covering the product forms required, it will be necessary to apply to ASTM for specification coverage of this material.

Should there be a need for Code use prior to the inclusion of the material in ASTM specifications, the Committee will consider the issuance of a Code Case. In addition to the information and data noted above, the Committee should be provided with an indication of user need, the letter to ASTM requesting specification coverage, and sufficient information for the Committee to modify an appropriate existing ASME or ASTM specification to establish the material specification requirements for the material product form.

The foregoing is a general outline of the data which the Committee may need for appropriate review of new material. The applicable Sections for construction should be reviewed for any additional guidance, such as fatigue data for the requirements of Section III or Section VIII, Division 2. If the intended use of the new material is in elevated temperature nuclear construction, the proposer should request a copy of the special publication titled, "Guidelines for Required Data on New Materials for Elevated Temperature Nuclear Construction" (approved Jan. 8, 1976).

When the new material is a minor modification of a Code approved material, the data required may be reduced with the concurrence of the Committee. When the data supplied are insufficient for an adequate evaluation, the Committee will request additional data. Such requests will be forwarded to inquirers, indicating those areas in which additional information is required.

PERSONNEL

ASME Boiler and Pressure Vessel Committee

Subcommittees, Subgroups, and Working Groups

As of December 31, 1985

MAIN COMMITTEE

W. R. Mikesell, <i>Chairman</i>	J. R. Farr
E. J. Hemzy, <i>Vice Chairman</i>	B. D. Hackney
G. M. Eisenberg, <i>Secretary</i>	W. C. Ham
B. W. Bace	H. L. Hime
M. D. Bernstein	M. H. Jawad
R. K. Blossch	G. G. Karcher
R. D. Bonner	E. C. Kistner, Jr.
R. J. Bosnak	J. LeCoff
M. N. Bressler	J. R. MacKay
V. W. Butler	D. J. McDonald
D. A. Canonico	F. N. Moschini
R. J. Cepluch	C. C. Neely
L. J. Chockie	T. E. Northup
H. F. Dobel	R. F. Reedy
W. D. Doty	W. R. Smith, Sr.

HONORS AND AWARDS COMMITTEE

H. F. Dobel, <i>Chairman</i>	W. L. Garvin
W. R. Smith, Sr., <i>Vice Chairman</i>	M. Gold
G. M. Eisenberg, <i>Secretary</i>	R. C. Hudson
L. J. Chockie	E. C. Kistner, Jr.
J. R. Farr	F. N. Moschini
G. E. Fratcher	E. G. Nisbett
	R. K. Sager, Jr.

EXECUTIVE COMMITTEE (MAIN COMMITTEE)

E. J. Hemzy, <i>Chairman</i>	L. J. Chockie
W. R. Mikesell, <i>Vice Chairman</i>	E. C. Kistner, Jr.
G. M. Eisenberg, <i>Secretary</i>	F. N. Moschini
R. J. Bosnak	R. F. Reedy
R. J. Cepluch	

HONORARY MEMBERS (MAIN COMMITTEE)

J. D. Andrew, Jr.	E. L. Kemmler
P. M. Brister	E. M. Kloeblen
H. M. Canavan	J. E. Lattan
J. S. Clarke	C. E. Rawlins
W. E. Cooper	D. B. Wesstrom
R. M. Gibson	F. S. G. Williams
R. C. Griffin	L. P. Zick
W. L. Harding	

MARINE CONFERENCE GROUP

J. Tiratto, <i>Chairman</i>	G. C. Johnson
C. F. Banks	P. J. Pluta
V. W. Bugg	

CONFERENCE COMMITTEE

R. K. Blossch — Utah (<i>Chairman</i>)	W. E. Long, Jr. — Virginia
C. H. Walters — Oregon (<i>Vice Chairman</i>)	B. M. Lovelady — Memphis and Shelby County, Tennessee
D. J. McDonald — National Board (<i>Secretary</i>)	C. C. Mann — New Orleans
H. P. Baron — Minnesota	S. M. Matthews — Texas
J. E. Brennan — Ohio	I. W. Mault — Manitoba
W. E. Brown — Kansas	H. T. McEwen — Mississippi
N. B. Burkheimer — Maryland	A. W. Meiring — Indiana
R. D. Cather — Alaska	J. P. Mickels — Nebraska
B. E. Cimino — Colorado	H. C. Mills — Kentucky
B. W. Cole — British Columbia	R. D. O'Connor — Connecticut
A. Colvin, Jr. — Washington, D.C.	H. Parker, Jr. — Nevada
Z. C. Cordero — Michigan	R. D. Reetz — North Dakota
J. T. Crosby — Arkansas	R. Rodriguez Perez — Puerto Rico
J. G. Cvar — Delaware	D. E. Ross — New Brunswick
A. W. Diamond — Newfoundland and Labrador	R. Sauve — Quebec
F. G. Dolen — New Jersey	S. Schugar — Detroit
J. J. Duffy — Wisconsin	C. A. Sjolund — Los Angeles
E. Everett — Georgia	J. L. Smith — Alberta
R. F. Frodl — Washington	M. L. Snow, Jr. — Tennessee
D. R. Gallup — Illinois	R. P. Sullivan — Maine
J. W. Greenawalt, Jr. — Oklahoma	C. W. Thompson — Louisiana
V. Harding — Hawaii	R. W. Vindich — Pennsylvania
R. D. Herman — Saskatchewan	W. A. M. West — Prince Edward Island
E. M. Hicks — New York	R. B. West — Iowa
W. J. Holmes — Chicago	G. W. Wheaton — Rhode Island
G. M. Kuetemeyer — Milwaukee	M. J. Wheel — Vermont
W. T. Larsen — Iowa	B. L. Whitley — North Carolina
J. T. Little — Arizona	H. J. Wright — Ontario
	R. A. Yeo — Nova Scotia

SUBCOMMITTEE ON POWER BOILERS (SC I)

E. C. Kistner, Jr., <i>Chairman</i>	W. L. Lowry, Jr.
J. R. MacKay, <i>Vice Chairman</i>	R. F. Manning
M. E. Sheehan, <i>Secretary</i>	D. J. McDonald
M. D. Bernstein	R. G. Presnak
D. A. Canonico	R. Sanchez P.
A. R. Faulkner	R. D. Schueler, Jr.
D. N. French	F. W. Weidner
F. R. Gerety	B. L. Whitley
O. F. Hedden	R. L. Williams
W. T. Higginbotham	L. W. Yoder
R. Leone	J. L. Aguilar, <i>Alternate</i>

Subgroup on Care of Power Boilers (SC I)

W. T. Higginbotham, <i>Chairman</i>	D. J. McDonald
C. J. Berg	J. W. McNees
H. F. Dobel	A. Plauchu
D. O. Downey	G. J. Raftis
R. R. Hess	R. Sanchez P.
C. R. Hoefs	B. L. Whitley
E. A. Holden	J. R. Zahorsky
E. C. Kistner, Jr.	

Subgroup on Piping (SC I)

R. L. Williams, <i>Chairman</i>	W. L. Lowry, Jr.
F. R. Gerety, <i>Secretary</i>	T. C. McGough
M. D. Bernstein	R. G. Presnak
A. J. Breugelmans	L. J. Sas
A. R. Faulkner	K. J. Szigety
T. E. Hansen	L. W. Yoder
R. R. Hess	

Subgroup on Fire Tube Boilers (SC I)

R. F. Manning, <i>Chairman</i>	R. G. Reid
M. A. Farrugia	L. Sanchez G.
G. L. Kasparian	B. L. Whitley
R. Leone	

Subgroup on Design (SC I)

R. D. Schueler, Jr., <i>Chairman</i>	R. Leone
M. D. Bernstein	R. F. Manning
W. R. Hankins	

Subgroup on Materials (SC I)

A. R. Faulkner, <i>Chairman</i>	C. D. Frew
S. G. Bankar	J. S. Hunter
D. A. Canonico	

Subgroup on General Requirements (SC I)

M. D. Bernstein, <i>Chairman</i>	D. J. McDonald
F. R. Gerety, <i>Secretary</i>	T. C. McGough
T. E. Hansen	R. Sanchez P.
O. F. Hedden	W. E. Somers
R. R. Hess	F. W. Weidner
R. Leone	R. L. Williams
W. L. Lowry, Jr.	L. W. Yoder

Subgroup on Fabrication and Examination (SC I)

O. F. Hedden, <i>Chairman</i>	J. Hainsworth
S. G. Bankar	W. T. Higginbotham
D. N. French	R. D. Schueler, Jr.
J. W. Gibson	

SUBCOMMITTEE ON MATERIALS SPECIFICATIONS (SC II)

V. W. Butler, <i>Chairman</i>	R. A. Moen
W. C. Banks, <i>Vice Chairman</i>	E. G. Nisbett
J. P. Millman, <i>Secretary</i>	C. J. Parmentier
R. M. Brown	D. L. Shira
A. Cohen	R. W. Swayne
M. Gold	W. R. Sylvester
G. C. Hsu	J. W. Tackett
E. T. Ishizaka	E. O. Woolridge
E. I. Landerman	A. W. Zeuthen
A. S. Melilli	

Subgroup on Steel Plates (SC II)

A. W. Zeuthen, <i>Chairman</i>	A. S. Melilli
R. M. Brown	P. R. Slimmon
D. D. Carpenter	J. M. Tanzosh
W. D. Edsall	E. O. Woolridge
J. F. Longenecker	

Subgroup on Steel Tubular Products (SC II)

W. R. Sylvester, <i>Chairman</i>	E. J. Rozic, Jr.
E. A. Jonas	R. H. Zong
R. P. Meineke	

Subgroup on Steel Castings, Forgings, and Boltings (SC II)

E. G. Nisbett, <i>Chairman</i>	J. S. Orlando
W. C. Banks	C. J. Parmentier
R. F. Cappellini	W. L. Powell
B. M. Dingman	H. C. Templeton
E. I. Landerman	E. O. Woolridge
A. S. Melilli	

Subgroup on Nonferrous Alloys (SC II)

G. C. Hsu, <i>Chairman</i>	A. P. Seidler
J. W. Tackett, <i>Secretary</i>	R. T. Webster
A. Cohen	M. J. Weiss

SUBCOMMITTEE ON NUCLEAR POWER (SC III)

R. F. Reedy, <i>Chairman</i>	E. J. Hemzy
E. F. Gerwin, <i>Vice Chairman</i>	F. P. Hill, Jr.
K. Ennis, <i>Secretary</i>	R. E. Jagger
J. R. Barbee	W. G. Knecht
R. J. Bosnak	D. F. Landers
E. B. Branch	J. Lang
M. N. Bressler	W. N. McLean
F. W. Catudal	C. A. Moore
L. J. Chockie	F. N. Moschini
J. B. Christofferson	T. E. Northup
R. L. Dick	W. R. Smith, Sr.
H. F. Dobel	M. L. Snow, Jr.
W. D. Doty	S. W. Tagart, Jr.
F. R. Drahos	

Special Working Group on Containment Systems for Nuclear Spent Fuel and High Level Waste Transport Packagings (SC III)

K. Goldmann, <i>Chairman</i>	C. R. Johnson
R. Sanacore, <i>Secretary</i>	R. H. Jones
W. H. Brinkman	J. J. McLellan
D. A. Canonico	F. N. Moschini
R. J. Claverie	R. E. Nickell
D. M. Dawson	W. H. Rogers, Jr.
J. A. Gatley	C. H. Walters
R. T. Haelsig	W. E. Wowak

Subgroup on General Requirements (SC III & 3C)

F. W. Brady, <i>Co-Chairman</i>	R. D. Kulchak
H. F. Dobel, <i>Co-Chairman</i>	M. J. Meyer
J. R. Barbee	J. L. Milhoan
R. B. Bremmer	F. N. Moschini
F. W. Catudal	R. E. Muise
E. F. Gerwin	M. L. Snow, Jr.
W. S. Gibbons, Jr.	G. M. Tolson
R. E. Jagger	

Working Group on Quality Assurance (SG-GR) (SC III & 3C)

W. S. Gibbons, Jr., <i>Co-Chairman</i>	J. D. Lenardson
R. D. Kulchak, <i>Co-Chairman</i>	M. Malloy
R. C. Arthurs	M. J. Meyer
J. N. Babcock, Jr.	R. E. Muise
J. R. Barbee	G. C. Pratt
J. V. Bosco	A. Smith, Jr.
R. B. Bremmer	S. A. Sparacino
B. W. Burak	J. F. Strunk
J. G. Harkness	M. F. Sullivan
	G. M. Tolson

Working Group on Duties and Responsibilities (SG-GR) (SC III & 3C)

J. E. Ayotte	A. S. Laurenson
E. P. Burke	W. S. Little
J. E. Crowe	J. R. Luke
A. C. Eberhardt	J. K. Martin
M. G. Freeman	J. D. McLoughlin
T. E. Hansen	B. D. Rall
R. C. Howard	R. T. Rose
D. R. Kulla	W. K. Sowder
B. C. Larcher	R. E. Weber

Working Group on Data Report Forms (SG-GR) (SC III & 3C)

R. E. Muise, <i>Chairman</i>	B. W. Burak
C. W. Allison	J. Polcyn
R. C. Arthurs	R. Siever
J. N. Babcock, Jr.	W. K. Sowder
C. F. Buckley	M. F. Sullivan

Subgroup on Materials (SC III)

W. G. Knecht, <i>Chairman</i>	J. F. Longenecker
W. H. Borter	N. J. Mares
B. G. Carlton	R. D. McKellar
F. R. Drahos	W. N. McLean
F. P. Fetterolf	R. A. Moen
W. D. Goins	X. E. Moore
D. R. Haines	D. A. Olsson
R. M. Hamschka	C. J. Parmentier
E. T. Ishizaka	W. J. Sperko
E. I. Landerman	A. Taboada

Subgroup on Design (SC III)

C. A. Moore, <i>Chairman</i>	W. N. McLean
E. B. Branch	E. C. Rodabaugh
M. N. Bressler	B. L. Silverblatt
W. G. Brussalis, Jr.	G. C. Slagis
W. F. English, Jr.	J. D. Stevenson
F. P. Hill, Jr.	J. H. Wawrzeniak
D. F. Landers	K. R. Wichman
E. M. Livingston	

Special Working Group on Dynamic Analysis (SG-D) (SC III)

R. Wray, <i>Chairman</i>	A. E. Meligi
M. K. Au-Yang	B. J. Mitchel
R. D. Blevins	T. M. Mulcahy
G. J. Bohm	S. W. Tagart, Jr.
P.-Y. Chen	J. R. Underwood
A. H. Hadjian	J. Wallach
R. P. Kassawara	

Special Working Group on Faulted Conditions (SG-D) (SC III)

G. J. Bohm, <i>Chairman</i>	F. Jan
P. L. Anderson	D. P. Munson
C. W. Bruny	P. R. Olson
G. Bushnell	W. Pink
W. F. English, Jr.	P. P. Raju
M. Hartzman	W. A. Von Riesemann

Working Group on Vessels (SG-D) (SC III)

C. A. Moore, <i>Chairman</i>	L. Lipkin
C. W. Bruny	A. Merend
G. D. Cooper	P. P. Raju
N. W. Edwards	R. F. Sacramento
J. F. Finn, Jr.	R. E. Tome
F. P. Hill, Jr.	A. Walsenko

Working Group on Piping (SG-D) (SC III)

G. C. Slagis, <i>Chairman</i>	M. Z. Khlafallah
E. B. Branch	D. F. Landers
K. C. Chang	S. E. Moore
G. W. Gartland	E. D. Mysinger
S. Gils	R. F. Petrokas
A. B. Glickstein	E. C. Rodabaugh
D. J. Guzy	E. O. Swain
R. W. Haupt	L. E. Wright
R. S. Hill III	M. P. Zyne

Working Group on Pumps (SG-D) (SC III)

J. H. Wawrzeniak, <i>Chairman</i>	D. R. Hyatt
R. W. Barnes	D. M. Kitch
C. S. Boster	J. C. Major
H. L. Brammer	J. R. McEwan
R. B. Camper	P. J. Nagengast
F. P. Colon	J. J. Ranft
D. L. Cummings	H. Tafarrodi
R. Darnedde	

Working Group on Valves (SG-D) (SC III)

W. N. McLean, <i>Chairman</i>	L. J. Malandra
P. H. Awtrey	J. J. McGavin
I. L. Beltz	B. J. Milleville
R. R. Brodin	H. R. Sonderegger
J. M. Cowley	J. C. Tsacoyeanes
R. J. Kiessel	R. G. Visalli
W. G. Knecht	J. R. Zahorsky
R. Koester	B. C. Zannini
B. H. Leonard, Jr.	

Working Group on Component Supports (SG-D) (SC III)

M. N. Bressler, <i>Chairman</i>	T. C. LaCroix
J. M. Benenati	R. J. Masterson
G. M. Bove	A. E. Meligi
J. T. Boyd	E. D. Mysinger
B. J. Cheek	H. Noreen, Jr.
R. D. Ciatto	C. L. Ray, Jr.
R. P. Deubler	H. K. Shaw
H. T. H. Hui	E. O. Swain
T. Karppinen	M. P. Zyne
Z. A. Kravets	

Working Group on Core Support Structures (SG-D) (SC III)

B. L. Silverblatt, <i>Chairman</i>	F. T. Grubelich
T. Vetter, Jr., <i>Secretary</i>	E. Steinkamp
W. F. English, Jr.	

Working Group on FRP Pipe (SG-D) (SC III)

L. Loziuk, <i>Chairman</i>	A. B. Glickstein
F. R. Gerety	

Subgroup on Fabrication and Examination (SC III)

F. N. Moschini, <i>Chairman</i>	E. F. Gerwin
H. A. Sepp, Jr., <i>Secretary</i>	J. E. Harris
C. W. Allison	R. W. Jackson
D. C. Bertossa	R. M. Jesse
B. G. Carlton	W. G. Knecht
J. B. Christofferson	J. Lang
F. R. Drahos	R. E. Schuessler
G. B. Georgiev	R. E. Tschirch

Subgroup on Pressure Relief (SC III)

F. W. Catudal, <i>Chairman</i>	S. F. Harrison, Jr.
R. A. Cedel	K. Ijzerman
F. C. Cherny	D. M. Pattarini
R. J. Doelling	J. B. Vance
W. D. Greenlaw	

Subgroup on Elevated Temperature Construction (SC III)

A. W. Dalcher, <i>Chairman</i>	R. I. Jetter
J. L. McLean, <i>Secretary</i>	F. B. Litton
C. C. Bigelow	R. M. Mello
W. D. Goins	R. A. Moen
R. E. Jagger	J. M. Tanzosh
M. T. Jakub	

JOINT ACI-ASME COMMITTEE ON CONCRETE COMPONENTS FOR NUCLEAR SERVICE (SC-3C)

J. P. Allen III, <i>Chairman</i>	D. Marano
T. E. Northup, <i>Vice Chairman</i>	D. P. Moore
S. D. Weinman, <i>Secretary</i>	M. J. Morris
J. F. Artuso	R. G. Oesterle
R. M. Attar	F. S. Ople, Jr.
R. A. Bradshaw, Jr.	P. Reinhardt
F. W. Brady	F. Rinaldi
T. M. Brown	E. R. Rybarski
B. A. Erler	B. B. Scott
G. L. Fisher	J. D. Stevenson
A. E. Goldman	B. K. Thornley, Jr.
D. J. Haavik	R. N. White
T. E. Johnson	M. Bender, Observer
F. W. Joyce	C. P. Siess, Observer
R. D. Kulchak	

Subgroup on Materials, Construction, and Examination (SC-3C)

R. A. Bradshaw, Jr., <i>Chairman</i>	D. J. Haavik
J. P. Allen III	F. W. Joyce
R. M. Attar	D. Marano
S. Bhuyan	D. P. Moore
G. L. Fisher	

Working Group on Concrete (SG-M, C & E) (SC-3C)

D. J. Haavik, <i>Chairman</i>	C. L. Grover
J. P. Allen III	J. Gutierrez
J. F. Best	D. Marano
S. Bhuyan	G. R. Murphy
R. A. Bradshaw, Jr.	E. R. Rybarski

Working Group on Reinforcing and Prestressing Systems (SG-M, C & E) (SC-3C)

D. P. Moore, <i>Chairman</i>	P. Reinhardt
J. E. Barry	S. K. Sen
H. Nierlich	B. K. Thornley, Jr.

Working Group on Liners (SG-M, C & E) (SC-3C)

G. L. Fisher, <i>Chairman</i>	L. C. Noriega
R. M. Attar	

Working Group on Concrete Inspectors Qualifications (SG-M, C & E) (SC-3C)

F. W. Joyce, <i>Chairman</i>	R. J. Vurpillat
J. F. Artuso	R. E. Wilson
C. E. Jaycox	

Subgroup on Design (SC-3C)

B. B. Scott, <i>Chairman</i>	J. A. Raulinaitis
T. M. Brown	F. Rinaldi
L. I. Cheng	R. E. Shewmaker
J. A. Curtin	K. O. Stalter
J. F. Fulton	J. D. Stevenson
T. E. Johnson	A. Walser
R. A. Mattson	D. N. White
R. G. Oesterle	M. J. Holley, Jr., <i>Observer</i>
F. S. Ople, Jr.	

Working Group on Testing and Protection Against Overpressure (SG-D) (SC-3C)

T. M. Brown, <i>Chairman</i>	N. J. Tuholski
S. Guha-Majumdar	L. F. Wallace
H. T. Hill	

Subgroup on Core Support Structures (SC-3C)

A. E. Goldman, <i>Chairman</i>	P. A. Stancampiano
W. Gorholt	G. T. Yahr
W. A. Nystrom	

SUBCOMMITTEE ON HEATING BOILERS (SC IV)

T. H. Milton, <i>Chairman</i>	W. D. Hayen
M. J. Hogan, <i>Secretary</i>	G. L. Kasparian
J. E. Ayotte	J. F. Miente
F. P. Barton	R. I. Mullican
P. G. Daugirda	E. A. Nordstrom
R. B. Duggan	R. H. Weigel
G. E. Fratcher	J. I. Woodworth
D. R. Gallup	

Subgroup on Care and Operation of Heating Boilers (SC IV)

J. I. Woodworth, <i>Chairman</i>	W. D. Hayen
F. P. Barton	E. M. Hicks
W. H. Dormer, Jr.	T. H. Milton
J. Giambone	R. H. Weigel

Subgroup on Water Heaters (SC IV)

G. E. Fratcher, <i>Chairman</i>	K. McTague
F. P. Barton	E. A. Nordstrom
W. L. Garvin	K. J. Szigety
W. L. Haag	E. Wenczl
G. R. Lewis	

Subgroup on Cast Iron Boilers (SC IV)

D. R. Gallup, <i>Chairman</i>	R. H. Weigel
W. L. Garvin	J. I. Woodworth

SUBCOMMITTEE ON NONDESTRUCTIVE EXAMINATION (SC V)

J. R. MacKay, <i>Chairman</i>	E. T. Hughes
R. C. Hudson, <i>Vice Chairman</i>	R. M. Jesse
P. D. Stumpf, <i>Secretary</i>	F. B. Kovacs
A. S. Birks	S. Markowitz
J. B. Christofferson	T. G. McCarty
B. H. Clark, Jr.	W. C. McGaughey
L. T. Detlor	E. D. Potter
W. H. Dormer, Jr.	L. Rabago
F. T. Duba	J. C. Spanner, Sr.
H. C. Graber	R. P. Sullivan
G. W. Hembree	J. P. Sunukjian
P. J. Herbert	E. J. Wnek

Subgroup on General Requirements (SC V)

G. W. Hembree, <i>Chairman</i>	W. H. Dormer, Jr.
W. G. Blankenship	F. T. Duba
J. O. Brown	R. P. Sullivan
B. H. Clark, Jr.	J. P. Sunukjian

Subgroup on Radiography (SC V)

E. J. Wnek, <i>Chairman</i>	F. B. Kovacs
W. L. Bierwirth	S. Markowitz
L. T. Detlor	T. G. McCarty
B. E. Foster	C. N. Sherlock
B. C. Jersild	R. D. Wallace
C. Johnson	B. K. Warren
K. L. Kluge	

Subgroup on Ultrasonics (SC V)

P. J. Herbert, <i>Chairman</i>	R. W. McClung
W. C. Koepke, <i>Secretary</i>	W. C. McGaughey
L. J. Chockie	E. D. Potter
N. O. Cross	F. J. Sattler
V. S. Goel	J. C. Spanner, Sr.
E. T. Hughes	F. R. A. Turner
J. F. Manning	

Subgroup on Surface NDE (MT, PT, & ET) (SC V)

H. C. Graber, <i>Chairman</i>	R. M. Jesse
A. S. Birks	L. C. Ludwig
J. B. Christofferson	J. T. Schmidt
J. I. Dantzer	

Special Working Group on Acoustic Emission (SC V)

D. A. White, <i>Chairman</i>	J. M. Nieters
B. H. Clark, Jr.	E. D. Potter
N. O. Cross	J. C. Spanner, Sr.
P. H. Hutton	T. L. Swanson
J. F. Manning	

SUBCOMMITTEE ON PRESSURE VESSELS (SC VIII)

R. J. Cepluch, <i>Chairman</i>	M. H. Jawad
J. R. Farr, <i>Vice Chairman</i>	G. G. Karcher
A. J. Roby, <i>Secretary</i>	J. LeCoff
A. P. Ahrendt	E. E. Morgenegg
R. D. Bonner	C. C. Neely
J. O. Brown	R. F. O'Neill
V. W. Butler	H. C. Oakley
J. J. Duffy	F. O. Parnkopf
R. E. Feigel	A. Selz
H. B. France	D. A. Staskelunas
G. E. Fratcher	J. J. Szigety
W. L. Garvin	J. W. Tackett
B. D. Hackney	K. K. Tam
H. L. Hime	C. M. Vogrin

Special Working Group on Heat Transfer Equipment (SC VIII)

G. G. Karcher, <i>Chairman</i>	A. Lohmeier
J. H. Kissel, <i>Vice Chairman</i>	U. R. Miller
H. A. Schmidt, Jr., <i>Secretary</i>	H. C. Rauschenplat
C. F. Andreone	A. P. Rochino
D. E. Bolt	J. E. Soehrens
G. Borushko	A. I. Soler
S. M. Caldwell	W. A. Treff
T. K. Haldas	S. Yokell

Special Working Group on High Pressure Vessels (SC VIII)

R. F. O'Neill, <i>Chairman</i>	D. P. Kendall
M. E. Sheehan, <i>Secretary</i>	G. J. Mraz
D. J. Burns	E. G. Nisbett
B. W. Cole	H. C. Rauschenplat
C. M. Elwonger	J. R. Sims, Jr.
R. G. Fasiczka	E. R. Sliwinski
R. E. Feigel	D. H. Swift
D. M. Fryer	F. W. Tatar
R. E. Jagger	D. A. Wells

Special Working Group on Stress Multipliers (SC VIII)

C. C. Neely, <i>Chairman</i>	W. L. Garvin
M. J. Hogan, <i>Secretary</i>	C. R. Good
A. P. Ahrendt	R. F. O'Neill
R. E. Feigel	A. R. Ryshavy

Subgroup on General Requirements (SC VIII)

C. C. Neely, <i>Chairman</i>	A. J. Palmer
R. E. Tillberg, <i>Secretary</i>	A. M. Smolen
A. P. Ahrendt	A. J. Spencer
D. D. Carpenter	D. A. Staskelunas
J. J. Duffy	E. A. Steen
W. L. Garvin	W. J. Stuber
B. E. Hrubala	W. E. Vogler
H. C. Oakley	

Subgroup on Materials (SC VIII)

J. W. Tackett, Jr., <i>Chairman</i>	J. Hainsworth
H. L. Hime, <i>Secretary</i>	J. D. McLoughlin
W. C. Banks	E. G. Nisbett
V. W. Butler	K. K. Tam
W. D. Doty	D. A. Wells
J. J. Gaughan	

Subgroup on Design (SC VIII)

M. H. Jawad, <i>Chairman</i>	R. W. Mikitka
R. E. Knoblock, <i>Secretary</i>	R. F. O'Neill
M. R. Bauman	A. Selz
J. R. Farr	J. W. Stokes
R. E. Gleason	K. K. Tam
J. A. Hayward	R. M. Vogel
J. L. Jacobowitz	C. M. Vogrin
G. G. Karcher	

Working Group on Noncircular Vessels (SG-D) (SC VIII)

A. Selz, <i>Chairman</i>	A. M. Smolen
H. B. Peters	E. L. Thomas, Jr.
K. V. Shipes	J. L. Urner

Subgroup on Fabrication and Inspection (SC VIII)

J. J. Szigety, <i>Chairman</i>	H. B. France
R. F. O'Neill, <i>Secretary</i>	M. J. Houle
G. Bibel	J. Lang
R. W. Boyce	F. O. Parnkopf
J. O. Brown	R. E. Schuessler
S. C. Cyr	R. F. Wagner
R. E. Feigel	

Working Group on Layered Vessels (SGFI) (SC VIII)

F. O. Parnkopf, <i>Chairman</i>	G. E. Fratcher
A. M. Smolen, <i>Secretary</i>	J. L. Jacobowitz
S. M. Caldwell	R. E. Pechacek
B. W. Cole	H. C. Rauschenplat

SUBCOMMITTEE ON WELDING (SC IX)

B. D. Hackney, <i>Chairman</i>	R. A. LaPointe
R. K. Sager, Jr., <i>Vice Chairman</i>	R. E. Lorentz, Jr.
P. D. Stumpf, <i>Secretary</i>	A. H. Miller
B. L. Alia	D. K. Peetz
M. L. Carpenter	S. D. Reynolds, Jr.
H. R. W. Cobb	W. K. Scattergood
H. R. Conaway	G. K. Sosnin
W. D. Doty	W. J. Sperko
J. J. Duffy	G. W. Spohn III
P. D. Flenner	D. J. Stull
H. L. Helmbrecht	K. C. Taber
H. L. Hime	R. R. Young
M. J. Houle	

Subgroup on Materials (SC IX)

R. E. Lorentz, Jr., <i>Chairman</i>	R. K. Sager, Jr.
M. L. Carpenter	W. J. Sperko
H. R. Conaway	J. W. Tackett
R. M. Jesse	R. R. Young
A. H. Miller	H. E. Zielke

Subgroup on General Requirements (SC IX)

D. K. Peetz, <i>Chairman</i>	B. R. Newmark
M. V. Davis	A. J. Spencer
J. J. Duffy	K. C. Taber
M. L. Goedecke	C. E. Wainwright
R. M. Jesse	H. E. Zielke
R. P. Meineke	

Subgroup on Procedure Qualification (SC IX)

M. J. Houle, <i>Chairman</i>	A. H. Miller
B. L. Alia	S. D. Reynolds, Jr.
H. R. W. Cobb	W. J. Sperko
H. L. Helmbrecht	E. G. Thompson

Subgroup on Performance Qualification (SC IX)

M. J. Houle, <i>Chairman</i>	W. K. Scattergood
B. W. Cole	G. K. Sosnin
P. D. Flenner	G. W. Spohn III
R. A. LaPointe	D. L. Tevis
P. P. Norris	

Subgroup on Brazing (SC IX)

M. L. Carpenter, <i>Chairman</i>	A. H. Miller
R. A. LaPointe	

SUBCOMMITTEE ON REINFORCED PLASTIC PRESSURE VESSELS (SC X)

D. M. Bertelsman, <i>Chairman</i>	S. V. Hoa
M. J. Hogan, <i>Secretary</i>	L. E. Hunt
D. H. Barton	J. A. Kidd
R. K. Blossch	R. Mohan
L. C. Daniels	J. A. Rolston
T. J. Fowler	

SUBCOMMITTEE ON NUCLEAR INSERVICE INSPECTION (SC XI)

S. H. Bush, <i>Chairman</i>	J. P. Houstrup
W. C. Ham, <i>Vice Chairman</i>	L. R. Katz
K. I. Baron, <i>Secretary</i>	J. J. Lance
C. W. Allison	T. J. Mawson
W. F. Anderson	R. E. Muise
W. H. Bamford	T. G. Parker
H. P. Baron	G. J. Pitzl
R. L. Beverly	R. L. Powers
A. J. Birkle	P. C. Riccardella
R. E. Bullock	R. F. Sammataro
L. J. Chockie	M. E. Schuster, Jr.
D. D. Davis	R. W. Swayne
E. A. DeBarba	J. C. Tobin
F. T. Duba	F. A. Warner
H. L. Gotschall	J. F. Enrietto, Alternate
F. E. Gregor	S. D. Weinman, Staff Representative
L. B. Gross	

Special Working Group on Plant Life Extension (SC XI)

L. R. Katz, <i>Chairman</i>	D. L. Harrison
L. B. Gross, <i>Secretary</i>	D. R. Hostetler
T. L. Bailey	J. P. Houstrup
A. J. Birkle	P. W. Ianni
A. J. Boegel	M. E. Lapidus
L. D. Bustard	J. T. McCumber
D. D. Davis	E. A. Merrick
F. T. Duba	B. M. Morris
F. E. Gregor	D. A. Piccione

Special Working Group on Editing and Review (SC XI)

R. L. Beverly, <i>Chairman</i>	M. E. Schuster, Jr.
A. L. Bradshaw	J. E. Staffiera
R. J. Claverie	R. W. Swayne
L. B. Gross	F. A. Warner
V. H. Hight	

Subgroup on Water-Cooled Systems (SC XI)

A. J. Birkle, <i>Chairman</i>	L. R. Katz
R. L. Powers, <i>Secretary</i>	S. Lefkowitz
C. W. Allison	R. E. Legate
W. F. Anderson	J. B. Martin
A. C. Ashton	C. V. Moore
H. P. Baron	L. Sage
R. J. Claverie	M. T. Strenk
D. D. Davis	R. J. Tamminga
G. A. Delp	F. Tehranchi
G. Gotch	J. H. Uhl
L. B. Gross	F. A. Warner
F. A. Hawksley	G. Wasilenko
T. C. Hinkle	

Working Group on Component Supports (SG-WCS) (SC XI)

D. D. Davis, <i>Chairman</i>	G. P. Knippel
G. L. Belew	C. N. Krishnaswamy
J. T. Boyd	G. C. Millman
R. F. Brandt	R. L. Powers
G. A. Delp	M. P. Zyne
L. N. Hartz	

Working Group on General Requirements (SG-WCS) (SC XI)

R. J. Tamminga, <i>Chairman</i>	L. B. Gross
R. J. Claverie, <i>Secretary</i>	R. H. Hansen
W. F. Anderson	C. E. Hartz
R. G. Edl	D. L. Tevis
R. E. Gimple	C. H. Walters
G. Gotch	

Working Group on Pumps and Valves (SG-WCS) (SC XI)

F. A. Hawksley, <i>Chairman</i>	G. Gotch
L. Sage, <i>Secretary</i>	C. E. Hartz
C. F. Buckley	J. C. Major
F. C. Cherny	

Working Group on Inspection of Systems and Components (SG-WCS) (SC XI)

L. Sage, <i>Chairman</i>	J. B. Martin
T. C. Hinkle, <i>Secretary</i>	R. E. Scott
A. C. Ashton	M. T. Strenk
C. R. Brader	F. Tehranchi
E. J. Brown	J. H. Uhl
F. N. Famulari	R. J. Von Osinski
T. F. Lentz	W. F. Anderson, <i>Alternate</i>

Subgroup on Gas-Cooled Systems (SC XI)

F. A. Warner, <i>Chairman</i>	F. E. Lesko
R. H. Hansen, <i>Secretary</i>	F. B. Litton
H. L. Gotschall	R. W. Peters

Subgroup on Liquid-Metal Cooled Systems (SC XI)

H. C. Jung, <i>Secretary</i>	L. J. Nemeth
W. L. Chase	G. Seed
R. Hundal	J. C. Tobin
J. Matte III	T. J. Walker

Working Group on Liquid-Metal Reactor Covers (SGLMCS) (SC XI)

W. L. Chase, <i>Chairman</i>	L. J. Nemeth
J. Matte III	G. Seed

Subgroup on Containment (SC XI)

R. F. Sammataro, <i>Chairman</i>	H. T. Hill
J. E. Staffiera, <i>Secretary</i>	T. P. Keaveney
W. J. Briggs	D. R. Pitcairn
R. E. Bullock	A. J. Spencer
F. E. Gregor	J. F. Strunk
K. S. Herring	P. W. Ward

Working Group on Concrete Pressure Components (SG-C) (SC XI)

H. T. Hill, <i>Chairman</i>	H. L. Gotschall
J. F. Fulton, <i>Secretary</i>	S. Guha-Majumdar
H. G. Ashar	C. N. Krishnaswamy
R. E. Bullock	A. M. Salley
C. A. Byrd	P. W. Ward

Subgroup on Evaluation Standards (SC XI)

W. H. Bamford, <i>Chairman</i>	T. J. Griesbach
J. P. Houstrup, <i>Secretary</i>	S. Ranganath
C. B. Buchalet	P. C. Riccardella
C. Y. Cheng	W. A. Vandersluis
R. L. Cloud	S. Yukawa
E. A. DeBarba	

**Special Working Group on Operating Plant Criteria (SG-ES)
(SC XI)**

T. J. Griesbach, <i>Chairman</i>	J. G. Merkle
W. L. Allan	A. G. Panagos
W. H. Bamford	J. S. Panesar
H. Behnke	P. C. Paris
J. M. Bloom	J. H. Phillips
C. B. Buchalet	P. N. Randall
R. C. Cipolla	S. Ranganath
W. C. Cliff	W. L. Server
E. Friedman	F. A. Simonen
R. M. Gamble	H. W. Slager
S. R. Gosselin	A. V. A. Swaroop
J. A. Hayward	L. E. Titland
J. P. Houstrup	G. M. Wilkowski
K. Ijzerman	J. E. Wilson
R. E. Johnson	K. K. Yoon
M. Kupinski	S. Yukawa
S. D. Leshnoff	

Working Group on Flaw Evaluation (SG-ES) (SC XI)

R. C. Cipolla, <i>Chairman</i>	P. C. Paris
W. H. Bamford	P. P. Raju
J. M. Bloom	S. Ranganath
C. B. Buchalet	W. L. Server
C. Y. Cheng	F. A. Simonen
N. W. Edwards	A. V. A. Swaroop
E. Friedman	G. M. Wilkowski
T. J. Griesbach	J. E. Wilson
J. P. Houstrup	K. K. Yoon
M. Kupinski	S. Yukawa
J. G. Merkle	V. A. Zilberstein
J. S. Panesar	

Subgroup on Nondestructive Examination (SC XI)

E. A. DeBarba, <i>Chairman</i>	F. J. Dodd
J. F. Cook, <i>Secretary</i>	M. R. Hum
D. C. Adamonis	J. J. Lance
F. L. Becker	C. R. Osman
R. L. Beverly	J. C. Spanner, Jr.
C. B. Cheezem	J. C. Spanner, Sr.
C. D. Cowfer	R. W. Swayne
G. J. Dau	

**Working Group on Procedure Qualification and Volumetric
Examination (SG-NDE) (SC XI)**

C. D. Cowfer, <i>Chairman</i>	O. DeMiranda
N. R. Bentley, <i>Secretary</i>	F. J. Dodd
D. C. Adamonis	M. R. Hum
F. L. Becker	J. J. Lance
C. B. Cheezem	J. C. Spanner, Jr.
W. T. Clayton	T. T. Taylor
J. F. Cook	

**Working Group on Personnel Qualification and Surface Visual
and Eddy Current Examination (SG-NDE) (SC XI)**

V. H. Hight, <i>Secretary</i>	F. A. Hawksley
G. E. Abell	C. J. Hellier
S. D. Brown	W. C. Koepke
J. E. Cavender, Jr.	C. R. Osman
F. T. Duba	J. M. Ray
L. Frank	A. L. Smith

Subgroup on Repairs and Replacements (SC XI)

T. J. Mawson, <i>Chairman</i>	S. R. Eley
M. J. Crisler, <i>Secretary</i>	J. F. Enrietto
E. T. Baker III	W. L. Garvin
D. C. Bertossa	R. D. Kerr
J. D. Boardman	G. J. Pitzl
A. D. Bunch	M. E. Schuster, Jr.
J. Derrico	J. C. Tobin
F. T. Duba	K. D. Verble

Working Group on Repairs (SC XI)

J. Derrico, <i>Chairman</i>	R. F. Hollander
D. C. Bertossa	R. D. Kerr
J. D. Boardman	D. R. Pitcairn
R. W. Boyce	R. W. Swayne
J. F. Enrietto	S. Tobey

Special Working Group on Repair by Welding (SG-RR) (SC XI)

S. Tobey, <i>Chairman</i>	R. Labott
B. G. Carlton, <i>Secretary</i>	R. A. LaPointe
D. C. Bertossa	W. E. Mayott
B. R. Crowley	R. A. Moen
M. L. Goedecke	B. R. Newmark
M. J. Houle	P. P. Norris
W. R. Johnson	D. L. Tevis
H. J. Kaplan	E. H. Williams

Working Group on Replacements (SG-RR) (SC XI)

M. J. Crisler, <i>Chairman</i>	R. E. Legate
E. T. Baker III	G. J. Pitzl
A. D. Bunch	M. E. Schuster, Jr.
S. R. Eley	A. J. Spencer
W. Kooy	R. E. Tschirch

SUBCOMMITTEE ON PROPERTIES OF METALS (SC-P)

D. A. Canonico, <i>Chairman</i>	E. T. Ishizaka
J. P. Millman, <i>Secretary</i>	R. H. Moeller
A. P. Ahrendt	R. A. Moen
H. T. Corten	W. J. O'Donnell
T. M. Cullen	A. J. Palmer
W. D. Doty	B. W. Roberts
A. R. Faulkner	D. I. Roberts
M. Gold	C. E. Spaeder
D. G. Harman	J. W. Tackett
S. O. Hilton	R. T. Webster

Subgroup on Strength, Ferrous Alloys (SC-P)

M. Gold, <i>Chairman</i>	E. T. Ishizaka
A. P. Ahrendt	J. F. Longenecker
V. W. Butler	R. A. Moen
D. A. Canonico	B. W. Roberts
T. M. Cullen	D. I. Roberts
R. J. Diletto	C. E. Spaeder
W. C. Hagel	G. M. Supko
S. O. Hilton	

Subgroup on Strength, Nonferrous Alloys (SC-P)

D. G. Harman, <i>Chairman</i>	R. A. Rosenberg
J. W. Barr	E. Shapiro
T. H. Bassford	J. W. Tackett
G. A. Knapp	R. T. Webster

**Subgroup on Strength of Weldments (SC-P) & (SC IX)
(Joint Subgroup)**

W. D. Doty, <i>Chairman</i>	B. W. Roberts
H. R. W. Cobb	D. I. Roberts
D. P. Edmonds	R. K. Sager, Jr.
E. T. Ishizaka	C. E. Spaeder

Subgroup on Toughness (SC-P)

H. T. Corten, <i>Chairman</i>	R. K. Nanstad
D. J. Ayres	E. G. Nisbett
J. M. Barsom	A. Selz
R. M. Brown	I. Sprung
R. F. Cappelini	R. D. Stout
W. Hanzalek	M. F. Wheatcroft
W. S. Hazelton	S. Yukawa
E. I. Landerman	R. Zawierucha
F. J. Loss	

Working Group on Non-nuclear Application (SG-T) (SC-P)

A. Selz, <i>Chairman</i>	M. F. Wheatcroft
E. G. Nisbett	R. Zawierucha
R. D. Stout	

Working Group on Nuclear Application (SG-T) (SC-P)

E. I. Landerman, <i>Chairman</i>	F. J. Loss
R. F. Cappelini	A. Selz
W. S. Hazelton	

Working Group on Toughness Criteria (SG-T) (SC-P)

H. T. Corten, <i>Chairman</i>	R. K. Nanstad
D. J. Ayres	S. Yukawa
J. M. Barsom	

SUBCOMMITTEE ON SAFETY VALVE REQUIREMENTS (SC-SV)

E. C. Kistner, Jr., <i>Chairman</i>	R. J. Doelling
W. L. Garvin, <i>Vice Chairman</i>	W. D. Greenlaw
J. S. Brzuszkiewicz, <i>Secretary</i>	H. I. Gregg
G. C. Batz	S. F. Harrison, Jr.
M. D. Bernstein	F. J. Howes
R. K. Blossch	T. L. Hughes
J. Cahoon, Jr.	M. A. Robinson
R. A. Cedel	A. J. Schmidt
O. J. Cox, Jr.	A. J. Spencer
E. C. Cullie	S. M. Sullivan
V. M. DeLuca	K. J. Szigety

Subgroup on General Requirements (SC-SV)

M. D. Bernstein, <i>Chairman</i>	T. L. Hughes
F. J. Howes	M. A. Robinson

Subgroup on Testing (SC-SV)

O. J. Cox, Jr., <i>Chairman</i>	S. F. Harrison, Jr.
E. C. Cullie	K. J. Szigety
V. M. DeLuca	

Subgroup on Design (SC-SV)

W. D. Greenlaw, <i>Chairman</i>	J. Cahoon, Jr.
G. C. Batz	H. I. Gregg
R. K. Blossch	A. J. Schmidt

SUBCOMMITTEE ON DESIGN (SC-D)

J. R. Farr, <i>Chairman</i>	E. E. Morgenegg
R. I. Jetter, <i>Vice Chairman</i>	W. J. O'Donnell
M. J. Hogan, <i>Secretary</i>	S. S. Palusamy
O. F. Hedden	R. D. Schueler, Jr.
M. H. Jawad	M. P. Schwartz
C. A. Moore	

Subgroup on Openings (SC-D)

M. P. Schwartz, <i>Chairman</i>	P. P. Raju
S. C. Lou, <i>Secretary</i>	E. C. Rodabaugh
F. C. Adamek	H. H. Schneider
M. N. Bressler	R. W. Schneider
R. E. Gleason	H. K. Shaw
R. W. Mikitka	D. L. Shira
K. C. Morrison	

Subgroup on Design Analysis (SC-D)

S. S. Palusamy, <i>Chairman</i>	J. L. Hechmer
T. K. Burr, <i>Secretary</i>	A. Lohmeier
R. S. Barsoum	E. R. Sliwinski
A. G. Eggers	R. J. Thomas
H. M. Fishman	

Working Group on Shells (SG-DA) (SC-D)

H. M. Fishman, <i>Chairman</i>	R. W. Loomis
R. S. Barsoum	R. Raghavan
C. Chen	R. J. Thomas
A. Kalnins	

Working Group on Inelastic Behavior (SG-DA) (SC-D)

A. G. Eggers, <i>Chairman</i>	T.-H. Liu
S. Chattopadhyay	T. V. Narayanan
H.-T. Huang	E. L. Thomas, Jr.

Working Group on Special Topics (SG-DA) (SC-D)

E. R. Sliwinski, <i>Chairman</i>	G. D. Gupta
K. S. Ahluwalia	A. Lohmeier
T. K. Burr	

Working Group on External Pressure (SC-DA) (SC-D)

M. J. Carter	E. M. Livingston
D. J. Green	H. W. Marsh
J. S. Kandola	C. D. Miller
W. J. Koves	E. E. Morgenegg

Subgroup on Elevated Temperature Design (SC-D)

R. I. Jetter, <i>Chairman</i>	W. J. O'Donnell
R. D. Campbell	D. I. Roberts
J. B. Conway	F. A. Sebring
J. M. Corum	L. K. Severud
A. W. Dalcher	A. L. Snow
J. M. Duke	J. M. Tanzosh
M. T. Jakub	B. C. Wei
C. W. Lawton	

Working Group on Creep Fatigue (SG-ETD) (SC-D)

R. D. Campbell, <i>Chairman</i>	P. J. Langford
C. R. Brinkman, <i>Secretary</i>	C. W. Lawton
J. B. Conway	S. Guha-Majumdar
J. M. Duke	R. K. Mattu
G. R. Halford	C. C. Schultz, Jr.
C. E. Jaske	L. K. Severud
J. L. Kaae	W. Veljovich

Working Group on Creep Analysis (SG-ETD) (SC-D)

W. J. O'Donnell, <i>Chairman</i>	R. I. Jetter
J. M. Corum, <i>Secretary</i>	L. C. S. Nieh
R. S. Barsoum	C. C. Schultz, Jr.
A. W. Dalcher	F. A. Sebring
J. M. Duke	L. K. Severud
D. S. Griffin	R. A. Valentin

Working Group on Materials Behavior (SG-ETD) (SC-D)

D. I. Roberts, <i>Chairman</i>	R. I. Jetter
G. E. Korth, <i>Secretary</i>	R. A. Moen
C. R. Brinkman	J. M. Tanzosh
J. B. Conway	

Subgroup on Fatigue Strength (SC-D)

W. J. O'Donnell, <i>Chairman</i>	C. E. Jaske
C. R. Brinkman	D. P. Jones
J. A. Hayward	C. W. Lawton
J. L. Hechmer	M. J. Manjoie
L. A. James	G. C. Millman

SUBCOMMITTEE ON BOILER AND PRESSURE VESSEL ACCREDITATION (SC-BPVA)

C. E. Ford, <i>Chairman</i>	J. M. Whelan
D. J. McDonald, <i>Vice Chairman</i>	Alternates:
A. Bagner, <i>Secretary</i>	J. R. Farr
E. A. Becker	R. C. Howard
R. A. Clemons	R. E. Jagger
J. T. Crosby	M. L. Snow, Jr.
S. C. Cyr	A. J. Spencer
H. F. Dobel	W. E. Vogler
D. M. Fischer	F. W. Weidner
P. J. Pluta	J. A. Werhane

SUBCOMMITTEE ON NUCLEAR ACCREDITATION (SC-NA)

E. J. Hemzy, <i>Chairman</i>	Alternates:
M. N. Bressler, <i>Vice Chairman</i>	J. E. Ayotte
A. Bagner, <i>Secretary</i>	R. B. Bremmer
C. W. Allison	J. T. Crosby
D. J. Carreira	J. E. Crowe
R. E. Feigel	H. F. Dobel
W. S. Gibbons, Jr.	F. R. Drahos
W. G. Knecht	D. V. Ferree
J. Lang	D. E. Groves
J. D. Lenardson	R. D. Kulchak
H. A. Manning	D. J. McDonald
G. F. McDonald, Jr.	F. L. Moreadith
E. W. Merschoff	U. Potapovs
F. N. Moschini	T. E. Quaka
R. E. Muise	G. M. Tolson
M. L. Snow, Jr.	

Officers of ASTM Committees

(Cooperating in the Development of the Specifications Herein)

Committee A-1 on Steel, Stainless Steel, and Related Alloys

H.E. Lunt, *Chairman*, Burns and Roe, Inc.
W.C. Banks, *User Vice-Chairman*, Rockwell International Corp.
A.S. Melilli, *User Vice-Chairman*, General Electric Co.
R.F. Steigerwald, *User Vice-Chairman*, Bechtel Group Inc.
E.G. Nisbett, *Producer Vice-Chairman*, National Forge Co.
E.L. Schuerer, *Producer Vice-Chairman*, United States Steel Corp.
P.A. Speer, *Producer Vice-Chairman*, Inland Steel Co.
B.M. Dingman, *Secretary*, Babcock and Wilcox
E.R. Sullivan, *Staff Manager*, ASTM

Committee A-4 on Iron Castings

T.J. Reilly, *Chairman*, Army Materials Technology Laboratory
J.F. Janowak, *Vice-Chairman*, AMAX Inc.
B.C. Helton, *Secretary*, American Cast Iron Pipe Co.
A.M. Gyarmaty, *Membership Secretary*, SKW Metals & Alloys Inc.
G.A. Luciw, *Staff Manager*, ASTM

PREFACE

The American Society of Mechanical Engineers (ASME) and the American Society for Testing and Materials (ASTM) have cooperated for more than fifty years in the preparation of material specifications adequate for safety in the field of pressure equipment for ferrous and nonferrous materials, contained in Section II (Part A — Ferrous and Part B — Nonferrous) of the ASME Boiler and Pressure Vessel Code.

The evolution of this cooperative effort is contained in Professor A. M. Greene's "History of the ASME Boiler Code," which was published as a series of articles in *Mechanical Engineering* from July 1952 through August 1953 and is now available from ASME in a special bound edition. The following quotations from this history, which was based upon the minutes of the ASME Boiler and Pressure Vessel Committee, will help focus on the cooperative nature of the specifications found in Section II, Material Specifications.

"General discussion of material specifications comprising Paragraphs 1 to 112 of Part 2 and the advisability of having them agree with ASTM specifications," (1914).

"ASME Subcommittee appointed to confer with ASTM," (1916).

"Because of this cooperation the specifications of the 1918 Edition of the ASME Boiler Code were more nearly in agreement with ASTM specifications. In the 1924 Edition of the Code, 10 specifications were in complete agreement with ASTM specifications, 4 in substantial agreement and 2 covered materials for which ASTM had no corresponding specifications."

"In Section II, Material Specifications, the paragraphs were given new numbers beginning with S-1 and extending to S-213," (1925).

"Section II was brought into agreement with changes made in the latest ASTM specifications since 1921," (1932).

"The Subcommittee on Material Specifications arranged for the introduction of the revisions of many of the specifications so that they would agree with the latest form of the earlier ASTM specifications..." (1935).

From the preceding, it is evident that many of the material specifications were prepared by the Boiler and Pressure Vessel Code Committees, then subsequently, by cooperative action, modified and identified as ASTM specifications. Section II, Parts A and B, currently contain many material specifications which are identical with the corresponding ASTM specifications and some which have been modified for Code usage.

In 1969, the American Welding Society began publication of specifications for welding rods, electrodes, and filler metals, hitherto issued by ASTM. The Boiler and Pressure Vessel Committee has recognized this new arrangement, and is now working with AWS on these specifications. Section II, Part C, contains the welding material specifications approved for Code use.

All identical specifications are indicated by the ASME/ASTM symbols or the ASME/AWS symbols. The specifications prepared and copyrighted by ASTM and AWS are reproduced in the Code with the permission of the respective Society. The ASME Boiler and Pressure Vessel Committee has given careful consideration to each new and revised ASTM or AWS specification, and has made such changes as they deemed necessary to make the specification adaptable for Code usage. In addition, ASME has furnished ASTM with the basic requirements that should govern many proposed new specifications. Joint action will continue an effort to make the ASTM, AWS, and ASME specifications identical.

To assure that there will be a clear understanding on the part of the users of Section II, ASME publishes both the identical specifications and those amended for Code usage in three parts every three years, in the same page size to match the other sections of the Code, and Addenda are issued annually to provide the latest changes in Section II specifications.

The ASME Boiler and Pressure Vessel Code has been adopted into law by 45 states and many municipalities in the United States and by all of the Canadian Provinces.

CONTENTS

Specifications Listed by Materials — Pages xxix–xxxv

Specifications Listed in Numeric Sequence — Pages xxxvii–xli

Mandatory Appendix 1 — Page xliii

SI Units — Pages xlv–xlvii

Specifications Listed by Materials

Steel Pipe

SA-53	Pipe, Steel, Black and Hot-Dipped, Zinc-Coated Welded and Seamless	109
SA-106	Seamless Carbon Steel Pipe for High-Temperature Service	139
SA-134	Electric-Fusion (Arc)-Welded Steel Plate Pipe (Sizes NPS 16 and Over)	151
SA-135	Electric-Resistance-Welded Steel Pipe	155
SA-312	Seamless and Welded Austenitic Stainless Steel Pipe	349
SA-333	Seamless and Welded Steel Pipe for Low-Temperature Service	377
SA-335	Seamless Ferritic Alloy Steel Pipe for High-Temperature Service	391
SA-358	Electric-Fusion-Welded Austenitic Chromium-Nickel Alloy Steel Pipe for High-Temperature Service	439
SA-369	Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service	447
SA-376	Seamless Austenitic Steel Pipe for High-Temperature Central-Station Service	507
SA-409	Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service	541
SA-426	Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service	567
SA-430	Austenitic Steel Forged and Bored Pipe for High-Temperature Service	573
SA-451	Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service	601
SA-452	Centrifugally Cast Austenitic Steel Cold-Wrought Pipe for High-Temperature Service	605
SA-524	Seamless Carbon Steel Pipe for Atmospheric and Lower Temperatures	685
SA-530	General Requirements for Specialized Carbon and Alloy Steel Pipe	695
SA-587	Electric-Welded Low-Carbon Steel Pipe for the Chemical Industry	789
SA-655	Special Requirements for Pipe and Tubing for Nuclear and Other Special Applications	893
SA-660	Centrifugally Cast Carbon Steel Pipe for High-Temperature Service	911
SA-671	Electric-Fusion-Welded Steel Pipe for Atmospheric and Lower Temperatures	923
SA-672	Electric-Fusion-Welded Steel Pipe for High-Pressure Service at Moderate Temperatures	931
SA-691	Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures	953
SA-727	Forgings, Carbon Steel, for Piping Components With Inherent Notch Toughness	1005
SA-731	Seamless and Welded Ferritic Stainless Steel Pipe	1011
SA-790	Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe	1067

SA-813	Single- or Double-Welded Austenitic Stainless Steel Pipe	1075
SA-814	Cold-Worked Welded Austenitic Stainless Steel Pipe	1083

Steel Tubes

SA-178	Electric-Resistance-Welded Carbon Steel Boiler Tubes	163
SA-179	Seamless Cold-Drawn Low-Carbon Steel Heat Exchanger and Condenser Tubes	167
SA-192	Seamless Carbon Steel Boiler Tubes for High-Pressure Service	185
SA-199	Seamless Cold-Drawn Intermediate Alloy Steel Heat Exchanger and Condenser Tubes	207
SA-209	Seamless Carbon-Molybdenum Alloy Steel Boiler and Superheater Tubes	221
SA-210	Seamless Medium-Carbon Steel Boiler and Superheater Tubes	225
SA-213	Seamless Ferritic and Austenitic Alloy Steel Boiler, Superheater, and Heat Exchanger Tubes	229
SA-214	Electric-Resistance-Welded Carbon Steel Heat Exchanger and Condenser Tubes	237
SA-226	Electric-Resistance-Welded Carbon Steel Boiler and Superheater Tubes for High-Pressure Service	249
SA-249	Welded Austenitic Steel Boiler, Superheater, Heat Exchanger, and Condenser Tubes	271
SA-250	Electric-Resistance-Welded Carbon-Molybdenum Alloy Steel Boiler and Superheater Tubes	279
SA-268	Seamless and Welded Ferritic Stainless Steel Tubing for General Service	317
SA-334	Seamless and Welded Carbon and Alloy Steel Tubes for Low- Temperature Service	385
SA-423	Seamless and Electric Welded Low-Alloy Steel Tubes	563
SA-450	General Requirements for Carbon, Ferritic Alloy, and Austenitic Alloy Steel Tubes	593
SA-556	Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes	733
SA-557	Electric-Resistance-Welded Carbon Steel Feedwater Heater Tubes	739
SA-655	Special Requirements for Pipe and Tubing for Nuclear and Other Special Applications	893
SA-669	Seamless Ferritic-Austenitic Alloy Steel Tubes	919
SA-688	Welded Austenitic Stainless Steel Feedwater Heater Tubes	943
SA-789	Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service	1063

Steel Flanges, Fittings, Valves, and Parts

SA-105	Forgings, Carbon Steel, for Piping Components	133
SA-181	Forgings, Carbon Steel, for General-Purpose Piping	169
SA-182	Forged or Rolled Alloy Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service	173
SA-216	Steel Castings, Carbon, Suitable for Fusion Welding for High- Temperature Service	239
SA-217	Steel Castings, Martensitic Stainless and Alloy, for Pressure Containing Parts Suitable for High-Temperature Service	243
SA-234	Piping Fittings of Wrought Carbon Steel and Alloy for Moderate and Elevated Temperatures	253
SA-350	Forgings, Carbon and Low-Alloy Steel, Requiring Notch Toughness Testing for Piping Components	409

SA-351	Steel Castings, Austenitic, for High-Temperature Service	417
SA-352	Steel Castings, Ferritic and Martensitic, for Pressure Containing Parts Suitable for Low-Temperature Service	421
SA-403	Wrought Austenitic Stainless Steel Piping Fittings	533
SA-420	Piping Fittings of Wrought Carbon and Alloy Steel for Low- Temperature Service	555
SA-522	Forged or Rolled 8 and 9% Nickel Alloy Steel Flanges, Fittings, Valves, and Parts for Low-Temperature Service	681
SA-592	High-Strength Quenched and Tempered Low-Alloy Steel Forged Fittings and Parts for Pressure Vessels	795
SA-652	Special Requirements for Wrought Steel Welding Fittings for Nuclear and Other Special Applications	863
SA-815	Wrought Ferritic and Ferritic/Austenitic Stainless Steel Piping Fittings	1091

Steel Plates, Sheets, and Strip for Pressure Vessels

SA-20/SA-20M	General Requirements for Steel Plates for Pressure Vessels	47
SA-202/SA-202M	Pressure Vessel Plates, Alloy Steel, Chromium-Manganese-Silicon	211
SA-203/SA-203M	Pressure Vessel Plates, Alloy Steel, Nickel	213
SA-204/SA-204M	Pressure Vessel Plates, Alloy Steel, Molybdenum	217
SA-225/SA-225M	Pressure Vessel Plates, Alloy Steel, Manganese-Vanadium-Nickel	247
SA-240	Heat-Resisting Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels	261
SA-263	Corrosion-Resisting Chromium Steel Clad Plate, Sheet, and Strip	283
SA-264	Stainless Chromium-Nickel Steel Clad Plate, Sheet, and Strip	295
SA-265	Nickel and Nickel-Base Alloy Clad Steel Plate	305
SA-285/SA-285M	Pressure Vessel Plates, Carbon Steel, Low- and Intermediate-Tensile Strength	337
SA-299/SA-299M	Pressure Vessel Plates, Carbon Steel, Manganese-Silicon	339
SA-302/SA-302M	Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum-Nickel	341
SA-353/SA-353M	Pressure Vessel Plates, Alloy Steel, 9% Nickel, Double-Normalized and Tempered	427
SA-387/SA-387M	Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum	513
SA-412	Stainless and Heat-Resisting Chromium-Nickel-Manganese Steel Plate, Sheet, and Strip	549
SA-414/SA-414M	Carbon Steel Sheet for Pressure Vessels	551
SA-442/SA-442M	Pressure Vessel Plates, Carbon Steel, Improved Transition Properties	585
SA-455/SA-455M	Pressure Vessel Plates, Carbon Steel, High-Strength Manganese	619
SA-480	General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip	635
SA-515/SA-515M	Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher- Temperature Service	671
SA-516/SA-516M	Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower- Temperature Service	673
SA-517/SA-517M	Pressure Vessel Plates, Alloy Steel, High Strength, Quenched and Tempered	677
SA-533/SA-533M	Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel	701
SA-537/SA-537M	Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel	705
SA-542	Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Chromium-Molybdenum	725
SA-553/SA-553M	Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, 8 and 9% Nickel	729

SA-562/SA-562M	Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings	745
SA-612/SA-612M	Pressure Vessel Plates, Carbon Steel, High Strength, for Moderate- and Lower-Temperature Service	807
SA-620/SA-620M	Steel Sheet, Carbon, Cold-Rolled, Drawing Quality, Special Killed	837
SA-645/SA-645M	Pressure Vessel Plates, 5% Nickel Alloy Steel, Specially Heat Treated	843
SA-647	Special Requirements for Steel Plates for Nuclear and Other Special Applications	847
SA-658/SA-658M	Pressure Vessel Plates, Alloy Steel, 36% Nickel	909
SA-662/SA-662M	Pressure Vessel Plates, Carbon-Manganese, for Moderate- and Lower-Temperature Service	915
SA-693	Precipitation Hardening Stainless and Heat-Resisting Steel Plate, Sheet, and Strip	959
SA-724/SA-724M	Pressure Vessel Plates, Carbon Steel, Quenched and Tempered, for Welded Layered Pressure Vessels	1001
SA-736/SA-736M	Pressure Vessel Plates, Low-Carbon Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium Alloy Steel	1017
SA-737/SA-737M	Pressure Vessel Plates, High-Strength, Low-Alloy Steel	1021
SA-738/SA-738M	Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, for Moderate- and Lower-Temperature Service	1025
SA-770	Through-Thickness Tension Testing of Steel Plates for Special Applications	1049
SA-812/SA-812M	Steel Sheet, Hot-Rolled, High-Strength, Low-Alloy for Welded Layered Pressure Vessels	1073
 Structural Steel		
SA-6/SA-6M	General Requirements for Rolled Steel Plates, Shapes, Sheet Piling, and Bars for Structural Use	1
SA-36/SA-36M	Structural Steel	101
SA-283	Low- and Intermediate-Tensile Strength Carbon Steel Plates, Shapes, and Bars	335
 Steel Bars		
SA-6/SA-6M	General Requirements for Rolled Steel Plates, Shapes, Sheet Piling, and Bars for Structural Use	1
SA-29/SA-29M	General Requirements for Steel Bars, Carbon and Alloy, Hot-Wrought and Cold-Finished	47
SA-479	Stainless and Heat-Resisting Steel Wire, Bars, and Shapes for Use in Boilers and Other Pressure Vessels	627
SA-564	Hot-Rolled and Cold-Finished Age-Hardening Stainless and Heat-Resisting Steel Bars, Wire, and Shapes	757
SA-638	Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service	839
SA-654	Special Requirements for Forgings and Bars for Nuclear and Other Special Applications	877
SA-675	Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties	939
SA-695	Steel Bars, Carbon, Hot-Wrought, Special Quality, for Fluid Power Applications	969
SA-696	Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components	971

SA-739	Steel Bars, Alloy, Hot-Rolled, for Elevated Temperature or Pressure Containing Parts, or Both	1029
 Steel Bolting Materials		
SA-193	Alloy Steel and Stainless Steel Bolting Materials for High-Temperature Service	187
SA-194	Carbon and Alloy Steel Nuts for Bolts for High-Pressure and High- Temperature Service	197
SA-307	Carbon Steel Externally Threaded Standard Fasteners	343
SA-320	Alloy Steel Bolting Materials for Low-Temperature Service	357
SA-325	High-Strength Bolts for Structural Steel Joints	367
SA-354	Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners	431
SA-437	Alloy Steel Turbine-Type Bolting Material Specially Heat Treated for High-Temperature Service	581
SA-449	Quenched and Tempered Steel Bolts and Studs	587
SA-453	Bolting Materials, High Temperature, 50 to 120 ksi Yield Strength, With Expansion Coefficients Comparable to Austenitic Steel	611
SA-540	Alloy Steel Bolting Materials for Special Applications	709
SA-563	Carbon and Alloy Steel Nuts	747
SA-574	Alloy Steel Socket-Head Screws	769
SA-614	Special Requirements for Bolting Material for Nuclear and Other Special Applications	831
SF-568	Carbon and Alloy Steel Externally Threaded Metric Fasteners	1103
 Steel Billets and Forgings		
SA-105	Forgings, Carbon Steel, for Piping Components	133
SA-181	Forgings, Carbon Steel, for General-Purpose Piping	169
SA-266	Forgings, Carbon Steel, for Pressure Vessel Components	311
SA-336	Steel Forgings, Alloy, for Pressure and High-Temperature Parts	399
SA-350	Forgings, Carbon and Low-Alloy Steel, Requiring Notch Toughness Testing for Piping Components	409
SA-372	Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels	501
SA-508	Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels	663
SA-541	Steel Forgings, Carbon and Alloy, Quenched and Tempered, for Pressure Vessel Components	719
SA-638	Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service	839
SA-649	Forged Steel Rolls Used for Corrugating Paper Machinery	857
SA-654	Special Requirements for Forgings and Bars for Nuclear and Other Special Applications	877
SA-705	Age-Hardening Stainless and Heat-Resisting Steel Forgings	983
SA-723	Alloy Steel Forgings for High-Strength Pressure Component Application	995
SA-745	Ultrasonic Examination of Austenitic Steel Forgings	1031
SA-765	Carbon Steel and Low-Alloy Steel Pressure Vessel Component Forgings With Mandatory Toughness Requirements	1043
SA-788	Steel Forgings, General Requirements	1055
SA-836	Forgings, Titanium Stabilized Carbon Steel for Glass-Lined Piping and Pressure Vessel Service	1099

Steel Castings

SA-216	Steel Castings, Carbon, Suitable for Fusion Welding for High-Temperature Service	239
SA-217	Steel Castings, Martensitic Stainless and Alloy, for Pressure Containing Parts Suitable for High-Temperature Service	243
SA-351	Steel Castings, Austenitic, for High-Temperature Service	417
SA-352	Steel Castings, Ferritic and Martensitic, for Pressure Containing Parts Suitable for Low-Temperature Service	421
SA-487	Steel Castings Suitable for Pressure Service	657
SA-609	Steel Castings, Carbon and Low Alloy, Ultrasonic Examination Thereof	799
SA-613	Special Requirements for Steel Castings for Nuclear and Other Special Applications	809
SA-667	Centrifugally Cast Dual Metal Cylinders	917
SA-703	Steel Castings, General Requirements, for Pressure Containing Parts	975
SA-747	Precipitation Hardening Stainless Steel Castings	1037

Corrosion-Resisting and Heat-Resisting Steels

SA-182	Forged or Rolled Alloy Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service	173
SA-193	Alloy Steel and Stainless Steel Bolting Materials for High-Temperature Service	187
SA-194	Carbon and Alloy Steel Nuts for Bolts for High-Pressure and High-Temperature Service	197
SA-213	Seamless Ferritic and Austenitic Alloy Steel Boiler, Superheater, and Heat Exchanger Tubes	229
SA-216	Steel Castings, Carbon, Suitable for Fusion Welding for High-Temperature Service	239
SA-217	Steel Castings, Martensitic Stainless and Alloy, for Pressure Containing Parts Suitable for High-Temperature Service	243
SA-240	Heat-Resisting Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels	261
SA-249	Welded Austenitic Steel Boiler, Superheater, Heat Exchanger, and Condenser Tubes	271
SA-263	Corrosion-Resisting Chromium Steel Clad Plate, Sheet, and Strip	283
SA-264	Stainless Chromium-Nickel Steel Clad Plate, Sheet, and Strip	295
SA-265	Nickel and Nickel-Base Alloy Clad Steel Plate	305
SA-268	Seamless and Welded Ferritic Stainless Steel Tubing for General Service	317
SA-312	Seamless and Welded Austenitic Stainless Steel Pipe	349
SA-320	Alloy Steel Bolting Materials for Low-Temperature Service	357
SA-336	Steel Forgings, Alloy, for Pressure and High-Temperature Parts	399
SA-351	Steel Castings, Austenitic, for High-Temperature Service	417
SA-358	Electric-Fusion-Welded Austenitic Chromium-Nickel Alloy Steel Pipe for High-Temperature Service	439
SA-369	Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High-Temperature Service	447
SA-376	Seamless Austenitic Steel Pipe for High-Temperature Central-Station Service	507
SA-403	Wrought Austenitic Stainless Steel Piping Fittings	533
SA-409	Welded Large Diameter Austenitic Steel Pipe for Corrosive or High-Temperature Service	541

SA-412	Stainless and Heat-Resisting Chromium-Nickel-Manganese Steel Plate, Sheet, and Strip	549
SA-426	Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service	567
SA-430	Austenitic Steel Forged and Bored Pipe for High-Temperature Service	573
SA-437	Alloy Steel Turbine-Type Bolting Material Specially Heat Treated for High-Temperature Service	581
SA-451	Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service	601
SA-452	Centrifugally Cast Austenitic Steel Cold-Wrought Pipe for High- Temperature Service	605
SA-479	Stainless and Heat-Resisting Steel Wire, Bars, and Shapes for Use in Boilers and Other Pressure Vessels	627
SA-484	General Requirements for Stainless and Heat-Resisting Wrought Steel Products (Except Wire)	649
SA-515/SA-515M	Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher- Temperature Service	671
SA-564	Hot-Rolled and Cold-Finished Age-Hardening Stainless and Heat- Resisting Steel Bars, Wire, and Shapes	757
SA-638	Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service	839
SA-660	Centrifugally Cast Carbon Steel Pipe for High-Temperature Service	911
SA-691	Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures	953
SA-705	Age-Hardening Stainless and Heat-Resisting Steel Forgings	983
SA-789	Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service	1063
SA-790	Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe	1067
SA-814	Cold-Worked Welded Austenitic Stainless Steel Pipe	1083
SA-815	Wrought Ferritic and Ferritic/Austenitic Stainless Steel Piping Fittings	1091
 Wrought Iron, Cast Iron, and Malleable Iron		
SA-47	Malleable Iron Castings	105
SA-278	Gray Iron Castings for Pressure Containing Parts for Temperatures Up to 650°F (345°C)	331
SA-395	Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures	523
SA-476	Ductile Iron Castings for Paper Mill Dryer Rolls	621
SA-748	Statically Cast Chilled White Iron-Gray Iron Dual Metal Rolls for Pressure Vessel Use	1041
 Methods		
SA-275	Magnetic Particle Examination of Steel Forgings	323
SA-370	Mechanical Testing of Steel Products	451
SA-388	Ultrasonic Examination of Heavy Steel Forgings	517
SA-435/SA-435M	Straight-Beam Ultrasonic Examination of Steel Plates	579
SA-577/SA-577M	Ultrasonic Angle-Beam Examination of Steel Plates	779
SA-578/SA-578M	Straight-Beam Ultrasonic Examination of Plain and Clad Steel Plates for Special Applications	783
SA-745	Ultrasonic Examination of Austenitic Steel Forgings	1031

Specifications

Listed in Numeric Sequence

SA-6/SA-6M	General Requirements for Rolled Steel Plates, Shapes, Sheet Piling, and Bars for Structural Use	1
SA-20/SA-20M	General Requirements for Steel Plates for Pressure Vessels	47
SA-29/SA-29M	General Requirements for Steel Bars, Carbon and Alloy, Hot-Wrought and Cold-Finished	77
SA-36/SA-36M	Structural Steel	101
SA-47	Malleable Iron Castings	105
SA-53	Pipe, Steel, Black and Hot-Dipped, Zinc-Coated Welded and Seamless	109
SA-105	Forgings, Carbon Steel, for Piping Components	133
SA-106	Seamless Carbon Steel Pipe for High-Temperature Service	139
SA-134	Electric-Fusion (Arc)-Welded Steel Plate Pipe (Sizes NPS 16 and Over)	151
SA-135	Electric-Resistance-Welded Steel Pipe	155
SA-178	Electric-Resistance-Welded Carbon Steel Boiler Tubes	163
SA-179	Seamless Cold-Drawn Low-Carbon Steel Heat Exchanger and Condenser Tubes	167
SA-181	Forgings, Carbon Steel, for General-Purpose Piping	169
SA-182	Forged or Rolled Alloy Steel Pipe Flanges, Forged Fittings, and Valves and Parts for High-Temperature Service	173
SA-192	Seamless Carbon Steel Boiler Tubes for High-Pressure Service	185
SA-193	Alloy Steel and Stainless Steel Bolting Materials for High-Temperature Service	187
SA-194	Carbon and Alloy Steel Nuts for Bolts for High-Pressure and High- Temperature Service	197
SA-199	Seamless Cold-Drawn Intermediate Alloy Steel Heat Exchanger and Condenser Tubes	207
SA-202/SA-202M	Pressure Vessel Plates, Alloy Steel, Chromium-Manganese-Silicon	211
SA-203/SA-203M	Pressure Vessel Plates, Alloy Steel, Nickel	213
SA-204/SA-204M	Pressure Vessel Plates, Alloy Steel, Molybdenum	217
SA-209	Seamless Carbon-Molybdenum Alloy Steel Boiler and Superheater Tubes	221
SA-210	Seamless Medium-Carbon Steel Boiler and Superheater Tubes	225
SA-213	Seamless Ferritic and Austenitic Alloy Steel Boiler, Superheater, and Heat Exchanger Tubes	229
SA-214	Electric-Resistance-Welded Carbon Steel Heat Exchanger and Condenser Tubes	237
SA-216	Steel Castings, Carbon, Suitable for Fusion Welding for High- Temperature Service	239
SA-217	Steel Castings, Martensitic Stainless and Alloy, for Pressure Containing Parts Suitable for High-Temperature Service	243

SA-225/SA-225M	Pressure Vessel Plates, Alloy Steel, Manganese-Vanadium-Nickel	247
SA-226	Electric-Resistance-Welded Carbon Steel Boiler and Superheater Tubes for High-Pressure Service	249
SA-234	Piping Fittings of Wrought Carbon Steel and Alloy for Moderate and Elevated Temperatures	253
SA-240	Heat-Resisting Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels	261
SA-249	Welded Austenitic Steel Boiler, Superheater, Heat Exchanger, and Condenser Tubes	271
SA-250	Electric-Resistance-Welded Carbon-Molybdenum Alloy Steel Boiler and Superheater Tubes	279
SA-263	Corrosion-Resisting Chromium Steel Clad Plate, Sheet, and Strip	283
SA-264	Stainless Chromium-Nickel Steel Clad Plate, Sheet, and Strip	295
SA-265	Nickel and Nickel-Base Alloy Clad Steel Plate	305
SA-266	Forgings, Carbon Steel, for Pressure Vessel Components	311
SA-268	Seamless and Welded Ferritic Stainless Steel Tubing for General Service	317
SA-275	Magnetic Particle Examination of Steel Forgings	323
SA-278	Gray Iron Castings for Pressure Containing Parts for Temperature Up to 650°F (345°C)	331
SA-283	Low- and Intermediate-Tensile Strength Carbon Steel Plates, Shapes, and Bars	335
SA-285/SA-285M	Pressure Vessel Plates, Carbon Steel, Low- and Intermediate-Tensile Strength	337
SA-299/SA-299M	Pressure Vessel Plates, Carbon Steel, Manganese-Silicon	339
SA-302/SA-302M	Pressure Vessel Plates, Alloy Steel, Manganese-Molybdenum and Manganese-Molybdenum-Nickel	341
SA-307	Carbon Steel Externally Threaded Standard Fasteners	343
SA-312	Seamless and Welded Austenitic Stainless Steel Pipe	349
SA-320	Alloy Steel Bolting Materials for Low-Temperature Service	357
SA-325	High-Strength Bolts for Structural Steel Joints	367
SA-333	Seamless and Welded Steel Pipe for Low-Temperature Service	377
SA-334	Seamless and Welded Carbon and Alloy Steel Tubes for Low- Temperature Service	385
SA-335	Seamless Ferritic Alloy Steel Pipe for High-Temperature Service	391
SA-336	Steel Forgings, Alloy, for Pressure and High-Temperature Parts	399
SA-350	Forgings, Carbon and Low-Alloy Steel, Requiring Notch Toughness Testing for Piping Components	409
SA-351	Steel Castings, Austenitic, for High-Temperature Service	417
SA-352	Steel Castings, Ferritic and Martensitic, for Pressure Containing Parts Suitable for Low-Temperature Service	421
SA-353/SA-353M	Pressure Vessel Plates, Alloy Steel, 9% Nickel, Double-Normalized and Tempered	427
SA-354	Quenched and Tempered Alloy Steel Bolts, Studs, and Other Externally Threaded Fasteners	431
SA-358	Electric-Fusion-Welded Austenitic Chromium-Nickel Alloy Steel Pipe for High-Temperature Service	439
SA-369	Carbon and Ferritic Alloy Steel Forged and Bored Pipe for High- Temperature Service	447
SA-370	Mechanical Testing of Steel Products	451
SA-372	Carbon and Alloy Steel Forgings for Thin-Walled Pressure Vessels	501
SA-376	Seamless Austenitic Steel Pipe for High-Temperature Central-Station Service	507

SA-387/SA-387M	Pressure Vessel Plates, Alloy Steel, Chromium-Molybdenum	513
SA-388	Ultrasonic Examination of Heavy Steel Forgings	517
SA-395	Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures	523
SA-403	Wrought Austenitic Stainless Steel Piping Fittings	533
SA-409	Welded Large Diameter Austenitic Steel Pipe for Corrosive or High- Temperature Service	541
SA-412	Stainless and Heat-Resisting Chromium-Nickel-Manganese Steel Plate, Sheet, and Strip	549
SA-414/SA-414M	Carbon Steel Sheet for Pressure Vessels	551
SA-420	Piping Fittings of Wrought Carbon and Alloy Steel for Low- Temperature Service	555
SA-423	Seamless and Electric-Welded Low-Alloy Steel Tubes	563
SA-426	Centrifugally Cast Ferritic Alloy Steel Pipe for High-Temperature Service	567
SA-430	Austenitic Steel Forged and Bored Pipe for High-Temperature Service	573
SA-435/SA-435M	Straight-Beam Ultrasonic Examination of Steel Plates	579
SA-437	Alloy Steel Turbine-Type Bolting Material Specially Heat Treated for High-Temperature Service	581
SA-442/SA-442M	Pressure Vessel Plates, Carbon Steel, Improved Transition Properties	585
SA-449	Quenched and Tempered Steel Bolts and Studs	587
SA-450	General Requirements for Carbon, Ferritic Alloy, and Austenitic Alloy Steel Tubes	593
SA-451	Centrifugally Cast Austenitic Steel Pipe for High-Temperature Service	601
SA-452	Centrifugally Cast Austenitic Steel Cold-Wrought Pipe for High- Temperature Service	605
SA-453	Bolting Materials, High Temperature, 50 to 120 ksi Yield Strength, With Expansion Coefficients Comparable to Austenitic Steel	611
SA-455/SA-455M	Pressure Vessel Plates, Carbon Steel, High-Strength Manganese	619
SA-476	Ductile Iron Castings for Paper Mill Dryer Rolls	621
SA-479	Stainless and Heat-Resisting Steel Wire, Bars, and Shapes for Use in Boilers and Other Pressure Vessels	627
SA-480	General Requirements for Flat-Rolled Stainless and Heat-Resisting Steel Plate, Sheet, and Strip	635
SA-484	General Requirements for Stainless and Heat-Resisting Wrought Steel Products (Except Wire)	649
SA-487	Steel Castings Suitable for Pressure Service	657
SA-508	Quenched and Tempered Vacuum-Treated Carbon and Alloy Steel Forgings for Pressure Vessels	663
SA-515/SA-515M	Pressure Vessel Plates, Carbon Steel, for Intermediate- and Higher- Temperature Service	671
SA-516/SA-516M	Pressure Vessel Plates, Carbon Steel, for Moderate- and Lower- Temperature Service	673
SA-517/SA-517M	Pressure Vessel Plates, Alloy Steel, High Strength, Quenched and Tempered	677
SA-522	Forged or Rolled 8 and 9% Nickel Alloy Steel Flanges, Fittings, Valves, and Parts for Low-Temperature Service	681
SA-524	Seamless Carbon Steel Pipe for Atmospheric and Lower Temperatures	685
SA-530	General Requirements for Specialized Carbon and Alloy Steel Pipe	695
SA-533/SA-533M	Pressure Vessel Plates, Alloy Steel, Quenched and Tempered, Manganese-Molybdenum and Manganese-Molybdenum-Nickel	701
SA-537/SA-537M	Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel	705
SA-540	Alloy Steel Bolting Materials for Special Applications	709

SA-541	Steel Forgings, Carbon and Alloy, Quenched and Tempered, for Pressure Vessel Components	719
SA-542	Pressure Vessel Plates, Alloy Steel, Quenched and Tempered Chromium-Molybdenum	725
SA-553/SA-553M	Pressure Vessel Plates, Alloy Steel, Quenched and Tempered 8 and 9% Nickel	729
SA-556	Seamless Cold-Drawn Carbon Steel Feedwater Heater Tubes	733
SA-557	Electric-Resistance-Welded Carbon Steel Feedwater Heater Tubes	739
SA-562/SA-562M	Pressure Vessel Plates, Carbon Steel, Manganese-Titanium for Glass or Diffused Metallic Coatings	745
SA-563	Carbon and Alloy Steel Nuts	747
SA-564	Hot-Rolled and Cold-Finished Age-Hardening Stainless and Heat- Resisting Steel Bars, Wire, and Shapes	757
SA-574	Alloy Steel Socket-Head Screws	769
SA-577/SA-577M	Ultrasonic Angle-Beam Examination of Steel Plates	779
SA-578/SA-578M	Straight-Beam Ultrasonic Examination of Plain and Clad Steel Plates for Special Applications	783
SA-587	Electric-Welded Low-Carbon Steel Pipe for the Chemical Industry	789
SA-592	High-Strength Quenched and Tempered Low-Alloy Steel Forged Fittings and Parts for Pressure Vessels	795
SA-609	Steel Castings, Carbon and Low Alloy, Ultrasonic Examination Thereof	799
SA-612/SA-612M	Pressure Vessel Plates, Carbon Steel, High Strength, for Moderate- and Lower-Temperature Service	807
SA-613	Special Requirements for Steel Castings for Nuclear and Other Special Applications	809
SA-614	Special Requirements for Bolting Material for Nuclear and Other Special Applications	831
SA-620/SA-620M	Steel Sheet, Carbon, Cold-Rolled, Drawing Quality, Special Killed	837
SA-638	Precipitation Hardening Iron Base Superalloy Bars, Forgings, and Forging Stock for High-Temperature Service	839
SA-645/SA-645M	Pressure Vessel Plates, 5% Nickel Alloy Steel, Specially Heat Treated	843
SA-647	Special Requirements for Steel Plates for Nuclear and Other Special Applications	847
SA-649	Forged Steel Rolls Used for Corrugating Paper Machinery	857
SA-652	Special Requirements for Wrought Steel Welding Fittings for Nuclear and Other Special Applications	863
SA-654	Special Requirements for Forgings and Bars for Nuclear and Other Special Applications	877
SA-655	Special Requirements for Pipe and Tubing for Nuclear and Other Special Applications	893
SA-658/SA-658M	Pressure Vessel Plates, Alloy Steel, 36% Nickel	909
SA-660	Centrifugally Cast Carbon Steel Pipe for High-Temperature Service	911
SA-662/SA-662M	Pressure Vessel Plates, Carbon-Manganese, for Moderate- and Lower- Temperature Service	915
SA-667	Centrifugally Cast Dual Metal Cylinders	917
SA-669	Seamless Ferritic-Austenitic Alloy Steel Tubes	919
SA-671	Electric-Fusion-Welded Steel Pipe for Atmospheric and Lower Temperatures	923
SA-672	Electric-Fusion-Welded Steel Pipe for High-Pressure Service at Moderate Temperatures	931
SA-675	Steel Bars, Carbon, Hot-Wrought, Special Quality, Mechanical Properties	939

SA-688	Welded Austenitic Stainless Steel Feedwater Heater Tubes	943
SA-691	Carbon and Alloy Steel Pipe, Electric-Fusion-Welded for High-Pressure Service at High Temperatures	953
SA-693	Precipitation Hardening Stainless and Heat-Resisting Steel Plate, Sheet, and Strip	959
SA-695	Steel Bars, Carbon, Hot-Wrought, Special Quality, for Fluid Power Application	969
SA-696	Steel Bars, Carbon, Hot-Wrought or Cold-Finished, Special Quality, for Pressure Piping Components	971
SA-703	Steel Castings, General Requirements, for Pressure Containing Parts	975
SA-705	Age-Hardening Stainless and Heat-Resisting Steel Forgings	983
SA-723	Alloy Steel Forgings for High-Strength Pressure Component Application	995
SA-724/SA-724M	Pressure Vessel Plates, Carbon Steel, Quenched and Tempered, for Welded Layered Pressure Vessels	1001
SA-727	Forgings, Carbon Steel, for Piping Components With Inherent Notch Toughness	1005
SA-731	Seamless and Welded Ferritic Stainless Steel Pipe	1011
SA-736/SA-736M	Pressure Vessel Plates, Low-Carbon Age-Hardening Nickel-Copper- Chromium-Molybdenum-Columbium Alloy Steel	1017
SA-737/SA-737M	Pressure Vessel Plates, High-Strength, Low-Alloy Steel	1021
SA-738/SA-738M	Pressure Vessel Plates, Heat-Treated, Carbon-Manganese-Silicon Steel, for Moderate- and Lower-Temperature Service	1025
SA-739	Steel Bars, Alloy, Hot-Rolled, for Elevated Temperature or Pressure Containing Parts, or Both	1029
SA-745	Ultrasonic Examination of Austenitic Steel Forgings	1031
SA-747	Precipitation Hardening Stainless Steel Castings	1037
SA-748	Statically Cast Chilled White Iron-Gray Iron Dual Metal Rolls for Pressure Vessel Use	1041
SA-765	Carbon Steel and Low-Alloy Steel Pressure Vessel Component Forgings With Mandatory Toughness Requirements	1043
SA-770	Through-Thickness Tension Testing of Steel Plates for Special Applications	1049
SA-788	Steel Forgings, General Requirements	1055
SA-789	Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service	1063
SA-790	Seamless and Welded Ferritic/Austenitic Stainless Steel Pipe	1067
SA-812/SA-812M	Steel Sheet, Hot-Rolled, High-Strength, Low-Alloy for Welded Layered Pressure Vessels	1073
SA-813	Single- or Double-Welded Austenitic Stainless Steel Pipe	1075
SA-814	Cold-Worked Welded Austenitic Stainless Steel Pipe	1083
SA-815	Wrought Ferritic and Ferritic/Austenitic Stainless Steel Piping Fittings	1091
SA-836	Forgings, Titanium Stabilized Carbon Steel for Glass-Lined Piping and Pressure Vessel Service	1099
SF-568	Carbon and Alloy Steel Externally Threaded Metric Fasteners	1103

APPENDIX 1 — MANDATORY PREPARATION OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL COMMITTEE

1-100 INTRODUCTION

The ASME Boiler and Pressure Vessel Committee meets regularly to consider written requests for interpretations and revisions to the Code rules, and to develop new rules as dictated by technological development. The Committee's activities in this regard are limited strictly to interpretations of the rules or to the consideration of revisions to the present rules on the basis of new data or technology. As a matter of published policy, ASME does not approve, certify, or endorse any item, construction, proprietary device, or activity, and, accordingly, inquiries requiring such consideration will be returned. Moreover, ASME does not act as a consultant on specific engineering problems or on the general application or understanding of the Code rules. If, based on the inquiry information submitted, it is the opinion of the Committee that the inquirer should seek assistance, the inquiry will be returned with the recommendation that such assistance be obtained.

All inquiries that do not provide the information needed for the Committee's full understanding will be returned.

1-200 INQUIRY FORMAT

Inquiries shall be limited strictly to interpretations of the rules or to the consideration of revisions to the present rules on the basis of new data or technology. Inquiries shall be submitted in the following format. The inquiry shall:

(a) *Scope.* Involve a single rule or closely related rules. An inquiry letter concerning unrelated subjects will be returned.

(b) *Background.* State purpose of the inquiry, which would be either to obtain an interpretation of Code rules, or to propose consideration of a revision to the present rules. Provide concisely the information needed for the Committee's understanding of the inquiry (with sketches as necessary), being sure to include reference to the applicable Code Section, Division, Edition, Addenda, paragraphs, figures, and tables.

(c) *Inquiry Structure.* Be stated in a condensed and precise question format, omitting superfluous background information, and, where appropriate, composed in such a way that "yes" or "no" (perhaps with provisos) would be an acceptable reply. This inquiry statement should be technically and editorially correct.

(d) *Proposed Reply.* State what it is believed that the Code requires. If in the inquirer's opinion a revision to the Code is needed, recommended wording shall be provided.

(e) Be submitted in typewritten form; however, legible, handwritten inquiries will be considered.

(f) Include name and mailing address of the inquirer.

(g) Be submitted to the following address:

Secretary
ASME Boiler and Pressure Vessel Committee
345 East 47th Street
New York, NY 10017

SI UNITS

The 1986 Edition of the Boiler and Pressure Vessel Code is based on U.S. Customary (ft-lb) units of measurement which are to be regarded as the standard. This supplement is provided as a convenience to the Code user and contains SI conversion factors for units contained in the Code.

LIST OF SI UNITS FOR USE WITH ASME BOILER AND PRESSURE VESSEL CODE¹

Quantity	Unit	Symbol	Other Units or Limitations
Space and Time			
plane angle	radian	rad	degree (decimalized)
length	meter	m	
area	square meter	m ²	
volume	cubic meter	m ³	liter (L) for liquid only (use without prefix other than in milliliter, mL)
time	second	s	minute (min), hour (h), day (d), week, and year
Periodic and Related Phenomena			
frequency	hertz	Hz	revolutions per second (r/s)
rotational frequency	revolutions per second	s ⁻¹	revolutions per minute (r/m)
Mechanics			
mass	kilogram	kg	
density	kilogram per cubic meter	kg/m ³	
moment of inertia	kilogram · meter ²	kg · m ²	
force	newton	N	
moment of force (torque)	newton-meter	N · m	
pressure and stress	pascal	Pa	(pascal=newton per square meter)
energy, work	joule	J	kilowatt-hour (kW · h)
power	watt	W	
impact strength	joule	J	
section modulus	meter ³	m ³	
moment of section (second moment of area)	meter ⁴	m ⁴	
fracture toughness	Pa · $\sqrt{m}$		
Heat			
temperature — thermodynamic [Note (2)]	kelvin	K	degree Celsius (°C)
temperature — other than thermodynamic	degree Celsius	°C	kelvin (K)
linear expansion coefficient	meter per meter-kelvin	K ⁻¹	°C ⁻¹
quantity of heat	joule	J	
heat flow rate	watt	W	
thermal conductivity	watt per meter-kelvin	W/(m · K)	W/(m · °C)
thermal diffusivity	square meter per second	m ² /s	
specific heat capacity	joule per kilogram-kelvin	J/(kg · K)	J/(kg · °C)
Electricity and Magnetism			
electric current	ampere	A	
electric potential	volt	V	
current density	ampere per meter ²	A/m ²	
magnetic field strength	ampere per meter	A/m	

NOTES:

- (1) Conversion factors between SI units and U.S. customary are given in SI-1, "ASME Orientation and Guide for Use of SI (Metric) Units," and ASTM E 380.
- (2) Preferred use for temperature and temperature interval is degrees Celsius (°C), except for thermodynamic and cryogenic work where kelvins may be more suitable. For temperature interval, 1 K = 1°C exactly.

COMMONLY USED CONVERSION FACTORS
(For Others See ASTM E 380) (See Note 1)

Quantity	To Convert From	To	Multiply by [Note (2)]	
plane angle	degree	rad	1.745 329	E-02
length	in	m	2.54*	E-02
	ft	m	3.048*	E-01
	yd	m	9.144*	E-01
area	in ²	m ²	6.451 6*	E-04
	ft ²	m ²	9.290 304*	E-02
	yd ²	m ²	8.361 274	E-01
volume	in ³	m ³	1.638 706	E-05
	ft ³	m ³	2.831 685	E-02
	US gallon	m ³	3.785 412	E-03
	Imperial gallon	m ³	4.546 09	E-03
	liter	m ³	1.0*	E-03
mass	lbm	kg	4.535 924	E-01
	ton (metric) (mass)	kg	1.000 00*	E+03
	ton (short 2000 lbm)	kg	9.071 847	E+02
force	kgf	N	9.806 65*	E+00
	lbf	N	4.448 222	E+00
bending, torque	kgf · m	N · m	9.806 65*	E+00
	lbf · in	N · m	1.129 848	E-01
	lbf · ft	N · m	1.355 818	E+00
pressure, stress	kgf/m ²	Pa	9.806 65*	E+00
	lbf/ft ²	Pa	4.788 026	E+01
	lbf/in ² (psi)	Pa	6.894 757	E+03
	kips/in ²	Pa	6.894 757	E+06
	bar	Pa	1.0*	E+05
energy, work	Btu (IT) [Note (3)]	J	1.055 056	E+03
	ft · lbf	J	1.355 818	E+00
power	hp (550 ft · lbf/s)	W	7.456 999	E+02
fracture toughness	ksi $\sqrt{\text{in}}$	Pa · $\sqrt{\text{m}}$	1.098 843	E+06
temperature	°C	K	$t_K = t_C + 273.15$	
	°F	K	$t_K = (t_F + 459.67)/1.8$	
	°F	°C	$t_C = (t_F - 32)/1.8$	
temperature interval	°C	K	1.0*	E+00
	°F	K or °C	5.555 555	E-01

NOTES:

- (1) Care should be taken when converting formulas or equations that contain constant terms or factors. The value of these terms must be understood and may also require conversion.
- (2)(a) Relationships that are exact in terms of the base units are followed by a single asterisk.
- (b) The factors are written as a number greater than 1 and less than 10 with 6 or less decimal places. The number is followed by the letter E (for exponent), a plus or minus symbol, and two digits which indicate the power of 10 by which the number must be multiplied to obtain the correct value. For example: 3.523 907 E-02 is $3.523\,907 \times 10^{-2}$ or 0.035 239 07.
- (3) International Table

SPECIFICATION FOR GENERAL REQUIREMENTS FOR ROLLED STEEL PLATES, SHAPES, SHEET PILING, AND BARS FOR STRUCTURAL USE



SA-6/SA-6M



(Identical with ASTM Specification A 6/A 6M-84c, except for the deletion of 3.1.4, Annex A2, Appendix X2, and the last sentence of Appendix X1.1)

1. Scope

1.1 This specification covers a group of common requirements that, unless otherwise specified in the material specification, apply to rolled steel plates, shapes, sheet piling, and bars under each of the following specifications issued by ASTM:

ASTM Designation	Title of Specification
A 36/A 36M	Structural Steel
A 131	Structural Steel for Ships
A 242	High-Strength Low-Alloy Structural Steel
A 283	Low and Intermediate Tensile Strength Carbon Steel Plates, Shapes, and Bars
A 284	Low and Intermediate Tensile Strength Carbon-Silicon Steel Plates for Machine Parts and General Construction
A 328	Steel Sheet Piling
A 441	High-Strength Low-Alloy Structural Manganese Vanadium Steel
A 514	High-Yield Strength, Quenched and Tempered Alloy Steel Plate Suitable for Welding
A 529	Structural Steel with 42 000 psi (290 MPa) Minimum Yield Point (½ in. (12.7 mm) Maximum Thickness)
A 572	High-Strength Low-Alloy Columbium-Vanadium Steels of Structural Quality
A 573	Structural Carbon Steel Plates of Improved Toughness
A 588	High-Strength Low-Alloy Structural Steel with 50 ksi (345 MPa) Minimum Yield Point to 4 in. Thick
A 633	Normalized High-Strength Low-Alloy Structural Steel
A 656	Hot-Rolled Structural Steel, High-Strength Low-Alloy Plate with Improved Formability
A 678	Quenched and Tempered Carbon Steel Plates for Structural Applications
A 690	High-Strength Low-Alloy Steel H-Piles and Sheet Piling for Use in Marine Environments
A 699	Low-Carbon Manganese-Molybdenum-Columbium Alloy Steel Plates, Shapes, and Bars
A 709	Structural Steel for Bridges
A 710	Low-Carbon Age-Hardening Nickel-Copper-Chromium-Molybdenum-Columbium and Nickel-Copper-Columbium

A 769	Alloy Steels
A 786	Electric Resistance Welded Steel Shapes
A 808	Rolled Steel Floor Plates
	High-Strength Low-Alloy Carbon, Manganese, Columbium, Vanadium Steel of Structural Quality with Improved Notch Toughness
A 827	Plates, Carbon Steel, for Forging and Similar Applications
A 829	Plates, Alloy Steel, Structural Quality
A 830	Plates, Carbon Steel, Structural Quality, Furnished to Chemical Composition Requirements

1.2 Annex A1 lists permissible variations in dimensions and mass (Note 1) in SI (metric) units. The values listed are not exact conversions of the values in Tables 1 through 31 but are, instead, rounded or rationalized values. Conformance to Annex A1 is mandatory when the "M" specification designation is used.

NOTE 1—The term "weight" is used when inch-pound units are the standard; however, under SI, the preferred term is "mass."

1.3 Annex A2 lists the dimensions of some shape profiles.

1.4 Appendix X1 describes the production and some of the characteristics of coiled product from which structural plate may be produced.

1.5 This specification also covers a group of supplementary requirements that are applicable to several of the above specifications as indicated therein. These are provided for use when additional testing or inspection is desired and apply only when specified individually by the purchaser in the order.

1.6 In case of any conflict in requirements, the requirements of the individual material specification shall prevail over those of this general specification.

1.7 The purchaser may specify additional requirements that do not negate any of the provisions of this general specification or of the individual material specifications. Such additional