BS EN 61158-3-13:2014



BSI Standards Publication

Industrial communication networks — Fieldbus specifications

Part 3-13: Data-link layer service definition — Type 13 elements

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 61158-3-13:2014. It is identical to IEC 61158-3-13:2014. It supersedes BS EN 61158-3-13:2008 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AMT/7, Industrial communications: process measurement and control, including fieldbus.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014.
Published by BSI Standards Limited 2014

ISBN 978 0 580 79366 0
ICS 25.040.40; 35.100.20; 35.240.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2014.

Amendments/corrigenda issued since publication

Date	Text affected

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 61158-3-13

October 2014

ICS 25.040.40; 35.100.20; 35.110

Supersedes EN 61158-3-13:2008

English Version

Industrial communication networks - Fieldbus specifications - Part 3-13: Data-link layer service definition - Type 13 elements (IEC 61158-3-13:2014)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 3-13: Définition des services de la couche liaison de données - Eléments de type 13 (CEI 61158-3-13:2014)

Industrielle Kommunikationsnetze - Feldbusse - Teil 3-13: Dienstfestlegungen des Data Link Layer (Sicherungsschicht) - Typ 13-Elemente (IEC 61158-3-13:2014)

This European Standard was approved by CENELEC on 2014-09-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2014 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Foreword

The text of document 65C/759/FDIS, future edition 2 of IEC 61158-3-13, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-3-13:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-06-17
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-17

This document supersedes EN 61158-3-13:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 61158-3-13:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-1	NOTE	Harmonized as EN 61158-1.
IEC 61158-6-13	NOTE	Harmonized as EN 61158-6-13.
IEC 61784-2	NOTE	Harmonized as EN 61784-2.

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 61158-4-13	2014	Industrial communication networks - Fieldbus specifications - Part 4-13: Data-link layer protocol specification - Type 13 elements	EN 61158-4-13	1)
IEC 61158-5-13	2014	Industrial communication networks - Fieldbus specifications - Part 5-13: Application layer service definition - Type 13 elements	EN 61158-5-13	2014
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 7498-3	-	Information technology - Open Systems Interconnection - Basic Reference Model: Naming and addressing	-	-
ISO/IEC 8802-3	2000	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic Reference Model - Conventions for the definition of OSI services	-	-
IETF RFC 768	-	User Datagram Protocol	-	-
IETF RFC 791	-	Internet Protocol	-	-
IETF RFC 793	-	Transmission Control Protocol	-	-

1) To be published.

CONTENTS

INTRODUCTION 6
1 Scope 7
1.1 General 7
1.2 Specifications 7
1.3 Conformance 7
2 Normative references 8
3 Terms, definitions, symbols, abbreviations and conventions 8
3.1 Reference model terms and definitions 8
3.2 Service convention terms and definitions 10
3.3 Data-link service terms and definitions 11
3.4 Symbols and abbreviations 15
3.5 Common conventions 16
3.6 Additional Type 13 conventions 17
4 Data-link service and concept 18
4.1 Overview 18
4.2 Detailed description of isochronous-data services 27
4.3 Detailed description of asynchronous-data service 28
4.4 Detailed description of exception-signaling services 35
4.5 NMT-status services 37
5 Data-link management services (and concepts) 38
5.1 General 38
5.2 Facilities of the DLMS 38
5.3 Services of the DL-management 38
5.4 Overview of interactions 39
5.5 Detail specification of service and interactions 40
Bibliography 45

Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses 13
Figure 2 – Type 13 communication architecture 18
Figure 3 – Sequence diagram of isochronous-data service 19
Figure 4 – Sequence diagram of service-data service 20
Figure 5 – Sequence diagram of an unspecified-data transfer service 21
Figure 6 – Sequence diagram of a status-data transfer service 21
Figure 7 – Sequence diagram of an ident-data transfer service 22
Figure 8 – Sequence diagram of a sync-data transfer service 23
Figure 9 – Sequence diagram of an NMT-command transfer service 24
Figure 10 – Sequence diagram of an exception-signaling service 25
Figure 11 – Sequence diagram of a NMT-status transfer service 26
Figure 12 – Reset, Set value and Get value services 39
Figure 13 – Event and Frame status service 40

Table 1 – Type 13 node ID assignment 27
Table 2 – Primitives and parameters used on the isochronous data service 27

Table 3 – Transmit /Receive isochronous-data primitives and the parameters 28
Table 4 – Primitives and parameters used on service data transfer service 28
Table 5 – Transmit / Receive service-data primitives and the parameters 29
Table 6 – Primitives and parameters used on the unspecified-data service 30
Table 7 – Transmit / receive unspecified-data primitives and the parameters 30
Table 8 – Primitives and parameters used on status-data transfer service 31
Table 9 – Status data primitives and the parameters 31
Table 10 – Primitives and parameters used on ident-data transfer service 32
Table 11 – Ident data primitives and the parameters 33
Table 12 – Primitives and parameters used on sync-data transfer service 33
Table 13 – Sync data primitives and the parameters 34
Table 14 – Primitives and parameters used on the NMT-command service 34
Table 15 – NMT-command primitives and the parameters 35
Table 16 – Primitives and parameters used on the exception-signaling service 35
Table 17 – Exception-signaling initialization primitives and the parameters 36
Table 18 – Exception signaling initialization primitives and the parameters 36
Table 19 – Primitives and parameters used on the NMT-status service 37
Table 20 – NMT-status primitives and the parameters 37
Table 21 – Summary of DL-management primitives and parameters 39
Table 22 – DLM-Reset primitives and parameters 40
Table 23 – DLM-Set-value primitives and parameters 41
Table 24 – DLM-Get-value primitives and parameters 42
Table 25 – Event primitives and parameters 42
Table 26 – Event-related state change variables 43
Table 27 – Frame status primitives and parameters 43
Table 28 – Frame parameters 44

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the data-link layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 3-13: Data-link layer service definition – Type 13 elements

1 Scope

1.1 General

This part of IEC 61158 provides common elements for basic time-critical messaging communications between devices in an automation environment. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible service provided by the Type 13 fieldbus data-link layer in terms of

a) the primitive actions and events of the service;

b) the parameters associated with each primitive action and event, and the form which they take; and

c) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to

- the Type 13 fieldbus application layer at the boundary between the application and data-link layers of the fieldbus reference model, and
- systems management at the boundary between the data-link layer and systems management of the fieldbus reference model.

1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual data-link layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of data-link protocols for time-critical communications. A secondary objective is to provide migration paths from previously-existing industrial communications protocols.

This specification may be used as the basis for formal DL-Programming-Interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

a) the sizes and octet ordering of various multi-octet service parameters, and

b) the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This standard does not specify individual implementations or products, nor do they constrain the implementations of data-link entities within industrial automation systems.

There is no conformance of equipment to this data-link layer service definition standard. Instead, conformance is achieved through implementation of the corresponding data-link protocol that fulfills the Type 13 data-link layer services defined in this standard.