

AMCA 311-16

Certified Ratings Program Product Rating Manual for Fan Sound Performance



Air Movement and Control Association International

AMCA Corporate Headquarters

30 W. University Drive, Arlington Heights, IL 60004-1893, USA
communications@amca.org ■ Ph: +1-847-394-0150 ■ www.amca.org

© 2016 Air Movement & Control Association International

AMCA Publication 311-16

Certified Ratings Program Product Rating Manual for Fan Sound Performance



Air Movement and Control Association International
30 West University Drive
Arlington Heights, Illinois
60004

AMCA Publications

Authority	AMCA Publication 311-16 was adopted by the membership of the Air Movement and Control Association International Inc. on November 7, 2016. Current approved catalogs do not require updating.
Copyright	© 2009 by the Air Movement and Control Association International Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 and 108 of the United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the executive director, Air Movement and Control Association International Inc. at 30 West University Drive, Arlington Heights, IL 60004-1893 U.S.
Objections	The Air Movement and Control Association (AMCA) International Inc. will consider and take action upon all written complaints regarding its standards, certification programs or interpretations thereof. For information on procedures for submitting and handling complaints, write to AMCA International 30 West University Drive Arlington Heights, IL 60004-1893 U.S.A. European AMCA Avenue des Arts, numéro 46 à Bruxelles (1000 Bruxelles) Asia AMCA Sdn Bhd No. 7, Jalan SiLC 1/6, Kawasan Perindustrian SiLC Nusajaya, Mukim Jelutong, 79200 Nusajaya, Johor Malaysia
Disclaimer	AMCA uses its best efforts to produce publications for the benefit of the industry and the public in light of available information and accepted industry practices. However, AMCA does not guarantee, certify or assure the safety or performance of any products, components or systems tested, designed, installed or operated in accordance with AMCA publications or that any tests conducted under its publications will be non-hazardous or free from risk.

Review Committee

Felipe Niada	VTs America
Dario Brivio	Nicotra Gebhardt S.p.A.
Fernando Ruiz	Equipos Electromec�nicos, S.A. de C.V.
Bob Valbracht	Loren Cook Company
Tanmoy Kumar Choudhury	Maico Gulf
Lee Van Bruggen	Canarm Ltd.
Zvirimumwoyo Patrick Chinoda	Hartzell Air Movement
Kim G. Osborn	CES Group LLC
Rad Ganesh	Twin City Fan Co.
Maribel Saffo	Williams Comfort Products
David Johnson	Berner International Group
Scott Hausmann	Trane
Yongning Chen	Zhejiang Yilda Ventilator Co., Ltd
Masazumi Toshima	Panasonic Ecology Systems (Thailand) Co., Ltd
Anthony Moors	Strobic Air Technologies

Contents

- 1. Purpose..... 1**
- 2. Product Scope 1**
- 3. General Guidelines for Developing Fan Sound Ratings 1**
 - 3.1 Definitions 1
 - 3.2 Rating development..... 1
 - 3.3 Similarity 2
 - 3.4 Rating methods 2
 - 3.5 Published sound ratings 2
- 4. Check Test 5**
 - 4.1 General 5
 - 4.2 Check test tolerances 5
- Annex A Electronic Catalogs (Normative) 7**
 - A.1 Introduction 7
 - A.2 Scope 7
 - A.3 Allowable performance modifications 7
 - A.4 Required qualifying statements..... 7
- Annex B Additional Requirements for the Sound Performance Licensing of Air Curtain Units (Normative)..... 9**
 - B.1 Introduction 9
 - B.2 Definitions..... 9
 - B.3 ACU test setup 9

Certified Ratings Program

Product Rating Manual for Fan Sound Performance

1. Purpose

The purpose of this manual is to prescribe/establish definitions and specifications to be used in connection with the AMCA Certified Ratings Program for the sound performance of fans.

2. Product Scope

Products that can be licensed by AMCA International to bear the AMCA Certified Ratings Program seal for sound ratings are centrifugal fans, axial fans, power roof ventilators, air curtains, agricultural fans and other air moving devices within the product scope of AMCA.

The program applies only to complete air-moving devices that are already licensed to bear the AMCA Certified Ratings Program seal for air performance.

The program applies to fans within the scope of AMCA for which performance catalogs are published and made available to the public. It does not apply to special units for which performance ratings are not published. When performance ratings for both licensed and non-licensed products are contained in the same catalog, there must be a clear distinction made between licensed and non-licensed products, as required in AMCA Publication 11.

When one or more licensed products are used as component parts of a larger unit, the AMCA Certified Ratings Program seal for sound ratings may not be applied to the complete unit unless the unit itself has been licensed in accordance with this program.

3. General Guidelines for Developing Fan Sound Ratings

3.1 Definitions

All technical terms specific to sound are defined in the appropriate test standards referenced herein.

3.1.1 Spherical sone

The loudness, in sones, of the sound pressure level at a distance of 1.5 m (5 ft) from the acoustic center of the fan in a spherical free field.

3.1.2 Hemispherical sone

The loudness, in sones, of the sound pressure level at a distance of 1.5 m (5 ft) from the acoustic center of the fan in a hemispherical free field. A hemispherical sone is calculated in accordance with the procedures found in ANSI/AMCA Standard 301. Licensees may label a hemispherical sone rating as a “fan sone.” In this document, the term “hemispherical sone” will be used to clearly differentiate the two terms.

3.2 Rating development

The sound performance rating of a fan or a series of dynamically similar fans are developed from tests conducted in accordance with ANSI/AMCA Standard 300, ANSI/AMCA Standard 320, ISO 5136 or other such standards as allowed under AMCA Publication 111.

The performance rating of a fan can be developed for a range of speeds from the test of the fan at one speed utilizing the procedures defined in ANSI/AMCA Standard 301.

The performance rating of one or more larger fan sizes can be developed based on the test of a smaller fan utilizing the procedures defined in ANSI/AMCA Standard 301.