

Gas Lift Handbook

API RECOMMENDED PRACTICE 19GLHB
FIRST EDITION, JUNE 2020



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Copyright © 2020 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms, Definitions, Abbreviations, and Symbols	1
3.1 Terms and Definitions	1
3.2 Abbreviations	9
3.3 Symbols	10
4 Introduction to Artificial Lift and Gas Lift	14
4.1 Basic Principles of Hydrocarbon Production	14
4.2 Artificial Lift System Basics	15
4.3 The Process of Gas Lifting Liquids	16
4.4 Choosing an Artificial Lift System	16
4.5 Gas Lift System Types	17
4.6 Continuous Gas Lift	18
4.7 Intermittent Flow Gas Lift Systems	19
4.8 Gas Lift for Gas Wells	20
4.9 Major Components of a Typical Gas Lift System	21
4.10 Advantages and Limitations of Gas Lift Systems	25
4.11 Historical Review of Gas Lift System Developments	27
4.12 Historical Development of Gas Lift Valve Designs	28
4.13 Section Summary	29
5 Well Performance, System Designs, and Operations	29
5.1 General	29
5.2 Well Performance (Inflow and Outflow)	29
5.3 Gas Lift Well Performance Measurements	44
5.4 Section Summary	50
6 Multiphase Flow Predictions	50
6.1 General	50
6.2 Developing Multiphase Flow Correlations	50
6.3 Dynamic Simulation Models for Gas Lift Systems	63
6.4 Section Summary	66
7 Gas Fundamentals and Facilities	66
7.1 General	66
7.2 Fundamentals of Gas Behavior	67
7.3 Gas Measurement and Control	68
7.4 Gas Applications within Oilfield Systems	73
7.5 Surface Gas Facilities	75
7.6 Section Summary	86
8 Gas Lift System Design	87
8.1 Introduction	87
8.2 System Design Considerations	87
8.3 Equipment Reference Documents	102
8.4 Section Summary	102
9 Overview of Specifications for Side-pocket Mandrels	102
9.1 Introduction	102
9.2 Functional Specifications	105

Contents

	Page
9.3 Technical Specifications	106
9.4 Supplier/Manufacturer Requirements	107
9.5 Section Summary	108
10 Overview of Specifications for Flow-control Devices for Side-pocket Mandrels	108
10.1 Introduction	108
10.2 Functional Specifications	110
10.3 Technical Specifications	111
10.4 Supplier/Manufacturer Requirements	112
10.5 Section Summary	114
11 Continuous Flow Gas Lift Design Methods	114
11.1 Introduction	114
11.2 Continuous Flow Unloading Sequence	115
11.3 Continuous Flow Installation Design Information	117
11.4 Considerations for System Design	117
11.5 Gas Lift Valve Design Examples	129
11.6 Section Summary	157
12 Unloading, Control, Testing, and Analysis of Continuous Flow Gas Lift Wells	157
12.1 Introduction	157
12.2 Unloading and Kickoff Recommendations	157
12.3 Kickoff Pressures	158
12.4 Unloading of Continuous Gas Lift	158
12.5 Control Considerations	162
12.6 Surface Data Indications and Actions	165
12.7 Subsurface Data Indications and Actions	167
12.8 Well Production Rate Testing	170
12.9 Production Optimization for the Available Gas Lift Gas	176
12.10 Section Summary	177
13 Intermittent Flow Gas Lift	177
13.1 Introduction	177
13.2 General Description of Intermittent Flow Gas Lift	177
13.3 Changing from Continuous to Intermittent Flow Gas Lift	178
13.4 Types of Intermittent Gas Lift Installations	178
13.5 Control Methods for Intermittent Gas Lift Wells	182
13.6 Design Considerations for Intermittent Gas Lift Installations	184
13.7 Dynamic (Transient) Models for Intermittent Gas Lift Design Calculations	186
13.8 Mandrel Spacing Example	186
13.9 Section Summary	192
14 Unloading, Control, Analysis, and Optimization of Intermittent Flow Gas Lift	193
14.1 Introduction	193
14.2 Unloading an Intermittent Installation	193
14.3 Control Considerations	195
14.4 Adjustment of Cycle Time for Operation	196
14.5 Analysis of System and Well Performance	203
14.6 Optimization Challenges	207
14.7 Section Summary	207
15 Design and Operation of Dual Gas Lift Wells	207

Contents

	Page
15.1 Dual Gas Lift Overview	207
15.2 Dual Gas Lift Production	209
15.3 Candidates for Dual Gas Lift Wells	210
15.4 Operational Guidelines	210
15.5 Design and Installation	211
15.6 Mandrel Spacing	211
15.7 Optimizing Dual Gas Lift Wells	222
15.8 Section Summary	223
16 Gas Lift System Troubleshooting Guidelines	223
16.1 Introduction	223
16.2 Gas Lift System Troubleshooting and Correction Guidelines	225
16.3 Section Summary	266
Bibliography	267

Figures

4.1 Production Process in an Oil or Gas Well	14
4.2 Artificial Lift with Pumps	16
4.3 Production from Natural Flow and Gas Lift Wells	17
4.4 Continuous and Intermittent Gas Lift	18
4.5 Static and Gas Lift Pressure Gradients in the Wellbore	19
4.6 Gas Lift Methods to Remove Liquids from Gas Wells	20
4.7 Gas Lift System, Supply Gas, Subsurface, and Fluid Gathering Components	21
4.8 Subsurface Equipment with Mandrels and Gas Lift Valves (IPO)	24
4.9 King Gas Lift Valve (IPO)	28
5.1 Reservoir Symbols for Darcy Equation	32
5.2 Vogel IPR Curve	33
5.3 Reservoir Inflow Performance	36
5.4a Inflow-Outflow Performance—Natural Flow	37
5.4b Inflow-Outflow Performance—Pumps	38
5.4c Inflow-Outflow Performance—Gas Lift	38
5.5 Vertical Flowing Pressure Gradients (All Oil)	39
5.6 Inflow and Outflow—Increasing IGLR Reduces Density and Outflow Pressure	40
5.7 Gas Lift Well Performance Curve—Production Rate vs Injection Gas Rate	41
5.8 Production and Gas Gradients from Well Performance Curve Rate	41
5.9 Inflow and Outflow Performance	42
5.10 Gas Lift Well Performance vs Injection Gas Rate	43
5.11 PVT Estimates from Pressure Gradients	46
6.1 Flow Patterns in Wellbore	51
6.2 Flow Pattern Images and Map for Vertical Flow	52
6.3 Flow Pattern Images and Map for Horizontal Flow	52
6.4 Flow Pattern Map Variations with Inclination Angle	53
6.5a Dukler H/L Correlation	58
6.5b Dukler f_{tp} Correlation	59
6.6 Vertical Lift Performance Curve for a Specific Tubing Size	60
6.7 Multiphase Outflow Stability Compared to Inflow Capacity for Tubing Size Selection	61
6.8 Multiphase Flow Calculations Generate Gradients for Specific Rate and Tubing Size	62
7.1 Orifice Meter	69
7.2 Example of Sonic Meter	71

Contents

	Page
7.3 Injection Gas Gradients	74
7.4 Hydrate Prediction for Un-dehydrated Gas	76
7.5 Water Vapor Content for Gas	78
7.6 Horsepower Required to Compress 1 Million Standard Cubic Feet per Day	83
7.7 Gas Lift Gas Distribution Options	85
8.1 Gas Lift System Design Components	88
8.2 Gas Lift Wellbore Components	95
9.1 Side-pocket Mandrel	103
9.2 Side-pocket Mandrel Components	103
9.3 Example Side-pocket Mandrel with Gas Lift Valve Inserted	104
10.1 Flow-control Device (Gas Lift Valve) Components	109
11.1 Unloading the Initial Control Fluid from Casing and Tubing	116
11.2 Design Bias Examples	119
11.3 IPO Gas Lift Valve Schematic with Areas and Pressures and in Mandrel	121
11.4 Flowing Temperature Gradient	125
11.5 Gas Passage Chart for Various Orifice Sizes	128
11.6 Gas Lift Valve Flow Rate	128
11.7 Gas Lift Well Data Sheet—Example 1	131
11.8 Vertical Flowing Pressure Gradients (50 % Oil, 50 % Water)	132
11.9 Nodal Analysis Plot of Inflow and Outflow Pressures	133
11.10 Gas Lift Performance Graph	133
11.11 Injection Gas Gradients	136
11.12 Start of a Graphical Gas Lift Design	138
11.13 Top Valve Depth Determination	139
11.14 Second Valve Depth Determination	140
11.15 Gas Lift Design Spacing 27/8 in. Tubing (2.5 in. ID), 800 BLPD, 50 % WC, 1000 scf/stb R_{gl}	143
11.16 Example Gas Lift Valve Test Rack	144
11.17 Example 2 Well Data Sheet	149
11.18 Graphical Straight-line Mandrel Spacing Basics for Gas Lift Design Example with Limited Data	150
11.19 Mandrel 2 Spacing Location	152
11.20 Example 2—Graphical Design Line Mandrel Spacing	154
12.1 Unloading a Continuous Flow Gas Lift Well—Circular and Linear Pressure Charts	161
12.2 Unloading a Continuous Flow Gas Lift Well—Strip Chart Illustration	162
12.3 Choke Control System	164
12.4 Flow Rate Control Valve	165
12.5 Pressure vs Depth Data	169
12.6 Temperature vs Depth Data	169
12.7 Gas Lift Gas Utilization, bbl/million scf	173
12.8 Gas Lift Gas Utilization vs TGLR	174
13.1 Illustration of Intermittent Lift Installation with Time-cycle Controller	179
13.2 Chamber Installation Options: Two Packers, Large Tubing	180
13.3 Plunger Added to Intermittent Installation	180
13.4 Illustration of Starting Slug and Fallback	181
13.5 Choke Control of Intermittent Lift	182
13.6 Time-cycle Control of Intermittent Lift	183
13.7 Illustrations of IPO Valves and IPO Pilot Valves	184
13.8 Intermittent Lift Spacing Factors for Design	187
13.9 Graphical Straight-line Mandrel Spacing Basics for Intermittent Gas Lift Example	188
13.10 Mandrel 2 Spacing Location	189

Contents

	Page
13.11 Graphical Spacing Factor Mandrel Spacing	191
14.1a Pressure Build at Perforations vs Time.	197
14.1b Gradient Survey with Shallow Point of Lift	197
14.2a Pressure Build at Perforations vs Time.	198
14.2b Gradient Survey with Deep Point of Lift	198
14.3 Pressure Build at Multiple Depths in a Research Well	199
14.4 Lift Gas and Fallback per 1000 ft of Lift	200
14.5 Intermittent Lift Wellhead with Streamlined Piping	202
14.6 Wellhead Pressure Plot Segments	203
14.7 Choke Control Gas Injection Pressure Plot Segments	204
14.8 Time-cycle Control Gas Injection Plot Segments	204
14.9a Intermittent Well Test Data	206
14.9b Gas Utilization Factor (GUF).	206
15.1 Dual Gas Lift with Common Annulus Equipment	208
15.2 Dual Gas Lift Pressure Graph	208
15.3 Graphical Design Line Mandrel Spacing Basics for PPO Unloading Valve Example.	215
15.4 Spacing Location of the Second Unloading Mandrel	216
15.5 PPO Example—Graphical Design Line Mandrel Spacing	217
15.6 PPO Valve Schematics and Crossover Seat Example.	218
15.7 Test Rack Schematic for Valve with Crossover Seat.	221
16.1 Gas Lift System Components Example	225
16.2 Continuous Gas Lift—Tubing Integrity Test for Casing-tubing Leak.	229
16.3 Continuous Gas Lift—Hydrates at Choke.	231
16.4 Continuous Gas Lift—Instability in Casing and Tubing	233
16.5 Continuous Gas Lift—Instability in Tubing	234
16.6 Continuous Gas Lift—Excessive Wellhead Back-pressure	236
16.7 Intermittent Gas Lift—Time-cycle Control	238
16.8 Intermittent Gas Lift—Choke Control	239
16.9 Intermittent Gas Lift—Time-cycle Control	240
16.10 Intermittent Gas Lift—Time-cycle Control.	241
16.11 Pressure/Temperature Flowing Survey with Stops Above and Below the Valves	242
16.12 Expanded Temperature Flowing Survey with Stops Above and Below the Valves	243
16.13 Pressure/Temperature Flowing Survey with Stops Above and Below the Valves	244
16.14 Expanded Temperature Flowing Survey with Stops Above and Below the Valves	244
16.15 Pressure/Temperature Flowing Data at Stop Points	245
16.16 Expanded Temperature Flowing Data at Stop Points	245
16.17 Pressure/Temperature Data—Continuous vs Time	246
16.18 Expanded Temperature Data—Continuous vs Time	246
16.19 Flowing Survey vs Time—Intermittent Lift with Stops Below the Valves	247
16.20 Pressure/Temperature Flowing Survey—Intermittent Lift with Stops Below the Valves	247
16.21 Expanded Temperature Flowing Survey—Intermittent Lift with Stops Below the Valves	248
16.22 Temperature Data from DTS Cable—Pre-unloading, Unloading, and Production.	248
16.23 CO ₂ Tracer Equipment	249
16.24 Tracer Results—CO ₂ Concentration % vs Time and Valve Depths	250
16.25 CO ₂ Tracer Results—Well History	251
16.26 Acoustic Reflections Matched to Valve Mandrels	252
16.27 Acoustic Reflections Inside and Outside the Valve Mandrels.	252
16.28 Acoustic Reflections in the Tubing and Casing	253
16.29 Production vs Injection Gas (Optimization Curve) at Various Mandrel Depths.	254

Contents

	Page
16.30 Continuous Gas Lift—Good Operation	256
16.31 C-4 Measured Temperature Data	258
16.32 C-4 Measured Pressure Data	259
16.33 GOR—Adjusted to Match Measured Gradient Data	259
16.34 Delivery Data with Adjusted GOR vs Test Point	260
16.35 C-16 Wellbore Sketch	261
16.36 C-16 Two-pen Chart During Survey	264
16.37 C-16 Measured Pressure and Simulation	265
16.38 C-16 Production Rate vs Injection Gas Rate	265
Tables	
3.1 Cross-reference of Gas Lift Symbols	10
5.1 Example Outflow Data	40
5.2 PVT Report Data	44
5.3 PVT Reports and Data Variation	45
5.4 A Guide to Purge and Rate Stability Time Based on Productivity Index (PI)	48
7.1 Basic Orifice Factor F_b for D (Pipe ID) and d (Orifice ID).	70
8.1 General Design Strategies Summary	89
11.1 Gas Lift Valve Data—Monel Seats	123
11.2 Guidelines for Pressure Drop (P_{drop}) Between Unloading Valves	124
11.3 Temperature Correction Factors for Nitrogen Gas	126
11.4 Inflow Rates for Various P_{wf}	130
11.5 Bottomhole Outflow Pressure at Each Production Rate for Various R_{gl}	132
11.6 Flowing Tubing Pressures for 800 BLPD Production Rate at 50 % WC and 1000 R_{gl}	137
11.7 Calculated, Graphical, and Adjusted Depths	141
11.8 Valve Closing Pressures at Surface ($P_{sc(n)}$) and at Valve Depth ($P_{cd(n)}$)	145
11.9 Summary of Test Rack Pressures	146
11.10 Calculated and Adjusted Depths—Example 2	153
11.11 Data at Each Valve Depth—Example 2	155
11.12 Summary of Test Rack Pressures—Example 2	156
12.1 Time Increments Associated with the Pressure Rise	159
12.2 Gas Rates Equal to 1 bbl/min	160
12.3 Annulus Displacement Capacity and Time Equal to 1 bbl/min.	160
12.4 Production Test Data and Calculations of KPIs.	173
13.1 Calculated and Adjusted Depths—Intermittent Lift.	190
13.2 Summary of Test Rack Pressures	192
14.1 Data from an Intermittent Installation	200
14.2 Well Test Data and Calculations	205
15.1 PPO Example Well Parameters	212
15.2 Gas Lift Valve and Mandrel Characteristics	213
15.3 Calculated and Adjusted Depths—PPO Example	217
15.4 Pressure and Temperature Data—PPO Example	219
15.5 Test Rack Pressures—PPO Example with Nitrogen-charged Bellows	220
15.6 Test Rack Pressures—PPO Example with Spring Tension Closing	221
15.7 Calculated Long String Mandrel Depths.	222
15.8 Duplicated Short String Mandrel Depths	222
16.1 Wells Not Taking Lift Gas.	226
16.2 Wells Circulating Gas	227
16.3 Well Leak Identification	228

Contents

	Page
16.4 Potential Solids Plugging	230
16.5 Well Instability	232
16.6 Underperformance by Shallow Lifting	235
16.7 Low Production in Intermittent Lift Applications	237
16.8 Example KPIs for Continuously Injected Oil Wells	254
16.9 Test Objective Terminology	255
16.10 Test Data for Well C-4	257
16.11 Measured Gradient Data for Well C-4.	258
16.12 Test Data for Well C-16	262
16.13 Measured Gradient Data for Well C-16.	263

Introduction

This document has been developed based upon the content of the API Gas Lift Book 6 of the Vocational Training Series, Third Edition, 1994. The third edition was based upon evolutionary information which was initiated with the first edition dated 1965.

Gas lift systems provide a means of enhancing the natural production of hydrocarbons from a producing oil or gas well. Gas lift is widely used because of its broad spectrum of capabilities to increase the production volumes. This handbook has been assembled to provide the reader with a fundamental knowledge of the general aspects required within a gas lift system. This information has been provided by industry experts and contains many technical perspectives and approaches. The 16 sections of this handbook contain the tutorial information and data that has been compiled from numerous API specifications and recommended practices. While this handbook includes foundational data, good engineering judgment and local work practices are essential to supplement this information.

Due to the historical nature of the source documents, the terminology, abbreviations, and symbols have been merged and harmonized. Section 3 includes the definitions and symbols utilized within this Technical Report.

Section 4 provides an introduction to the basic principles of gas lift. The subject areas include artificial lift systems basics, gas lift system types, and the major components of a gas lift system. The advantages and limitations of gas lift are provided to aid the selection of an appropriate lift method. A brief review of gas lift system development provides a historical perspective on the method.

Subsequent sections of this handbook provide the following: fundamentals of well performance, multiphase flow prediction, gas fundamentals and facilities, gas lift mandrels, relevant tools, valves, system design, continuous, intermittent, dual well flow design methods and analyses and troubleshooting of gas lift wells.

Gas Lift Handbook

1 Scope

This document presents information on the following topics related to gas lift equipment:

- a) the basic principles of gas lift;
- b) gas lift equipment selection;
- c) how various types of gas lift equipment work;
- d) how a gas lift system should be designed.

Information is also included on monitoring, adjusting, regulating, and trouble-shooting gas lift equipment. It is intended to familiarize operating personnel with the use of gas lift as an artificial lift system.

2 Normative References

No other document is required for the application of this standard. A list of documents associated with API 19GLHB are included in the Bibliography.

3 Terms, Definitions, Abbreviations, and Symbols

3.1 Terms and Definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

acceptance

Agreement or acknowledgment that the component or assembly can be used without restriction.

3.1.2

annulus

Concentric space that exists between the tubing and the production casing of the well.

3.1.3

API oil gravity

Specific gravity of a liquid as defined by using API methodology.

3.1.4

asphaltenes

Heavy fraction of crude oil consisting of aromatic and naphthenic compounds that often adhere to wetted components during production and that are not soluble in straight-chain solvents.

3.1.5

black oil correlation

Mathematical equations describing crude oil properties at a range of conditions defined by laboratory evaluations of reservoir oils as distinguished from compositional models for light hydrocarbons.

3.1.6

bubble point pressure

The pressure (at a given temperature) where the first bubble of vapor is formed when pressure is reduced in a liquid.