BS EN IEC 60086-2:2021



BSI Standards Publication

Primary batteries

Part 2: Physical and electrical specifications

bsi.

National foreword

This British Standard is the UK implementation of EN IEC 60086-2:2021. It is identical to IEC 60086-2:2021. It supersedes BS EN 60086-2:2016, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CPL/35, Primary cells.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 580 51012 0

ICS 29.220.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2021.

Amendments/corrigenda issued since publication

Date	Text affected

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN IEC 60086-2

June 2021

ICS 29.220.10

Supersedes EN 60086-2:2016 and all of its amendments and corrigenda (if any)

English Version

Primary batteries - Part 2: Physical and electrical specifications (IEC 60086-2:2021)

Piles électriques - Partie 2: Spécifications physiques et électriques
(IEC 60086-2:2021)

Primärbatterien - Teil 2: Physikalische und elektrische Spezifikationen
(IEC 60086-2:2021)

This European Standard was approved by CENELEC on 2021-06-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2021 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

European foreword

The text of document 35/1466/FDIS, future edition 14 of IEC 60086-2, prepared by IEC/TC 35 "Primary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60086-2:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-03-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-06-01

This document supersedes EN 60086-2:2016 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60086-2:2021 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60086-3	NOTE	Harmonized as EN 60086-3
IEC 60086-4	NOTE	Harmonized as EN IEC 60086-4
IEC 60086-5	NOTE	Harmonized as EN 60086-5
IEC 62281	NOTE	Harmonized as EN IEC 62281

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms, definitions, symbols and abbreviated terms 8
3.1 Terms and definitions 8
3.2 Symbols and abbreviated terms 10
4 Battery dimensions, symbols 10
5 Dimensional stability 11
6 Validity of testing 11
7 Constitution of the battery specification tables 11
8 Physical and electrical specifications 13
8.1 Category 1 batteries 13
8.1.1 General 13
8.1.2 Category 1 – Specifications: LR1, R1, LR8D425 14
8.1.3 Category 1 – Specifications: LR03, FR10G445, R03 15
8.1.4 Category 1 – Specifications: LR6, FR14505, R6P, R6S 16
8.1.5 Category 1 – Specifications: LR14, R14P, R14S 17
8.1.6 Category 1 – Specifications: LR20, R20P, R20S 18
8.2 Category 2 batteries – Specifications: CR14250, CR15H270, CR17345, CR17450, BR17335 19
8.3 Category 3 batteries – Specifications: LR9, CR11108 20
8.4 Category 4 batteries 21
8.4.1 General 21
8.4.2 Category 4 – Specifications: PR70, PR41, PR48, PR44, PR1154 21
8.4.3 Fit acceptance gauge for PR batteries 23
8.4.4 Category 4 – Specifications: LR41, LR55, LR54, LR43, LR44 24
8.4.5 Category 4 – Specifications: SR62, SR63, SR65, SR64, SR60, SR67, SR66, SR58, SR68, SR59, SR69, SR41, SR57, SR55, SR48, SR54, SR42, SR43, SR44 26
8.4.6 Category 4 – Specifications: CR1025, CR1216, CR1220, CR1225, CR1616, CR2012, CR1620, CR1632, CR2016, CR2025, CR2320, CR2032, CR2330, CR2430, CR2354, CR3032, CR2450, CR2477, BR1225, BR2016, BR2320, BR2325, BR3032 28
8.5 Category 5 batteries 30
8.5.1 Category 5 – Specifications: 2CR13252, 4LR44, 4SR44 30
8.5.2 Category 5 – Specification: 8LR932 32
8.5.3 Category 5 – Specifications: AR40, 5AR40, 6AR40, 5PR175/172, 6PR225/155 33
8.6 Category 6 batteries 34
8.6.1 Category 6 – Specification: 4LR61 34
8.6.2 Category 6 – Specification: CR-P2 35
8.6.3 Category 6 – Specification: 2CR5 36
8.6.4 Category 6 – Specifications: 3R12P, 3R12S, 3LR12 37
8.6.5 Category 6 – Specifications: AS4, AS6, AS8, AS10, AS12, PS8S, PS8P, PS10 38
8.6.6 Category 6 – Specification: 4R25Y 39

8.6.7 Category 6 – Specifications: 4R25X, 4LR25X 40
8.6.8 Category 6 – Specifications: 4R25-2, 4LR25-2 41
8.6.9 Category 6 – Specifications: 6AS4S, 6PS4S, 6PS4P 42
8.6.10 Category 6 – Specifications: 6F22, 6LR61, 6LP3146 43
8.6.11 Category 6 – Configurations: Stud for 6F22, 6LR61 6LP3146 44
8.6.12 Category 6 – Specifications: 6AS6P, 6AS6S, 6PS6P, 6PS6S 45
Annex A (informative) Tabulation of batteries by application 46
Annex B (informative) Cross-reference index 52
Annex C (informative) Index 55
Annex D (informative) Common designation 56
Annex E (informative) Compliance checklist 57
Bibliography 58

Figure 1 – Dimensional drawing: Category 1 13
Figure 2 – Dimensional drawing: LR1, R1, LR8D425 14
Figure 3 – Dimensional drawing: LR03, FR10G445, R03 15
Figure 4 – Dimensional drawing: LR6, FR14505, R6P, R6S 16
Figure 5 – Dimensional drawing: LR14, R14P, R14S 17
Figure 6 – Dimensional drawing: LR20, R20P, R20S 18
Figure 7 – Dimensional drawing: CR14250, CR15H270, CR17345, CR17450, BR17335 19
Figure 8 – Dimensional drawing: LR9, CR11108 20
Figure 9 – Dimensional drawing: Category 4 21
Figure 10 – Dimensional drawing: PR70, PR41, PR48, PR44, PR1154 21
Figure 11 – Gauge opening for P system batteries 23
Figure 12 – Suggested gauge layout 23
Figure 13 – Air hole placement diagram for P system batteries 24
Figure 14 – Dimensional drawing: LR41, LR55, LR54, LR43, LR44 24
Figure 15 – Dimensional drawing: SR62, SR63, SR65, SR64, SR60, SR67, SR66, SR58, SR68, SR59, SR69, SR41, SR57, SR55, SR48, SR54, SR42, SR43, SR44 26
Figure 16 – Dimensional drawing: CR1025, CR1216, CR1220, CR1225, CR1616, CR2012, CR1620, CR2016, CR2412, CR1632, CR2025, CR2320, CR2032, CR2330, CR2430, CR2354, CR2477, CR3032, CR2450, BR1225, BR2016, BR2320, BR2325, BR3032 28
Figure 17 – Dimensional drawing: 2CR13252, 4LR44, 4SR44 30
Figure 18 – Dimensional drawing: 8LR932 32
Figure 19 – Dimensional drawing: AR40, 5AR40, 6AR40, 5PR175/172, 6PR225/155 33
Figure 20 – Dimensional drawing: 4LR61 34
Figure 21 – Dimensional drawing: CR-P2 35
Figure 22 – Dimensional drawing: 2CR5 36
Figure 23 – Dimensional drawing: 3R12P, 3R12S, 3LR12 37
Figure 24 – Dimensional drawing: AS4, AS6, AS8, AS10, AS12, PS8S, PS8P, PS10 38
Figure 25 – Dimensional drawing: 4R25Y 39
Figure 26 – Dimensional drawing: 4R25X, 4LR25X 40
Figure 27 – Dimensional drawing: 4R25-2, 4LR25-2 41
Figure 28 – Dimensional drawing: 6AS4S, 6PS4S, 6PS4P 42

Figure 29 – Dimensional drawing: 6F22, 6LR61, 6LP3146 43
Figure 30 – Dimensional drawing: Stud 44
Figure 31 – Dimensional drawing: 6AS6P, 6AS6S, 6PS6P, 6PS6S 45

Table 1 – Gauge opening dimension (mm) 23
Table A.1 – Automatic camera 46
Table A.2 – CD, digital audio, wireless gaming and accessories 46
Table A.3 – Digital audio 46
Table A.4 – Digital still camera 46
Table A.5 – Electric equipment 46
Table A.6 – Electrical fence equipment, parking meters, light houses, beacons, railway signaling and road signaling 47
Table A.7 – Electronic key 47
Table A.8 – Hearing aid 47
Table A.9 – Hearing aid standard 48
Table A.10 – High intensity lighting 48
Table A.11 – Implant high drain 48
Table A.12 – Implant low drain 48
Table A.13 – Implant low drain with wireless 48
Table A.14 – Photo 48
Table A.15 – Portable lighting (LED) 49
Table A.16 – Portable stereo 49
Table A.17 – Radio 49
Table A.18 – Radio / Clock 50
Table A.19 – Radio/clock/remote control 50
Table A.20 – Remote control 50
Table A.21 – Road warning lamp 50
Table A.22 – Smoke detector 50
Table A.23 – Toy (motor) 51
Table A.24 – Toy (non-motorized) 51
Table A.25 – Wireless streaming 51
Table B.1 – Category 1 batteries 52
Table B.2 – Category 2 batteries 52
Table B.3 – Category 3 batteries 52
Table B.4 – Category 4 batteries 53
Table B.5 – Category 5 batteries 54
Table B.6 – Category 6 batteries 54
Table C.1 – Index 55
Table D.1 – Index 56
Table E.1 – Summary of specified items 57

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

PRIMARY BATTERIES –

Part 2: Physical and electrical specifications

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-2 has been prepared by IEC technical committee 35: Primary cells and batteries.

This fourteenth edition cancels and replaces the thirteenth edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) clarification and distinct separation of the terms used for coin (lithium button) and button cells and batteries;
b) importation of the dimensional stability from 60086-1;
c) reordering category 1, 5 and 6 batteries by volume;
d) addition of cochlear implant tests and a new zinc air hearing aid battery type;
e) modification of PR70 hearing aid tests;
f) addition of a compliance checklist annex (Annex E);

g) modifications to the LR1/R1 tests;

h) addition of new specifications for 8LR932, CR1632, CR1225, CR2477, 6AS6P, 6AS6S, 6PS6P, 6PS6S, 6PS4P, 6PS4S, 5PR175/172, 6PR225/155, AS4, AS6, AS8, AS10, AS12, PS121/195S, PS121/195P, AS149/195, 6AS4S, AR40, 5AR40, 6AR40.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
35/1466/FDIS	35/1468/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60086 series, under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The technical content of this part of IEC 60086 provides physical dimensions, discharge test conditions and discharge performance requirements. IEC 60086-2 complements the general information and requirements of IEC 60086-1.

This part was prepared to benefit primary battery users, device designers and battery manufacturers by furnishing the specifics of form, fit and function for individual standardized primary cells and batteries. Over the years, this part has been changed to improve its contents and may again be revised in due course in the light of comments made by national committees and experts on the basis of practical experience and changing technology.

This current revision is the result of a reformatting initiative, as well as some content changes, aimed at making this part more user-friendly, less ambiguous, and, from a cross reference basis, fully harmonized with other parts of IEC 60086.

NOTE Safety information is available in IEC 60086-4, IEC 60086-5 and IEC 62281.

PRIMARY BATTERIES –

Part 2: Physical and electrical specifications

1 Scope

This part of IEC 60086 is applicable to primary batteries which are based on standardised electrochemical systems.

It specifies

– the physical dimensions,

– the discharge test conditions and discharge performance requirements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-1, *Primary batteries – Part 1: General*

ISO 1101, *Geometrical product specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out*

3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the terms and definitions given in IEC 60086-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1 Terms and definitions

3.1.1
application test
simulation of the actual use of a battery in a specific application

3.1.2
button cell or battery
small round cell or battery where the overall height is less than the diameter, containing aqueous electrolyte

Note 1 to entry: See coin (cell or battery), lithium button (cell or battery).