



Member of the FM Global Group

Examination Standard for Class 1 Steep Slope Roof Covers

Class Number 4475

November 2021

Foreword

This standard is intended to verify that the products and services described will meet stated conditions of performance, safety and quality useful to the ends of property conservation. The purpose of this standard is to present the criteria for examination of various types of products and services.

Examination in accordance with this standard shall demonstrate compliance and verify that quality control in manufacturing shall ensure a consistent and reliable product

TABLE OF CONTENTS

1. INTRODUCTION	1
1.1 Purpose	1
1.2 Scope	1
1.3 Basis for Requirements	1
1.4 Basis for Certification	1
1.5 Basis for Continued Certification	1
1.6 Effective Date	2
1.7 System of Units	2
1.8 Normative References	2
1.9 Terms and Definitions	2
2. GENERAL INFORMATION.....	4
2.1 Product Information.....	4
2.2 Certification Application Requirements	4
2.3 Requirements for Samples for Examination	4
3. GENERAL REQUIREMENTS.....	5
3.1 Review of Documentation	5
3.2 Markings.....	5
3.3 Manufacturer’s Installation and Operation Instructions	5
3.4 Calibration	5
4. PERFORMANCE REQUIREMENTS	6
4.1 Simulated Wind Resistance Testing	6
4.2 Fire Spread from Above the Roof Deck	6
4.3 Fire Spread from Below the Roof Deck	7
4.4 Hail Damage Resistance	7
5. OPERATIONS REQUIREMENTS	9
5.1 Demonstrated Quality Control Program	9
5.2 Surveillance Audit	9
5.3 Manufacturer’s Responsibilities	10
6 BIBLIOGRAPHY.....	10

1 INTRODUCTION

1.1 Purpose

- 1.1.1 This standard states testing and certification requirements for Class 1 steep slope roof covers. Steep slope roof covers are manufactured in various forms of shingles or tiles.
- 1.1.2 Testing and certification criteria may include, but are not limited to, performance requirements, marking requirements, examination of manufacturing facility(ies), audit of quality assurance procedures, and a follow-up program.

1.2 Scope

- 1.2.1 This standard applies to any shingle or roof tile manufactured for use in steep slope roof systems. Testing includes wind resistance, interior and exterior fire resistance, and impact resistance.
- 1.2.2 Steep slope roofing is defined as a roof slope with an incline of ≥ 2 units per 12 units (9.5°).

1.3 Basis for Requirements

- 1.3.1 The requirements of this standard are based on experience, research and testing, and/or the standards of other organizations. The advice of manufacturers, users, trade associations, jurisdictions and/or loss control specialists was also considered.
- 1.3.2 The requirements of this standard reflect tests and practices used to examine characteristics of steep slope roofing systems for the purpose of obtaining certification. Steep slope roofing systems having characteristics not anticipated by this standard may be certified if performance equal, or superior, to that required by this standard is demonstrated.

1.4 Basis for Certification

Certification is based upon satisfactory evaluation of the product and the manufacturer in the following major areas:

- 1.4.1 Examination and tests on production samples shall be performed to evaluate
- the suitability of the product;
 - the performance of the product as specified by the manufacturer and required for certification; and as far as practical,
 - the durability and reliability of the product.
- 1.4.2 An examination of the manufacturing facilities and audit of quality control procedures is made to evaluate the manufacturer's ability to consistently produce the product which is examined and tested, and the marking procedures used to identify the product. Subsequent surveillance may be required by the certification agency in accordance with the certification scheme to ensure ongoing compliance.

1.5 Basis for Continued Certification

The basis for continual certification may include, but is not limited to, the following based upon the certification scheme and requirements of the certification agency:

- production or availability of the product as currently certified;
- the continued use of acceptable quality assurance procedures;